

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
 Data File : PL062510.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Oct 2020 11:40
 Operator : DD\AJ
 Sample : L4222-01MS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 EO-03-101920MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 22 15:33:41 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.950	36243273	56592457	21.071	19.258
28)	SA Decachlor...	8.127	8.989	23432403	30392834	14.606	14.521
Target Compounds							
2)	A alpha-BHC	3.844	4.337	147.0E6	237.2E6	57.659	53.384
3)	MA gamma-BHC...	4.123	4.619	132.0E6	214.9E6	56.981	51.463
4)	MA Heptachlor	4.420	5.125	118.2E6	191.7E6	55.101	48.078
5)	MB Aldrin	4.665	5.428	102.7E6	168.1E6	53.825	46.434
6)	B beta-BHC	4.372	4.791	53161292	86547848	55.655	45.962
7)	B delta-BHC	4.573	5.005	122.5E6	177.8E6	56.361	50.809
8)	B Heptachlo...	5.103	5.814	100.1E6	150.5E6	54.860	46.482
9)	A Endosulfan I	5.438	6.169	86843515	135.6E6	51.952	42.990
10)	B gamma-Chl...	5.328	6.048	92579628	144.4E6	51.388	42.883
11)	B alpha-Chl...	5.386	6.120	91649630	145.7E6	50.698	43.239
12)	B 4,4'-DDE	5.551	6.278	92237329	145.1E6	55.751	45.048
13)	MA Dieldrin	5.680	6.425	91428727	137.9E6	51.743	43.085
14)	MA Endrin	5.934	6.642	84314311	119.7E6	50.676	42.889
15)	B Endosulfa...	6.206	6.852	80909044	118.9E6	49.076	41.584
16)	A 4,4'-DDD	6.063	6.767	68675344	112.8E6	48.551	44.051
17)	MA 4,4'-DDT	6.302	7.065	68151949	99858449	51.067	44.475
18)	B Endrin al...	6.374	6.976	63907059	91348375	44.011	40.055
19)	B Endosulfa...	6.585	7.198	83506896	107.3E6	50.603	44.717
20)	A Methoxychlor	6.846	7.525	38683623	52761644	44.913	42.704
21)	B Endrin ke...	7.071	7.667	81021446	111.1E6	44.937	46.884
22)	Mirex	7.258	8.120	58064881	72041059	40.957	42.276



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
Data File : PL062510.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Oct 2020 11:40
Operator : DD\AJ
Sample : L4222-01MS
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleID :
EO-03-101920MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 22 15:33:41 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 36243273
Conc: 21.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#1 Tetrachloro-m-xylene

R.T.: 3.950 min
Delta R.T.: -0.001 min
Response: 56592457
Conc: 19.26 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 147012758
Conc: 57.66 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: -0.001 min
Response: 237199382
Conc: 53.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 132005618
Conc: 56.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#3 gamma-BHC (Lindane)

R.T.: 4.619 min
Delta R.T.: -0.001 min
Response: 214895298
Conc: 51.46 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 118234831
Conc: 55.10 ng/ml



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: -0.001 min
Response: 191731531
Conc: 48.08 ng/ml



#5 Aldrin


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 102738917
Conc: 53.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 168069078
Conc: 46.43 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 53161292
Conc: 55.66 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: -0.001 min
Response: 86547848
Conc: 45.96 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 122485584
Conc: 56.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#7 delta-BHC

R.T.: 5.005 min
Delta R.T.: -0.001 min
Response: 177804886
Conc: 50.81 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 100097145
Conc: 54.86 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 150537964
Conc: 46.48 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 86843515
Conc: 51.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: -0.001 min
Response: 135581487
Conc: 42.99 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 92579628
Conc: 51.39 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 144359863
Conc: 42.88 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 91649630
Conc: 50.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 145666829
Conc: 43.24 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 92237329
Conc: 55.75 ng/ml



#12 4,4'-DDE


R.T.: 6.278 min
Delta R.T.: 0.000 min
Response: 145147623
Conc: 45.05 ng/ml



#13 Dieldrin


R.T.: 5.680 min
Delta R.T.: 0.000 min
Response: 91428727
Conc: 51.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: 0.000 min
Response: 137908773
Conc: 43.08 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 84314311
Conc: 50.68 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: 0.000 min
Response: 119706637
Conc: 42.89 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.001 min
Response: 80909044
Conc: 49.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#15 Endosulfan II

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 118873556
Conc: 41.58 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.001 min
Response: 68675344
Conc: 48.55 ng/ml



#16 4,4'-DDD


R.T.: 6.767 min
Delta R.T.: -0.001 min
Response: 112769068
Conc: 44.05 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.001 min
Response: 68151949
Conc: 51.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#17 4,4'-DDT

R.T.: 7.065 min
Delta R.T.: -0.002 min
Response: 99858449
Conc: 44.48 ng/ml




#18 Endrin aldehyde

R.T.: 6.374 min
Delta R.T.: 0.002 min
Response: 63907059
Conc: 44.01 ng/ml



#18 Endrin aldehyde


R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 91348375
Conc: 40.05 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 83506896
Conc: 50.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#19 Endosulfan Sulfate

R.T.: 7.198 min
Delta R.T.: -0.001 min
Response: 107285605
Conc: 44.72 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.001 min
Response: 38683623
Conc: 44.91 ng/ml



#20 Methoxychlor


R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 52761644
Conc: 42.70 ng/ml



#21 Endrin ketone


R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 81021446
Conc: 44.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS




#21 Endrin ketone

R.T.: 7.667 min
Delta R.T.: -0.001 min
Response: 111107041
Conc: 46.88 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 58064881
Conc: 40.96 ng/ml



#22 Mirex


R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 72041059
Conc: 42.28 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.001 min
Response: 23432403
Conc: 14.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
EO-03-101920MS



#28 Decachlorobiphenyl

R.T.: 8.989 min
Delta R.T.: 0.000 min
Response: 30392834
Conc: 14.52 ng/ml