

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
 Data File : PL062515.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Oct 2020 13:23
 Operator : DD\AJ
 Sample : PB132539BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB132539BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 22 15:35:02 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.950	33156654	55946380	19.276	19.038
2)	SA Decachlor...	8.126	8.988	29374850	39587370	18.310	18.915
Target Compounds							
2)	A alpha-BHC	3.844	4.337	125.4E6	221.6E6	49.173	49.879
3)	MA gamma-BHC...	4.123	4.619	112.8E6	205.8E6	48.685	49.289
4)	MA Heptachlor	4.420	5.124	104.9E6	191.5E6	48.908	48.010
5)	MB Aldrin	4.664	5.427	93836141	174.7E6	49.161	48.254
6)	B beta-BHC	4.372	4.790	46663672	84700132	48.853	44.981
7)	B delta-BHC	4.573	5.005	107.5E6	183.1E6	49.450	52.319
8)	B Heptachlo...	5.103	5.813	89979755	155.9E6	49.315	48.130
9)	A Endosulfan I	5.438	6.168	82219639	140.1E6	49.186	44.424
10)	B gamma-Chl...	5.328	6.047	87340533	152.0E6	48.480	45.144
11)	B alpha-Chl...	5.385	6.119	87157625	151.9E6	48.213	45.085
12)	B 4,4'-DDE	5.550	6.278	80501055	143.3E6	48.657	44.460
13)	MA Dieldrin	5.679	6.425	85540778	142.0E6	48.411	44.349
14)	MA Endrin	5.933	6.642	74120623	113.6E6	44.550	40.693
15)	B Endosulfa...	6.205	6.851	77765464	119.0E6	47.169	41.622
16)	A 4,4'-DDD	6.062	6.767	72561001	116.0E6	51.298	45.329
17)	MA 4,4'-DDT	6.301	7.065	58159612	89930993	43.579	40.054
18)	B Endrin al...	6.372	6.975	68382625	101.6E6	47.093	44.533
19)	B Endosulfa...	6.585	7.198	75795183	109.0E6	45.930	45.451
20)	A Methoxychlor	6.845	7.524	36043192	52309299	41.848	42.338
21)	B Endrin ke...	7.071	7.667	86709645	114.4E6	48.091	48.254
22)	Mirex	7.257	8.119	62822228	76161084	44.313	44.693



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
Data File : PL062515.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Oct 2020 13:23
Operator : DD\AJ
Sample : PB132539BS
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PB132539BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 22 15:35:02 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 33156654
Conc: 19.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#1 Tetrachloro-m-xylene

R.T.: 3.950 min
Delta R.T.: -0.001 min
Response: 55946380
Conc: 19.04 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 125375527
Conc: 49.17 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: -0.001 min
Response: 221622831
Conc: 49.88 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 112786971
Conc: 48.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#3 gamma-BHC (Lindane)

R.T.: 4.619 min
Delta R.T.: -0.002 min
Response: 205815754
Conc: 49.29 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 104946840
Conc: 48.91 ng/ml



#4 Heptachlor


R.T.: 5.124 min
Delta R.T.: -0.002 min
Response: 191458505
Conc: 48.01 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 93836141
Conc: 49.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#5 Aldrin

R.T.: 5.427 min
Delta R.T.: -0.001 min
Response: 174654567
Conc: 48.25 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 46663672
Conc: 48.85 ng/ml



#6 beta-BHC


R.T.: 4.790 min
Delta R.T.: -0.001 min
Response: 84700132
Conc: 44.98 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 107466628
Conc: 49.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#7 delta-BHC

R.T.: 5.005 min
Delta R.T.: -0.002 min
Response: 183088409
Conc: 52.32 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 89979755
Conc: 49.32 ng/ml



#8 Heptachlor epoxide


R.T.: 5.813 min
Delta R.T.: -0.001 min
Response: 155875819
Conc: 48.13 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 82219639
Conc: 49.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#9 Endosulfan I

R.T.: 6.168 min
Delta R.T.: -0.002 min
Response: 140106280
Conc: 44.42 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 87340533
Conc: 48.48 ng/ml



#10 gamma-Chlordane


R.T.: 6.047 min
Delta R.T.: -0.002 min
Response: 151970296
Conc: 45.14 ng/ml



#11 alpha-Chlordane


R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 87157625
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#11 alpha-Chlordane

R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 151887372
Conc: 45.09 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 80501055
Conc: 48.66 ng/ml



#12 4,4'-DDE


R.T.: 6.278 min
Delta R.T.: -0.001 min
Response: 143250931
Conc: 44.46 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 85540778
Conc: 48.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: -0.001 min
Response: 141954947
Conc: 44.35 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 74120623
Conc: 44.55 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: -0.002 min
Response: 113578547
Conc: 40.69 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 77765464
Conc: 47.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#15 Endosulfan II

R.T.: 6.851 min
Delta R.T.: -0.002 min
Response: 118981468
Conc: 41.62 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 72561001
Conc: 51.30 ng/ml



#16 4,4'-DDD


R.T.: 6.767 min
Delta R.T.: -0.002 min
Response: 116039657
Conc: 45.33 ng/ml



#17 4,4'-DDT


R.T.: 6.301 min
Delta R.T.: 0.000 min
Response: 58159612
Conc: 43.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#17 4,4'-DDT

R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 89930993
Conc: 40.05 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 68382625
Conc: 47.09 ng/ml



#18 Endrin aldehyde


R.T.: 6.975 min
Delta R.T.: -0.002 min
Response: 101561431
Conc: 44.53 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 75795183
Conc: 45.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#19 Endosulfan Sulfate

R.T.: 7.198 min
Delta R.T.: -0.002 min
Response: 109046303
Conc: 45.45 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 36043192
Conc: 41.85 ng/ml



#20 Methoxychlor


R.T.: 7.524 min
Delta R.T.: -0.002 min
Response: 52309299
Conc: 42.34 ng/ml



#21 Endrin ketone


R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 86709645
Conc: 48.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS




#21 Endrin ketone

R.T.: 7.667 min
Delta R.T.: -0.001 min
Response: 114352614
Conc: 48.25 ng/ml




#22 Mirex

R.T.: 7.257 min
Delta R.T.: 0.000 min
Response: 62822228
Conc: 44.31 ng/ml



#22 Mirex


R.T.: 8.119 min
Delta R.T.: -0.002 min
Response: 76161084
Conc: 44.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 29374850
Conc: 18.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132539BS



#28 Decachlorobiphenyl

R.T.: 8.988 min
Delta R.T.: 0.000 min
Response: 39587370
Conc: 18.91 ng/ml