

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
 Data File : PL062519.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Oct 2020 15:49
 Operator : DD\AJ
 Sample : L4484-01MS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 72-11998MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 22 17:52:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.951	36176994	59117621	21.032	20.117
28)	SA Decachlor...	8.126	8.988	25672769	33800033	16.003	16.149
Target Compounds							
2)	A alpha-BHC	3.844	4.337	146.1E6	259.1E6	57.287	58.304
3)	MA gamma-BHC...	4.123	4.620	132.5E6	235.2E6	57.197	56.317
4)	MA Heptachlor	4.419	5.125	117.9E6	210.9E6	54.926	52.890
5)	MB Aldrin	4.664	5.428	103.4E6	189.5E6	54.180	52.356
6)	B beta-BHC	4.372	4.791	53567771	95436069	56.081	50.682
7)	B delta-BHC	4.573	5.006	123.2E6	191.3E6	56.668	54.652
8)	B Heptachlo...	5.102	5.813	103.3E6	172.4E6	56.627	53.243
9)	A Endosulfan I	5.438	6.169	90007099	155.1E6	53.844	49.188
10)	B gamma-Chl...	5.328	6.047	96391706	162.8E6	53.504	48.375
11)	B alpha-Chl...	5.386	6.120	95621232	166.2E6	52.895	49.333
12)	B 4,4'-DDE	5.550	6.278	96996305	163.4E6	58.628	50.711
13)	MA Dieldrin	5.679	6.425	96078537	157.7E6	54.375	49.260
14)	MA Endrin	5.933	6.642	89864866	137.3E6	54.013	49.196
15)	B Endosulfa...	6.205	6.852	87124183	135.6E6	52.846	47.418
16)	A 4,4'-DDD	6.062	6.767	73641974	131.8E6	52.062	51.466
17)	MA 4,4'-DDT	6.301	7.065	75171181	118.1E6	56.326	52.604
18)	B Endrin al...	6.372	6.975	70397148	106.5E6	48.480	46.700
19)	B Endosulfa...	6.585	7.198	90122596	119.3E6	54.612	49.737
20)	A Methoxychlor	6.845	7.524	42823189	59112873	49.720	47.845
21)	B Endrin ke...	7.070	7.667	90745146	125.1E6	50.330	52.802
22)	Mirex	7.256	8.120	64644921	78619939	45.599	46.136


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
Data File : PL062519.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Oct 2020 15:49
Operator : DD\AJ
Sample : L4484-01MS
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
72-11998MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 22 17:52:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 36176994
Conc: 21.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 59117621
Conc: 20.12 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 146064702
Conc: 57.29 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: -0.001 min
Response: 259056439
Conc: 58.30 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: -0.001 min
Response: 132508101
Conc: 57.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 235164321
Conc: 56.32 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 117858945
Conc: 54.93 ng/ml



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: -0.001 min
Response: 210920919
Conc: 52.89 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 103415490
Conc: 54.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 189500817
Conc: 52.36 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 53567771
Conc: 56.08 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: 0.000 min
Response: 95436069
Conc: 50.68 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 123152575
Conc: 56.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 191253152
Conc: 54.65 ng/ml




#8 Heptachlor epoxide

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 103320633
Conc: 56.63 ng/ml



#8 Heptachlor epoxide


R.T.: 5.813 min
Delta R.T.: -0.001 min
Response: 172432775
Conc: 53.24 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 90007099
Conc: 53.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: -0.001 min
Response: 155130855
Conc: 49.19 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 96391706
Conc: 53.50 ng/ml



#10 gamma-Chlordane


R.T.: 6.047 min
Delta R.T.: -0.001 min
Response: 162847645
Conc: 48.38 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 95621232
Conc: 52.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 166196573
Conc: 49.33 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 96996305
Conc: 58.63 ng/ml



#12 4,4'-DDE


R.T.: 6.278 min
Delta R.T.: 0.000 min
Response: 163393538
Conc: 50.71 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 96078537
Conc: 54.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: -0.001 min
Response: 157674922
Conc: 49.26 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 89864866
Conc: 54.01 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: 0.000 min
Response: 137311910
Conc: 49.20 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 87124183
Conc: 52.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#15 Endosulfan II

R.T.: 6.852 min
Delta R.T.: -0.001 min
Response: 135551806
Conc: 47.42 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 73641974
Conc: 52.06 ng/ml



#16 4,4'-DDD


R.T.: 6.767 min
Delta R.T.: -0.001 min
Response: 131750261
Conc: 51.47 ng/ml



#17 4,4'-DDT


R.T.: 6.301 min
Delta R.T.: 0.000 min
Response: 75171181
Conc: 56.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#17 4,4'-DDT

R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 118109664
Conc: 52.60 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 70397148
Conc: 48.48 ng/ml



#18 Endrin aldehyde


R.T.: 6.975 min
Delta R.T.: -0.001 min
Response: 106504386
Conc: 46.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 90122596
Conc: 54.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#19 Endosulfan Sulfate

R.T.: 7.198 min
Delta R.T.: -0.001 min
Response: 119329954
Conc: 49.74 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 42823189
Conc: 49.72 ng/ml



#20 Methoxychlor


R.T.: 7.524 min
Delta R.T.: -0.001 min
Response: 59112873
Conc: 47.85 ng/ml



#21 Endrin ketone


R.T.: 7.070 min
Delta R.T.: 0.000 min
Response: 90745146
Conc: 50.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS




#21 Endrin ketone

R.T.: 7.667 min
Delta R.T.: 0.000 min
Response: 125130200
Conc: 52.80 ng/ml




#22 Mirex

R.T.: 7.256 min
Delta R.T.: 0.000 min
Response: 64644921
Conc: 45.60 ng/ml



#22 Mirex


R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 78619939
Conc: 46.14 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.126 min
Delta R.T.: 0.000 min
Response: 25672769
Conc: 16.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
72-11998MS



#28 Decachlorobiphenyl

R.T.: 8.988 min
Delta R.T.: -0.001 min
Response: 33800033
Conc: 16.15 ng/ml