

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
 Data File : PL062537.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Oct 2020 20:07
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 23 04:52:16 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.413	3.952	92814458	162.8E6	53.959	55.392
28)	SA Decachlor...	8.127	8.990	79354809	110.8E6	49.464	52.958
Target Compounds							
2)	A alpha-BHC	3.844	4.338	139.1E6	252.5E6	54.571	56.821
3)	MA gamma-BHC...	4.124	4.622	124.3E6	233.0E6	53.635	55.806
4)	MA Heptachlor	4.420	5.126	113.1E6	213.6E6	52.713	53.555
5)	MB Aldrin	4.665	5.429	103.3E6	200.5E6	54.143	55.399
6)	B beta-BHC	4.373	4.792	51563724	100.1E6	53.983	53.156
7)	B delta-BHC	4.573	5.007	118.7E6	204.1E6	54.631	58.312
8)	B Heptachlo...	5.103	5.815	100.3E6	178.7E6	54.946	55.173
9)	A Endosulfan I	5.438	6.170	89381836	164.3E6	53.470	52.106
10)	B gamma-Chl...	5.329	6.048	95420697	179.2E6	52.965	53.241
11)	B alpha-Chl...	5.386	6.121	95333066	177.4E6	52.735	52.661
12)	B 4,4'-DDE	5.551	6.279	89019190	168.3E6	53.806	52.250
13)	MA Dieldrin	5.679	6.426	94460896	166.2E6	53.459	51.912
14)	MA Endrin	5.934	6.643	82809182	134.7E6	49.772	48.252
15)	B Endosulfa...	6.206	6.853	85623871	140.0E6	51.936	48.959
16)	A 4,4'-DDD	6.063	6.769	80622274	137.4E6	56.997	53.668
17)	MA 4,4'-DDT	6.302	7.067	61512623	106.4E6	46.092	47.383
18)	B Endrin al...	6.374	6.977	74189163	119.1E6	51.092	52.204
19)	B Endosulfa...	6.586	7.200	83398492	128.6E6	50.537	53.612
20)	A Methoxychlor	6.846	7.526	38528774	59544425	44.734	48.194
21)	B Endrin ke...	7.072	7.668	95242292	134.3E6	52.824	56.662
22)	Mirex	7.258	8.121	69020260	90441981	48.685	53.074



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
Data File : PL062537.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Oct 2020 20:07
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 23 04:52:16 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.413 min
Delta R.T.: 0.000 min
Response: 92814458
Conc: 53.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.952 min
Delta R.T.: 0.000 min
Response: 162782429
Conc: 55.39 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 139138736
Conc: 54.57 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 252470952
Conc: 56.82 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.124 min
Delta R.T.: 0.000 min
Response: 124254860
Conc: 53.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.622 min
Delta R.T.: 0.000 min
Response: 233032465
Conc: 55.81 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 113111686
Conc: 52.71 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 213571078
Conc: 53.55 ng/ml



#5 Aldrin


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 103345513
Conc: 54.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 200516843
Conc: 55.40 ng/ml




#6 beta-BHC

R.T.: 4.373 min
Delta R.T.: 0.000 min
Response: 51563724
Conc: 53.98 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 100094159
Conc: 53.16 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 118724980
Conc: 54.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 204059938
Conc: 58.31 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 100254613
Conc: 54.95 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 178683778
Conc: 55.17 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 89381836
Conc: 53.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 164333227
Conc: 52.11 ng/ml




#10 gamma-Chlordane

R.T.: 5.329 min
Delta R.T.: 0.000 min
Response: 95420697
Conc: 52.97 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 179228624
Conc: 53.24 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 95333066
Conc: 52.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 177410753
Conc: 52.66 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 89019190
Conc: 53.81 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 168349958
Conc: 52.25 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 94460896
Conc: 53.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 166161876
Conc: 51.91 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.001 min
Response: 82809182
Conc: 49.77 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 134676644
Conc: 48.25 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.001 min
Response: 85623871
Conc: 51.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 139956998
Conc: 48.96 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.001 min
Response: 80622274
Conc: 57.00 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 137387256
Conc: 53.67 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 61512623
Conc: 46.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 106386288
Conc: 47.38 ng/ml




#18 Endrin aldehyde

R.T.: 6.374 min
Delta R.T.: 0.002 min
Response: 74189163
Conc: 51.09 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 119056022
Conc: 52.20 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 83398492
Conc: 50.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 128626602
Conc: 53.61 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.001 min
Response: 38528774
Conc: 44.73 ng/ml



#20 Methoxychlor


R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 59544425
Conc: 48.19 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 95242292
Conc: 52.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.668 min
Delta R.T.: 0.000 min
Response: 134277051
Conc: 56.66 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 69020260
Conc: 48.69 ng/ml



#22 Mirex


R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 90441981
Conc: 53.07 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 79354809
Conc: 49.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.990 min
Delta R.T.: 0.000 min
Response: 110839854
Conc: 52.96 ng/ml