

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
 Data File : PL062539.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Oct 2020 20:36
 Operator : DD\AJ
 Sample : PB132487BS
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB132487BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 23 04:52:46 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.952	34343270	62075772	19.966	21.123
2)	SA Decachlor...	8.127	8.989	33048248	45438920	20.600	21.710
Target Compounds							
2)	A alpha-BHC	3.844	4.337	22948316	43734158	9.000	9.843
3)	MA gamma-BHC...	4.123	4.621	20331656	38471299	8.776	9.213
4)	MA Heptachlor	4.420	5.126	19865961	38849679	9.258	9.742
5)	MB Aldrin	4.664	5.428	18158965	35774132	9.514	9.884
6)	B beta-BHC	4.372	4.791	9767266	20005492	10.225	10.624
7)	B delta-BHC	4.573	5.005	18033994	34110866	8.298	9.747
8)	B Heptachlo...	5.103	5.814	17888386	34403990	9.804	10.623
9)	A Endosulfan I	5.438	6.170	16540509	30578401	9.895	9.696
10)	B gamma-Chl...	5.328	6.048	17689358	31390160	9.819	9.325
11)	B alpha-Chl...	5.386	6.120	17557388	32700173	9.712	9.706
12)	B 4,4'-DDE	5.551	6.279	15463692	30688789	9.347	9.525
13)	MA Dieldrin	5.679	6.426	16916739	29928290	9.574	9.350
14)	MA Endrin	5.933	6.643	17170090	28468966	10.320	10.200
15)	B Endosulfa...	6.206	6.853	15744577	31889454	9.550	11.155
16)	A 4,4'-DDD	6.062	6.768	14359568	35362073	10.152	13.813 #
17)	MA 4,4'-DDT	6.302	7.066	8362587	16746704	6.266	7.459
18)	B Endrin al...	6.372	6.976	14526372	23602197	10.004	10.349
19)	B Endosulfa...	6.585	7.199	16279397	24933103	9.865	10.392
20)	A Methoxychlor	6.845	7.525	6378427	10867413	7.406	8.796
21)	B Endrin ke...	7.071	7.668	17467132	24745983	9.688	10.442
22)	Mirex	7.258	8.121	14062832	17990889	9.920	10.558



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
Data File : PL062539.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Oct 2020 20:36
Operator : DD\AJ
Sample : PB132487BS
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PB132487BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 23 04:52:46 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 34343270
Conc: 19.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#1 Tetrachloro-m-xylene

R.T.: 3.952 min
Delta R.T.: 0.000 min
Response: 62075772
Conc: 21.12 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 22948316
Conc: 9.00 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 43734158
Conc: 9.84 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 20331656
Conc: 8.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 38471299
Conc: 9.21 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 19865961
Conc: 9.26 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 38849679
Conc: 9.74 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 18158965
Conc: 9.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 35774132
Conc: 9.88 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 9767266
Conc: 10.23 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: 0.000 min
Response: 20005492
Conc: 10.62 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 18033994
Conc: 8.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#7 delta-BHC

R.T.: 5.005 min
Delta R.T.: -0.001 min
Response: 34110866
Conc: 9.75 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 17888386
Conc: 9.80 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 34403990
Conc: 10.62 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 16540509
Conc: 9.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 30578401
Conc: 9.70 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 17689358
Conc: 9.82 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 31390160
Conc: 9.32 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 17557388
Conc: 9.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 32700173
Conc: 9.71 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 15463692
Conc: 9.35 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 30688789
Conc: 9.52 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 16916739
Conc: 9.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 29928290
Conc: 9.35 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 17170090
Conc: 10.32 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 28468966
Conc: 10.20 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.000 min
Response: 15744577
Conc: 9.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 31889454
Conc: 11.16 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 14359568
Conc: 10.15 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 35362073
Conc: 13.81 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 8362587
Conc: 6.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 16746704
Conc: 7.46 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 14526372
Conc: 10.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.976 min
Delta R.T.: 0.000 min
Response: 23602197
Conc: 10.35 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 16279397
Conc: 9.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 24933103
Conc: 10.39 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 6378427
Conc: 7.41 ng/ml



#20 Methoxychlor


R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 10867413
Conc: 8.80 ng/ml



#21 Endrin ketone


R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 17467132
Conc: 9.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS




#21 Endrin ketone

R.T.: 7.668 min
Delta R.T.: 0.000 min
Response: 24745983
Conc: 10.44 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 14062832
Conc: 9.92 ng/ml



#22 Mirex


R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 17990889
Conc: 10.56 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 33048248
Conc: 20.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BS



#28 Decachlorobiphenyl

R.T.: 8.989 min
Delta R.T.: 0.000 min
Response: 45438920
Conc: 21.71 ng/ml