

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
 Data File : PL062540.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Oct 2020 20:50
 Operator : DD\AJ
 Sample : PB132487BSD
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB132487BSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 23 04:53:06 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.413	3.952	34336499	61619967	19.962	20.968
28)	SA Decachlor...	8.127	8.990	33029538	45833798	20.588	21.899
Target Compounds							
2)	A alpha-BHC	3.844	4.338	23102053	41334618	9.061	9.303
3)	MA gamma-BHC...	4.123	4.621	20324900	38551346	8.773	9.232
4)	MA Heptachlor	4.420	5.126	19949657	38917833	9.297	9.759
5)	MB Aldrin	4.665	5.429	18119007	35908518	9.493	9.921
6)	B beta-BHC	4.373	4.792	9814279	20124564	10.275	10.687
7)	B delta-BHC	4.573	5.006	17938675	34348528	8.254	9.815
8)	B Heptachlo...	5.104	5.815	18220713	34572646	9.986	10.675
9)	A Endosulfan I	5.439	6.170	16680843	30820456	9.979	9.772
10)	B gamma-Chl...	5.329	6.048	17681486	32118225	9.814	9.541
11)	B alpha-Chl...	5.386	6.121	17577529	32879657	9.723	9.760
12)	B 4,4'-DDE	5.551	6.279	15584030	30791493	9.419	9.557
13)	MA Dieldrin	5.680	6.426	16913162	30349369	9.572	9.482
14)	MA Endrin	5.934	6.643	15795636	25500471	9.494	9.136
15)	B Endosulfa...	6.206	6.853	15785285	29061784	9.575	10.166
16)	A 4,4'-DDD	6.063	6.768	14430849	30215555	10.202	11.803
17)	MA 4,4'-DDT	6.302	7.066	8413909	16744478	6.305	7.458
18)	B Endrin al...	6.373	6.977	14515128	23590884	9.996	10.344
19)	B Endosulfa...	6.586	7.200	16355425	25068421	9.911	10.449
20)	A Methoxychlor	6.846	7.526	6502136	10657160	7.549	8.626
21)	B Endrin ke...	7.072	7.668	17699453	24977708	9.817	10.540
22)	Mirex	7.258	8.122	16960097	18386678	11.963	10.790



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102220\
Data File : PL062540.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Oct 2020 20:50
Operator : DD\AJ
Sample : PB132487BSD
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PB132487BSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 23 04:53:06 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.413 min
Delta R.T.: 0.000 min
Response: 34336499
Conc: 19.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#1 Tetrachloro-m-xylene

R.T.: 3.952 min
Delta R.T.: 0.000 min
Response: 61619967
Conc: 20.97 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 23102053
Conc: 9.06 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 41334618
Conc: 9.30 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 20324900
Conc: 8.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 38551346
Conc: 9.23 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 19949657
Conc: 9.30 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 38917833
Conc: 9.76 ng/ml



#5 Aldrin


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 18119007
Conc: 9.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 35908518
Conc: 9.92 ng/ml




#6 beta-BHC

R.T.: 4.373 min
Delta R.T.: 0.000 min
Response: 9814279
Conc: 10.27 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 20124564
Conc: 10.69 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 17938675
Conc: 8.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 34348528
Conc: 9.82 ng/ml




#8 Heptachlor epoxide

R.T.: 5.104 min
Delta R.T.: 0.000 min
Response: 18220713
Conc: 9.99 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 34572646
Conc: 10.68 ng/ml



#9 Endosulfan I


R.T.: 5.439 min
Delta R.T.: 0.000 min
Response: 16680843
Conc: 9.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 30820456
Conc: 9.77 ng/ml




#10 gamma-Chlordane

R.T.: 5.329 min
Delta R.T.: 0.000 min
Response: 17681486
Conc: 9.81 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 32118225
Conc: 9.54 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 17577529
Conc: 9.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#11 alpha-Chlordane

R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 32879657
Conc: 9.76 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 15584030
Conc: 9.42 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 30791493
Conc: 9.56 ng/ml



#13 Dieldrin


R.T.: 5.680 min
Delta R.T.: 0.000 min
Response: 16913162
Conc: 9.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 30349369
Conc: 9.48 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 15795636
Conc: 9.49 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 25500471
Conc: 9.14 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.000 min
Response: 15785285
Conc: 9.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 29061784
Conc: 10.17 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.000 min
Response: 14430849
Conc: 10.20 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 30215555
Conc: 11.80 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 8413909
Conc: 6.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 16744478
Conc: 7.46 ng/ml




#18 Endrin aldehyde

R.T.: 6.373 min
Delta R.T.: 0.001 min
Response: 14515128
Conc: 10.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 23590884
Conc: 10.34 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 16355425
Conc: 9.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 25068421
Conc: 10.45 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.001 min
Response: 6502136
Conc: 7.55 ng/ml



#20 Methoxychlor


R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 10657160
Conc: 8.63 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 17699453
Conc: 9.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD




#21 Endrin ketone

R.T.: 7.668 min
Delta R.T.: 0.000 min
Response: 24977708
Conc: 10.54 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 16960097
Conc: 11.96 ng/ml



#22 Mirex


R.T.: 8.122 min
Delta R.T.: 0.000 min
Response: 18386678
Conc: 10.79 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.001 min
Response: 33029538
Conc: 20.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132487BSD



#28 Decachlorobiphenyl

R.T.: 8.990 min
Delta R.T.: 0.000 min
Response: 45833798
Conc: 21.90 ng/ml