

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102418\
 Data File : PL041294.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2018 14:39
 Operator : AJ\SJ
 Sample : J5626-02MS 10X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PA-SB-01BMS

Manual Integrations
 APPROVED

Sohil
 10/26/2018 10:35:10 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 01:06:48 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101118.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 11 03:28:36 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.474	4.102	10936224	5973076	1.995	2.142
28)	SA Decachlor...	8.243	9.234	11420077	8775389	2.196m	3.394m#
Target Compounds							
2)	A alpha-BHC	3.915	4.496	32526944	17404113	4.105	4.498m
3)	MA gamma-BHC...	4.199	4.786	29787055	17296726	4.079	4.858
4)	MA Heptachlor	4.496	5.302	32426180	15754985	4.400	4.655
5)	MB Aldrin	4.743	5.611	26018515	14205919	3.790	4.707
6)	B beta-BHC	4.451	4.953	12508773	5801064	3.942	3.620m
7)	B delta-BHC	4.654	5.173	23290718	16947195	3.495	5.163m#
8)	B Heptachlo...	5.186	5.998	26014097	16028387	3.966	5.588 #
9)	A Endosulfan I	5.524	6.359	23751260	9293517	3.965	3.629
10)	B gamma-Chl...	5.411	6.233	29485189	14098517	4.484m	5.027
11)	B alpha-Chl...	5.470	6.307	26932754	14081873	4.140	5.073
12)	B 4,4'-DDE	5.636	6.461	18682805	11697997	3.287	4.422 #
13)	MA Dieldrin	5.767	6.618	27979449	11420755	4.425	4.290
14)	MA Endrin	6.023	6.835	20696292	8800162	3.603	3.942m
15)	B Endosulfa...	6.305	7.047	43181618	16542214	7.704	6.965
16)	A 4,4'-DDD	6.153	6.954	15940910	13576836	3.529	6.481 #
17)	MA 4,4'-DDT	6.389	7.252	20356465	12740913	4.469m	6.125m#
18)	B Endrin al...	6.466	7.167	11481310	7542972	2.738m	3.802m#
19)	B Endosulfa...	6.678	7.391	19466878	9121299	3.826m	4.082m
20)	A Methoxychlor	6.938	7.706	6753450	7167382	2.596	6.089m#
21)	B Endrin ke...	7.169	7.867	16605611	8727838	3.172	3.712

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102418\
Data File : PL041294.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2018 14:39
Operator : AJ\SJ
Sample : J5626-02MS 10X
Misc :
ALS Vial : 12 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 01:06:48 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101118.M
Quant Title : GC Extractables
QLast Update : Thu Oct 11 03:28:36 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.474 min
Delta R.T.: -0.006 min
Response: 10936224
Conc: 2.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#1 Tetrachloro-m-xylene

R.T.: 4.102 min
Delta R.T.: -0.002 min
Response: 5973076
Conc: 2.14 ng/ml




#2 alpha-BHC

R.T.: 3.915 min
Delta R.T.: -0.007 min
Response: 32526944
Conc: 4.11 ng/ml



#2 alpha-BHC

R.T.: 4.496 min
Delta R.T.: -0.003 min
Response: 17404113
Conc: 4.50 ng/ml m




#3 gamma-BHC (Lindane)

R.T.: 4.199 min
Delta R.T.: -0.007 min
Response: 29787055
Conc: 4.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#3 gamma-BHC (Lindane)

R.T.: 4.786 min
Delta R.T.: -0.002 min
Response: 17296726
Conc: 4.86 ng/ml




#4 Heptachlor

R.T.: 4.496 min
Delta R.T.: -0.009 min
Response: 32426180
Conc: 4.40 ng/ml



#4 Heptachlor

R.T.: 5.302 min
Delta R.T.: -0.001 min
Response: 15754985
Conc: 4.65 ng/ml




#5 Aldrin

R.T.: 4.743 min
Delta R.T.: -0.009 min
Response: 26018515
Conc: 3.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#5 Aldrin

R.T.: 5.611 min
Delta R.T.: -0.002 min
Response: 14205919
Conc: 4.71 ng/ml




#6 beta-BHC

R.T.: 4.451 min
Delta R.T.: -0.006 min
Response: 12508773
Conc: 3.94 ng/ml



#6 beta-BHC

R.T.: 4.953 min
Delta R.T.: -0.002 min
Response: 5801064
Conc: 3.62 ng/ml m




#7 delta-BHC

R.T.: 4.654 min
Delta R.T.: -0.008 min
Response: 23290718
Conc: 3.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#7 delta-BHC

R.T.: 5.173 min
Delta R.T.: -0.004 min
Response: 16947195
Conc: 5.16 ng/ml m




#8 Heptachlor epoxide

R.T.: 5.186 min
Delta R.T.: -0.010 min
Response: 26014097
Conc: 3.97 ng/ml



#8 Heptachlor epoxide

R.T.: 5.998 min
Delta R.T.: -0.002 min
Response: 16028387
Conc: 5.59 ng/ml




#9 Endosulfan I

R.T.: 5.524 min
Delta R.T.: -0.010 min
Response: 23751260
Conc: 3.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#9 Endosulfan I

R.T.: 6.359 min
Delta R.T.: -0.002 min
Response: 9293517
Conc: 3.63 ng/ml




#10 gamma-Chlordane

R.T.: 5.411 min
Delta R.T.: -0.012 min
Response: 29485189
Conc: 4.48 ng/ml m



#10 gamma-Chlordane

R.T.: 6.233 min
Delta R.T.: -0.001 min
Response: 14098517
Conc: 5.03 ng/ml




#11 alpha-Chlordane

R.T.: 5.470 min
Delta R.T.: -0.010 min
Response: 26932754
Conc: 4.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#11 alpha-Chlordane

R.T.: 6.307 min
Delta R.T.: -0.001 min
Response: 14081873
Conc: 5.07 ng/ml




#12 4,4'-DDE

R.T.: 5.636 min
Delta R.T.: -0.011 min
Response: 18682805
Conc: 3.29 ng/ml



#12 4,4'-DDE

R.T.: 6.461 min
Delta R.T.: 0.000 min
Response: 11697997
Conc: 4.42 ng/ml




#13 Dieldrin

R.T.: 5.767 min
Delta R.T.: -0.012 min
Response: 27979449
Conc: 4.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#13 Dieldrin

R.T.: 6.618 min
Delta R.T.: 0.000 min
Response: 11420755
Conc: 4.29 ng/ml




#14 Endrin

R.T.: 6.023 min
Delta R.T.: -0.011 min
Response: 20696292
Conc: 3.60 ng/ml



#14 Endrin

R.T.: 6.835 min
Delta R.T.: -0.003 min
Response: 8800162
Conc: 3.94 ng/ml m




#15 Endosulfan II

R.T.: 6.305 min
Delta R.T.: -0.004 min
Response: 43181618
Conc: 7.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#15 Endosulfan II

R.T.: 7.047 min
Delta R.T.: 0.001 min
Response: 16542214
Conc: 6.96 ng/ml




#16 4,4'-DDD

R.T.: 6.153 min
Delta R.T.: -0.010 min
Response: 15940910
Conc: 3.53 ng/ml



#16 4,4'-DDD

R.T.: 6.954 min
Delta R.T.: 0.000 min
Response: 13576836
Conc: 6.48 ng/ml




#17 4,4'-DDT

R.T.: 6.389 min
Delta R.T.: -0.014 min
Response: 20356465
Conc: 4.47 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#17 4,4'-DDT

R.T.: 7.252 min
Delta R.T.: -0.001 min
Response: 12740913
Conc: 6.13 ng/ml m




#18 Endrin aldehyde

R.T.: 6.466 min
Delta R.T.: -0.011 min
Response: 11481310
Conc: 2.74 ng/ml m



#18 Endrin aldehyde

R.T.: 7.167 min
Delta R.T.: -0.002 min
Response: 7542972
Conc: 3.80 ng/ml m




#19 Endosulfan Sulfate

R.T.: 6.678 min
Delta R.T.: -0.013 min
Response: 19466878
Conc: 3.83 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#19 Endosulfan Sulfate

R.T.: 7.391 min
Delta R.T.: -0.002 min
Response: 9121299
Conc: 4.08 ng/ml m




#20 Methoxychlor

R.T.: 6.938 min
Delta R.T.: -0.014 min
Response: 6753450
Conc: 2.60 ng/ml



#20 Methoxychlor

R.T.: 7.706 min
Delta R.T.: -0.004 min
Response: 7167382
Conc: 6.09 ng/ml m




#21 Endrin ketone

R.T.: 7.169 min
Delta R.T.: -0.012 min
Response: 16605611
Conc: 3.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PA-SB-01BMS


Manual Integrations
APPROVED

Sohil
10/26/2018 10:35:10 AM




#21 Endrin ketone

R.T.: 7.867 min
Delta R.T.: 0.000 min
Response: 8727838
Conc: 3.71 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.243 min
Delta R.T.: 0.009 min
Response: 11420077
Conc: 2.20 ng/ml m



#28 Decachlorobiphenyl

R.T.: 9.234 min
Delta R.T.: 0.002 min
Response: 8775389
Conc: 3.39 ng/ml m