

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102419\
 Data File : PL053697.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Oct 2019 18:21
 Operator : SG\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 10/25/2019 12:13:41 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 25 04:03:21 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 18 13:56:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	4.044	572.2E6	127.0E6	52.788	50.749
28)	SA Decachlor...	8.327	9.121	418.9E6	121.0E6	42.695	42.972
Target Compounds							
2)	A alpha-BHC	3.986	4.435	924.6E6	181.2E6	53.027	52.424
3)	MA gamma-BHC...	4.272	4.720	819.2E6	166.6E6	52.601	51.726
4)	MA Heptachlor	4.579	5.230	820.9E6	160.7E6	52.011	49.884
5)	MB Aldrin	4.831	5.535	748.5E6	145.1E6	52.360	48.674
6)	B beta-BHC	4.522	4.890	335.1E6	76245370	50.853	49.362
7)	B delta-BHC	4.731	5.107	802.9E6	156.5E6	52.752	51.813
8)	B Heptachlor...	5.277	5.921	674.1E6	138.5E6	49.940	47.493
9)	A Endosulfan I	5.619	6.278	613.0E6	126.0E6	49.868	46.461
10)	B gamma-Chl...	5.505	6.155	689.1E6	135.8E6	50.510	46.539
11)	B alpha-Chl...	5.564	6.228	664.0E6	136.4E6	49.910	46.723
12)	B 4,4'-DDE	5.727	6.383	612.7E6	133.2E6	51.566	47.300
13)	MA Dieldrin	5.863	6.535	636.8E6	134.1E6	48.860	46.977
14)	MA Endrin	6.122	6.753	572.8E6	116.1E6	49.420	47.839
15)	B Endosulfa...	6.394	6.961	521.8E6	117.7E6	46.669	46.087
16)	A 4,4'-DDD	6.244	6.874	452.9E6	102.4E6	50.893	49.124
17)	MA 4,4'-DDT	6.486	7.173	479.5E6	110.6E6	48.404	47.815
18)	B Endrin al...	6.563	7.086	411.8E6	100.8E6	44.916	45.870
19)	B Endosulfa...	6.776	7.307	464.8E6	111.6E6	45.695	45.476m
20)	A Methoxychlor	7.032	7.630	234.6E6	57898746	47.577	44.575
21)	B Endrin ke...	7.270	7.780	484.5E6	114.1E6	45.009	44.265
22)	Mirex	7.463	8.235	358.8E6	88390725	41.949	43.692

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102419\
Data File : PL053697.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Oct 2019 18:21
Operator : SG\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 25 04:03:21 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
Quant Title : GC Extractables
QLast Update : Fri Oct 18 13:56:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 572190252
Conc: 52.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#1 Tetrachloro-m-xylene

R.T.: 4.044 min
Delta R.T.: -0.002 min
Response: 126992807
Conc: 50.75 ng/ml




#2 alpha-BHC

R.T.: 3.986 min
Delta R.T.: -0.002 min
Response: 924601762
Conc: 53.03 ng/ml



#2 alpha-BHC

R.T.: 4.435 min
Delta R.T.: -0.002 min
Response: 181235323
Conc: 52.42 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.272 min
Delta R.T.: -0.002 min
Response: 819195700
Conc: 52.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#3 gamma-BHC (Lindane)

R.T.: 4.720 min
Delta R.T.: -0.002 min
Response: 166578976
Conc: 51.73 ng/ml




#4 Heptachlor

R.T.: 4.579 min
Delta R.T.: -0.003 min
Response: 820890985
Conc: 52.01 ng/ml



#4 Heptachlor

R.T.: 5.230 min
Delta R.T.: -0.002 min
Response: 160733292
Conc: 49.88 ng/ml




#5 Aldrin

R.T.: 4.831 min
Delta R.T.: -0.003 min
Response: 748519776
Conc: 52.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#5 Aldrin

R.T.: 5.535 min
Delta R.T.: -0.002 min
Response: 145124056
Conc: 48.67 ng/ml




#6 beta-BHC

R.T.: 4.522 min
Delta R.T.: -0.002 min
Response: 335111934
Conc: 50.85 ng/ml



#6 beta-BHC

R.T.: 4.890 min
Delta R.T.: -0.002 min
Response: 76245370
Conc: 49.36 ng/ml




#7 delta-BHC

R.T.: 4.731 min
Delta R.T.: -0.002 min
Response: 802935673
Conc: 52.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#7 delta-BHC

R.T.: 5.107 min
Delta R.T.: -0.002 min
Response: 156504609
Conc: 51.81 ng/ml




#8 Heptachlor epoxide

R.T.: 5.277 min
Delta R.T.: -0.004 min
Response: 674148422
Conc: 49.94 ng/ml



#8 Heptachlor epoxide

R.T.: 5.921 min
Delta R.T.: -0.003 min
Response: 138508668
Conc: 47.49 ng/ml




#9 Endosulfan I

R.T.: 5.619 min
Delta R.T.: -0.004 min
Response: 612979759
Conc: 49.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#9 Endosulfan I

R.T.: 6.278 min
Delta R.T.: -0.003 min
Response: 125967845
Conc: 46.46 ng/ml




#10 gamma-Chlordane

R.T.: 5.505 min
Delta R.T.: -0.004 min
Response: 689140380
Conc: 50.51 ng/ml



#10 gamma-Chlordane

R.T.: 6.155 min
Delta R.T.: -0.003 min
Response: 135792801
Conc: 46.54 ng/ml




#11 alpha-Chlordane

R.T.: 5.564 min
Delta R.T.: -0.004 min
Response: 663983208
Conc: 49.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#11 alpha-Chlordane

R.T.: 6.228 min
Delta R.T.: -0.003 min
Response: 136394293
Conc: 46.72 ng/ml




#12 4,4'-DDE

R.T.: 5.727 min
Delta R.T.: -0.004 min
Response: 612720311
Conc: 51.57 ng/ml



#12 4,4'-DDE

R.T.: 6.383 min
Delta R.T.: -0.003 min
Response: 133212281
Conc: 47.30 ng/ml




#13 Dieldrin

R.T.: 5.863 min
Delta R.T.: -0.004 min
Response: 636819130
Conc: 48.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#13 Dieldrin

R.T.: 6.535 min
Delta R.T.: -0.003 min
Response: 134055680
Conc: 46.98 ng/ml




#14 Endrin

R.T.: 6.122 min
Delta R.T.: -0.004 min
Response: 572833466
Conc: 49.42 ng/ml



#14 Endrin

R.T.: 6.753 min
Delta R.T.: -0.003 min
Response: 116115941
Conc: 47.84 ng/ml




#15 Endosulfan II

R.T.: 6.394 min
Delta R.T.: -0.005 min
Response: 521775139
Conc: 46.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#15 Endosulfan II

R.T.: 6.961 min
Delta R.T.: -0.004 min
Response: 117730009
Conc: 46.09 ng/ml




#16 4,4'-DDD

R.T.: 6.244 min
Delta R.T.: -0.004 min
Response: 452942659
Conc: 50.89 ng/ml



#16 4,4'-DDD

R.T.: 6.874 min
Delta R.T.: -0.003 min
Response: 102372248
Conc: 49.12 ng/ml




#17 4,4'-DDT

R.T.: 6.486 min
Delta R.T.: -0.005 min
Response: 479499936
Conc: 48.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#17 4,4'-DDT

R.T.: 7.173 min
Delta R.T.: -0.003 min
Response: 110571924
Conc: 47.81 ng/ml




#18 Endrin aldehyde

R.T.: 6.563 min
Delta R.T.: -0.004 min
Response: 411848660
Conc: 44.92 ng/ml



#18 Endrin aldehyde

R.T.: 7.086 min
Delta R.T.: -0.003 min
Response: 100766836
Conc: 45.87 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.776 min
Delta R.T.: -0.006 min
Response: 464788087
Conc: 45.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#19 Endosulfan Sulfate

R.T.: 7.307 min
Delta R.T.: -0.005 min
Response: 111579413
Conc: 45.48 ng/ml m




#20 Methoxychlor

R.T.: 7.032 min
Delta R.T.: -0.005 min
Response: 234572243
Conc: 47.58 ng/ml



#20 Methoxychlor

R.T.: 7.630 min
Delta R.T.: -0.003 min
Response: 57898746
Conc: 44.57 ng/ml




#21 Endrin ketone

R.T.: 7.270 min
Delta R.T.: -0.005 min
Response: 484523109
Conc: 45.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM




#21 Endrin ketone

R.T.: 7.780 min
Delta R.T.: -0.004 min
Response: 114134976
Conc: 44.26 ng/ml




#22 Mirex

R.T.: 7.463 min
Delta R.T.: -0.006 min
Response: 358790241
Conc: 41.95 ng/ml



#22 Mirex

R.T.: 8.235 min
Delta R.T.: -0.004 min
Response: 88390725
Conc: 43.69 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.327 min
Delta R.T.: -0.007 min
Response: 418906507
Conc: 42.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
10/25/2019 12:13:41 PM



#28 Decachlorobiphenyl

R.T.: 9.121 min
Delta R.T.: -0.005 min
Response: 121010809
Conc: 42.97 ng/ml