

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102620\
 Data File : PL062593.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Oct 2020 14:09
 Operator : DD\AJ
 Sample : L4501-02MSD
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 COMP-2MSD

Manual Integrations
 APPROVED

Ankita

10/27/2020 10:05:17 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 27 04:06:38 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.429f	3.951	37579628	68990365	21.848	23.476
28)	SA Decachlor...	8.142f	8.990	33725932	46451095	21.022m	22.194
Target Compounds							
2)	A alpha-BHC	3.859	4.338	147.8E6	270.8E6	57.970m	60.944
3)	MA gamma-BHC...	4.139f	4.621	132.5E6	244.7E6	57.178m	58.598
4)	MA Heptachlor	4.437f	5.126	119.4E6	224.8E6	55.652	56.376
5)	MB Aldrin	4.682f	5.429	108.1E6	206.6E6	56.627	57.090
6)	B beta-BHC	4.389f	4.792	52836452	102.6E6	55.315	54.507
7)	B delta-BHC	4.590f	5.007	116.9E6	180.8E6	53.793	51.664
8)	B Heptachlo...	5.121f	5.813	106.4E6	175.0E6	58.315	54.049
9)	A Endosulfan I	5.455f	6.169	88817141	161.2E6	53.133	51.099
10)	B gamma-Chl...	5.344f	6.048	101.4E6	177.3E6	56.261m	52.668
11)	B alpha-Chl...	5.402f	6.120	99654727	181.3E6	55.126m	53.807
12)	B 4,4'-DDE	5.567f	6.279	95316919	172.1E6	57.613m	53.420
13)	MA Dieldrin	5.697f	6.426	97677363	168.4E6	55.280	52.613
14)	MA Endrin	5.951f	6.643	88507326	140.4E6	53.197	50.300
15)	B Endosulfa...	6.222f	6.853	83065646	139.6E6	50.384m	48.822
16)	A 4,4'-DDD	6.081f	6.768	76453448	143.5E6	54.050	56.056
17)	MA 4,4'-DDT	6.319f	7.066	73109335	123.9E6	54.781	55.174
18)	B Endrin al...	6.390f	6.977	68758046	112.6E6	47.351	49.394
19)	B Endosulfa...	6.601f	7.199	78750348	120.5E6	47.721m	50.207
20)	A Methoxychlor	6.863f	7.526	40447358	61272857	46.961	49.593
21)	B Endrin ke...	7.087f	7.668	93393144	130.7E6	51.798m	55.171
22)	Mirex	7.275f	8.121	73032853	93568532	51.515	54.909

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102620\
Data File : PL062593.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Oct 2020 14:09
Operator : DD\AJ
Sample : L4501-02MSD
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
COMP-2MSD



Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 27 04:06:38 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm





#1 Tetrachloro-m-xylene


R.T.: 3.429 min
Delta R.T.: 0.017 min
Response: 37579628
Conc: 21.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 68990365
Conc: 23.48 ng/ml




#2 alpha-BHC

R.T.: 3.859 min
Delta R.T.: 0.015 min
Response: 147805226
Conc: 57.97 ng/ml m



#2 alpha-BHC

R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 270787929
Conc: 60.94 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.139 min
Delta R.T.: 0.016 min
Response: 132463445
Conc: 57.18 ng/ml m

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 244689191
Conc: 58.60 ng/ml




#4 Heptachlor

R.T.: 4.437 min
Delta R.T.: 0.017 min
Response: 119417426
Conc: 55.65 ng/ml



#4 Heptachlor

R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 224824184
Conc: 56.38 ng/ml



#5 Aldrin


R.T.: 4.682 min
Delta R.T.: 0.017 min
Response: 108087347
Conc: 56.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 206636736
Conc: 57.09 ng/ml




#6 beta-BHC

R.T.: 4.389 min
Delta R.T.: 0.017 min
Response: 52836452
Conc: 55.31 ng/ml



#6 beta-BHC

R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 102638000
Conc: 54.51 ng/ml



#7 delta-BHC


R.T.: 4.590 min
Delta R.T.: 0.017 min
Response: 116903269
Conc: 53.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 180797087
Conc: 51.66 ng/ml




#8 Heptachlor epoxide

R.T.: 5.121 min
Delta R.T.: 0.017 min
Response: 106401349
Conc: 58.32 ng/ml



#8 Heptachlor epoxide

R.T.: 5.813 min
Delta R.T.: -0.001 min
Response: 175043957
Conc: 54.05 ng/ml



#9 Endosulfan I


R.T.: 5.455 min
Delta R.T.: 0.018 min
Response: 88817141
Conc: 53.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 161156853
Conc: 51.10 ng/ml




#10 gamma-Chlordane

R.T.: 5.344 min
Delta R.T.: 0.016 min
Response: 101358083
Conc: 56.26 ng/ml m



#10 gamma-Chlordane

R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 177299240
Conc: 52.67 ng/ml



#11 alpha-Chlordane


R.T.: 5.402 min
Delta R.T.: 0.016 min
Response: 99654727
Conc: 55.13 ng/ml m

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 181268698
Conc: 53.81 ng/ml




#12 4,4'-DDE

R.T.: 5.567 min
Delta R.T.: 0.017 min
Response: 95316919
Conc: 57.61 ng/ml m



#12 4,4'-DDE

R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 172120700
Conc: 53.42 ng/ml



#13 Dieldrin


R.T.: 5.697 min
Delta R.T.: 0.018 min
Response: 97677363
Conc: 55.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 168405980
Conc: 52.61 ng/ml




#14 Endrin

R.T.: 5.951 min
Delta R.T.: 0.018 min
Response: 88507326
Conc: 53.20 ng/ml



#14 Endrin

R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 140394267
Conc: 50.30 ng/ml



#15 Endosulfan II


R.T.: 6.222 min
Delta R.T.: 0.017 min
Response: 83065646
Conc: 50.38 ng/ml m

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 139564529
Conc: 48.82 ng/ml




#16 4,4'-DDD

R.T.: 6.081 min
Delta R.T.: 0.018 min
Response: 76453448
Conc: 54.05 ng/ml



#16 4,4'-DDD

R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 143502328
Conc: 56.06 ng/ml



#17 4,4'-DDT


R.T.: 6.319 min
Delta R.T.: 0.018 min
Response: 73109335
Conc: 54.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 123880376
Conc: 55.17 ng/ml




#18 Endrin aldehyde

R.T.: 6.390 min
Delta R.T.: 0.018 min
Response: 68758046
Conc: 47.35 ng/ml



#18 Endrin aldehyde

R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 112647860
Conc: 49.39 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.601 min
Delta R.T.: 0.016 min
Response: 78750348
Conc: 47.72 ng/ml m

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 120458524
Conc: 50.21 ng/ml




#20 Methoxychlor

R.T.: 6.863 min
Delta R.T.: 0.018 min
Response: 40447358
Conc: 46.96 ng/ml



#20 Methoxychlor

R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 61272857
Conc: 49.59 ng/ml



#21 Endrin ketone


R.T.: 7.087 min
Delta R.T.: 0.016 min
Response: 93393144
Conc: 51.80 ng/ml m

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED


Ankita

10/27/2020 10:05:17 AM




#21 Endrin ketone

R.T.: 7.668 min
Delta R.T.: 0.000 min
Response: 130743879
Conc: 55.17 ng/ml




#22 Mirex

R.T.: 7.275 min
Delta R.T.: 0.018 min
Response: 73032853
Conc: 51.52 ng/ml



#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 93568532
Conc: 54.91 ng/ml



#28 Decachlorobiphenyl


R.T.: 8.142 min
Delta R.T.: 0.016 min
Response: 33725932
Conc: 21.02 ng/ml m

Instrument :
ECD_L
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED

Ankita

10/27/2020 10:05:17 AM



#28 Decachlorobiphenyl

R.T.: 8.990 min
Delta R.T.: 0.000 min
Response: 46451095
Conc: 22.19 ng/ml