

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102720\
 Data File : PL062623.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Oct 2020 15:36
 Operator : DD\AJ
 Sample : PB132650BSD
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB132650BSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 05:04:46 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.951	31823322	57373948	18.501	19.523
28)	SA Decachlor...	8.127	8.990	34124489	47319898	21.271	22.609
Target Compounds							
2)	A alpha-BHC	3.844	4.337	122.6E6	232.7E6	48.095	52.373
3)	MA gamma-BHC...	4.123	4.620	109.8E6	216.0E6	47.404	51.737
4)	MA Heptachlor	4.420	5.126	100.9E6	201.7E6	47.030	50.586
5)	MB Aldrin	4.665	5.428	91501008	188.9E6	47.938	52.193
6)	B beta-BHC	4.373	4.791	45592156	92966100	47.731	49.371
7)	B delta-BHC	4.574	5.006	104.6E6	199.3E6	48.118	56.960
8)	B Heptachlo...	5.104	5.814	88612631	174.7E6	48.566	53.958
9)	A Endosulfan I	5.439	6.170	81737573	158.5E6	48.897	50.254
10)	B gamma-Chl...	5.329	6.047	86483358	171.4E6	48.004	50.916
11)	B alpha-Chl...	5.387	6.120	86373776	171.2E6	47.779	50.807
12)	B 4,4'-DDE	5.551	6.279	79825789	164.5E6	48.249	51.052
13)	MA Dieldrin	5.680	6.426	85284353	162.2E6	48.266	50.686
14)	MA Endrin	5.934	6.643	71565353	127.6E6	43.014	45.710
15)	B Endosulfa...	6.207	6.853	79867837	139.7E6	48.445	48.867
16)	A 4,4'-DDD	6.064	6.769	73746980	139.1E6	52.137	54.352
17)	MA 4,4'-DDT	6.302	7.067	57597078	105.6E6	43.158	47.019
18)	B Endrin al...	6.374	6.977	70895725	121.4E6	48.823	53.236
19)	B Endosulfa...	6.586	7.200	79589799	129.8E6	48.229	54.094
20)	A Methoxychlor	6.846	7.526	35740517	58190217	41.496	47.098
21)	B Endrin ke...	7.072	7.669	95589000	140.0E6	53.016	59.093
22)	Mirex	7.258	8.122	68655624	95086509	48.428	55.799



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102720\
Data File : PL062623.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Oct 2020 15:36
Operator : DD\AJ
Sample : PB132650BSD
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB132650BSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 05:04:46 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 31823322
Conc: 18.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 57373948
Conc: 19.52 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 122628688
Conc: 48.10 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 232703770
Conc: 52.37 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 109819045
Conc: 47.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 216040001
Conc: 51.74 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 100917499
Conc: 47.03 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 201730796
Conc: 50.59 ng/ml



#5 Aldrin


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 91501008
Conc: 47.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 188910220
Conc: 52.19 ng/ml




#6 beta-BHC

R.T.: 4.373 min
Delta R.T.: 0.000 min
Response: 45592156
Conc: 47.73 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: 0.000 min
Response: 92966100
Conc: 49.37 ng/ml



#7 delta-BHC


R.T.: 4.574 min
Delta R.T.: 0.000 min
Response: 104572161
Conc: 48.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 199329869
Conc: 56.96 ng/ml




#8 Heptachlor epoxide

R.T.: 5.104 min
Delta R.T.: 0.000 min
Response: 88612631
Conc: 48.57 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 174748369
Conc: 53.96 ng/ml



#9 Endosulfan I


R.T.: 5.439 min
Delta R.T.: 0.000 min
Response: 81737573
Conc: 48.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 158491812
Conc: 50.25 ng/ml




#10 gamma-Chlordane

R.T.: 5.329 min
Delta R.T.: 0.000 min
Response: 86483358
Conc: 48.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.047 min
Delta R.T.: -0.001 min
Response: 171400731
Conc: 50.92 ng/ml



#11 alpha-Chlordane


R.T.: 5.387 min
Delta R.T.: 0.000 min
Response: 86373776
Conc: 47.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 171163237
Conc: 50.81 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.001 min
Response: 79825789
Conc: 48.25 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 164489894
Conc: 51.05 ng/ml



#13 Dieldrin


R.T.: 5.680 min
Delta R.T.: 0.001 min
Response: 85284353
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 162240003
Conc: 50.69 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.001 min
Response: 71565353
Conc: 43.01 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 127582198
Conc: 45.71 ng/ml



#15 Endosulfan II


R.T.: 6.207 min
Delta R.T.: 0.002 min
Response: 79867837
Conc: 48.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 139693821
Conc: 48.87 ng/ml




#16 4,4'-DDD

R.T.: 6.064 min
Delta R.T.: 0.002 min
Response: 73746980
Conc: 52.14 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 139140261
Conc: 54.35 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.001 min
Response: 57597078
Conc: 43.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 105570476
Conc: 47.02 ng/ml




#18 Endrin aldehyde

R.T.: 6.374 min
Delta R.T.: 0.002 min
Response: 70895725
Conc: 48.82 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 121409838
Conc: 53.24 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 79589799
Conc: 48.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 129783547
Conc: 54.09 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.002 min
Response: 35740517
Conc: 41.50 ng/ml



#20 Methoxychlor


R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 58190217
Conc: 47.10 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 95589000
Conc: 53.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: 0.000 min
Response: 140038801
Conc: 59.09 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.001 min
Response: 68655624
Conc: 48.43 ng/ml



#22 Mirex


R.T.: 8.122 min
Delta R.T.: 0.000 min
Response: 95086509
Conc: 55.80 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.001 min
Response: 34124489
Conc: 21.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132650BSD



#28 Decachlorobiphenyl

R.T.: 8.990 min
Delta R.T.: 0.000 min
Response: 47319898
Conc: 22.61 ng/ml