

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102720\
 Data File : PL062627.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Oct 2020 16:47
 Operator : DD\AJ
 Sample : PB132645BS
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB132645BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 05:05:22 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.951	31030669	56198617	18.040	19.124
28)	SA Decachlor...	8.127	8.990	33796086	46669563	21.066	22.298
Target Compounds							
2)	A alpha-BHC	3.844	4.338	120.2E6	228.5E6	47.149	51.434
3)	MA gamma-BHC...	4.123	4.620	107.2E6	212.3E6	46.287	50.850
4)	MA Heptachlor	4.420	5.126	98571329	198.5E6	45.937	49.781
5)	MB Aldrin	4.665	5.429	89609621	186.5E6	46.947	51.524
6)	B beta-BHC	4.373	4.792	44110391	91542615	46.180	48.615
7)	B delta-BHC	4.574	5.006	102.2E6	196.5E6	47.020	56.156
8)	B Heptachlo...	5.104	5.814	87012030	172.5E6	47.689	53.269
9)	A Endosulfan I	5.439	6.170	80586693	156.7E6	48.209	49.671
10)	B gamma-Chl...	5.329	6.048	85124486	169.1E6	47.250	50.245
11)	B alpha-Chl...	5.387	6.121	84904118	168.9E6	46.967	50.140
12)	B 4,4'-DDE	5.551	6.279	78462360	162.3E6	47.425	50.356
13)	MA Dieldrin	5.680	6.426	83710008	160.6E6	47.375	50.160
14)	MA Endrin	5.934	6.643	71114753	125.9E6	42.743	45.112
15)	B Endosulfa...	6.207	6.853	78649402	139.2E6	47.705	48.689
16)	A 4,4'-DDD	6.064	6.769	72301485	138.5E6	51.115	54.114
17)	MA 4,4'-DDT	6.302	7.067	56417523	104.8E6	42.274	46.695
18)	B Endrin al...	6.374	6.977	69339378	120.2E6	47.752	52.726
19)	B Endosulfa...	6.586	7.200	78386215	128.8E6	47.500	53.686
20)	A Methoxychlor	6.845	7.526	35349855	57928500	41.043	46.886
21)	B Endrin ke...	7.072	7.669	94113728	139.3E6	52.198	58.796
22)	Mirex	7.258	8.122	68378510	94713547	48.232	55.581



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102720\
Data File : PL062627.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Oct 2020 16:47
Operator : DD\AJ
Sample : PB132645BS
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB132645BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 05:05:22 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 31030669
Conc: 18.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 56198617
Conc: 19.12 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 120216612
Conc: 47.15 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 228534513
Conc: 51.43 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 107232429
Conc: 46.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 212335976
Conc: 50.85 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 98571329
Conc: 45.94 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 198521314
Conc: 49.78 ng/ml



#5 Aldrin


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 89609621
Conc: 46.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 186489289
Conc: 51.52 ng/ml




#6 beta-BHC

R.T.: 4.373 min
Delta R.T.: 0.000 min
Response: 44110391
Conc: 46.18 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 91542615
Conc: 48.61 ng/ml



#7 delta-BHC


R.T.: 4.574 min
Delta R.T.: 0.000 min
Response: 102184962
Conc: 47.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 196514351
Conc: 56.16 ng/ml




#8 Heptachlor epoxide

R.T.: 5.104 min
Delta R.T.: 0.000 min
Response: 87012030
Conc: 47.69 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 172516023
Conc: 53.27 ng/ml



#9 Endosulfan I


R.T.: 5.439 min
Delta R.T.: 0.000 min
Response: 80586693
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 156651883
Conc: 49.67 ng/ml




#10 gamma-Chlordane

R.T.: 5.329 min
Delta R.T.: 0.000 min
Response: 85124486
Conc: 47.25 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 169141910
Conc: 50.24 ng/ml



#11 alpha-Chlordane


R.T.: 5.387 min
Delta R.T.: 0.000 min
Response: 84904118
Conc: 46.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#11 alpha-Chlordane

R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 168916394
Conc: 50.14 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.001 min
Response: 78462360
Conc: 47.43 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 162250107
Conc: 50.36 ng/ml



#13 Dieldrin


R.T.: 5.680 min
Delta R.T.: 0.001 min
Response: 83710008
Conc: 47.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 160556509
Conc: 50.16 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.001 min
Response: 71114753
Conc: 42.74 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 125911713
Conc: 45.11 ng/ml



#15 Endosulfan II


R.T.: 6.207 min
Delta R.T.: 0.002 min
Response: 78649402
Conc: 47.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 139184701
Conc: 48.69 ng/ml




#16 4,4'-DDD

R.T.: 6.064 min
Delta R.T.: 0.002 min
Response: 72301485
Conc: 51.11 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 138529142
Conc: 54.11 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 56417523
Conc: 42.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 104842178
Conc: 46.69 ng/ml




#18 Endrin aldehyde

R.T.: 6.374 min
Delta R.T.: 0.002 min
Response: 69339378
Conc: 47.75 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 120246143
Conc: 52.73 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 78386215
Conc: 47.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 128804654
Conc: 53.69 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 35349855
Conc: 41.04 ng/ml



#20 Methoxychlor


R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 57928500
Conc: 46.89 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 94113728
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: 0.000 min
Response: 139335075
Conc: 58.80 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.001 min
Response: 68378510
Conc: 48.23 ng/ml



#22 Mirex


R.T.: 8.122 min
Delta R.T.: 0.000 min
Response: 94713547
Conc: 55.58 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 33796086
Conc: 21.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB132645BS



#28 Decachlorobiphenyl

R.T.: 8.990 min
Delta R.T.: 0.000 min
Response: 46669563
Conc: 22.30 ng/ml