

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102819\
 Data File : PL053817.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2019 08:44
 Operator : SG\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 29 09:13:07 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 18 13:56:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
----------	------	------	--------	--------	-------	-------

System Monitoring Compounds

Target Compounds							
2)	A	alpha-BHC	3.995	0.000	2682532	0	0.154 N.D. #
3)	MA	gamma-BHC...	4.282	0.000	2059335	0	0.132 N.D. #
4)	MA	Heptachlor	4.589	0.000	9333032	0	0.591 N.D. #
5)	MB	Aldrin	4.841	0.000	3477127	0	0.243 N.D. #
6)	B	beta-BHC	4.536	0.000	29805469	0	4.523 N.D. #
7)	B	delta-BHC	4.741	0.000	20013172	0	1.315 N.D. #
8)	B	Heptachlo...	5.288	5.925	17411483	385078	1.290 0.132 #
9)	A	Endosulfan I	5.626	0.000	7856178	0	0.639 N.D. #
10)	B	gamma-Chl...	5.514	0.000	10846502	0	0.795 N.D. #
11)	B	alpha-Chl...	5.567	0.000	9162861	0	0.689 N.D. #
14)	MA	Endrin	0.000	6.784f	0	482349	N.D. 0.199 #
17)	MA	4,4'-DDT	6.495	0.000	21637174	0	2.184 N.D. #
24)		Chlordane-2	4.946	0.000	11641053	0	30.212 N.D. #
25)		Chlordane-3	5.514	0.000	10846502	0	9.410 N.D. #
26)		Chlordane-4	5.567	0.000	9162861	0	9.774 N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102819\
Data File : PL053817.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2019 08:44
Operator : SG\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 29 09:13:07 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
Quant Title : GC Extractables
QLast Update : Fri Oct 18 13:56:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T. : 3.544 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 4.046 min
Response: 0
Conc: N.D.




#2 alpha-BHC

R.T.: 3.995 min
Delta R.T.: 0.007 min
Response: 2682532
Conc: 0.15 ng/ml



#2 alpha-BHC


R.T.: 0.000 min
Exp R.T. : 4.437 min
Response: 0
Conc: N.D.



#3 gamma-BHC (Lindane)


R.T.: 4.282 min
Delta R.T.: 0.007 min
Response: 2059335
Conc: 0.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 0.000 min
Exp R.T. : 4.722 min
Response: 0
Conc: N.D.




#4 Heptachlor

R.T.: 4.589 min
Delta R.T.: 0.007 min
Response: 9333032
Conc: 0.59 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 5.232 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.841 min
Delta R.T.: 0.007 min
Response: 3477127
Conc: 0.24 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 5.538 min
Response: 0
Conc: N.D.




#6 beta-BHC

R.T.: 4.536 min
Delta R.T.: 0.011 min
Response: 29805469
Conc: 4.52 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T. : 4.892 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.741 min
Delta R.T.: 0.007 min
Response: 20013172
Conc: 1.31 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 5.109 min
Response: 0
Conc: N.D.




#8 Heptachlor epoxide

R.T.: 5.288 min
Delta R.T.: 0.008 min
Response: 17411483
Conc: 1.29 ng/ml



#8 Heptachlor epoxide


R.T.: 5.925 min
Delta R.T.: 0.000 min
Response: 385078
Conc: 0.13 ng/ml



#9 Endosulfan I


R.T.: 5.626 min
Delta R.T.: 0.003 min
Response: 7856178
Conc: 0.64 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 6.281 min
Response: 0
Conc: N.D.




#10 gamma-Chlordane

R.T.: 5.514 min
Delta R.T.: 0.005 min
Response: 10846502
Conc: 0.79 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T. : 6.158 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.567 min
Delta R.T.: 0.000 min
Response: 9162861
Conc: 0.69 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 6.231 min
Response: 0
Conc: N.D.




#14 Endrin

R.T.: 0.000 min
Exp R.T. : 6.126 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 6.784 min
Delta R.T.: 0.028 min
Response: 482349
Conc: 0.20 ng/ml



#17 4,4'-DDT


R.T.: 6.495 min
Delta R.T.: 0.004 min
Response: 21637174
Conc: 2.18 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T. : 7.176 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 4.946 min
Delta R.T.: 0.012 min
Response: 11641053
Conc: 30.21 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T. : 5.510 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 5.514 min
Delta R.T.: 0.005 min
Response: 10846502
Conc: 9.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T. : 6.158 min
Response: 0
Conc: N.D.




#26 Chlordane-4

R.T.: 5.567 min
Delta R.T.: 0.000 min
Response: 9162861
Conc: 9.77 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T. : 6.232 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 8.334 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 9.126 min
Response: 0
Conc: N.D.