

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102819\
 Data File : PL053839.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2019 14:51
 Operator : SG\AJ
 Sample : K5542-09
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 200-64-(0-1)

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 29 09:17:05 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 18 13:56:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	4.044	84415721	20250640	7.788	8.093
28)	SA Decachlor...	8.326	9.121	45076925	12987452	4.594	4.612
Target Compounds							
10)	B gamma-Chl...	5.526f	6.157	7883110	1432635	0.578	0.491
11)	B alpha-Chl...	0.000	6.230	0	1981285	N.D.	0.679 #
12)	B 4,4'-DDE	5.725	6.382	7296593	2768925	0.614	0.983 #
16)	A 4,4'-DDD	0.000	6.880	0	2020968	N.D.	0.970 #
17)	MA 4,4'-DDT	6.482	0.000	12191395	0	1.231	N.D. #
19)	B Endosulfa...	6.770	0.000	3134381	0	0.308	N.D. #
20)	A Methoxychlor	7.016f	0.000	10721923	0	2.175	N.D. #
21)	B Endrin ke...	7.292f	0.000	3697087	0	0.343	N.D. #
25)	Chlordane-3	5.526f	6.157	7883110	1432635	6.839	3.923 #
26)	Chlordane-4	0.000	6.230	0	1981285	N.D.	4.413 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102819\
Data File : PL053839.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2019 14:51
Operator : SG\AJ
Sample : K5542-09
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 29 09:17:05 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
Quant Title : GC Extractables
QLast Update : Fri Oct 18 13:56:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 84415721
Conc: 7.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)




#1 Tetrachloro-m-xylene

R.T.: 4.044 min
Delta R.T.: -0.001 min
Response: 20250640
Conc: 8.09 ng/ml




#10 gamma-Chlordane

R.T.: 5.526 min
Delta R.T.: 0.017 min
Response: 7883110
Conc: 0.58 ng/ml



#10 gamma-Chlordane


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 1432635
Conc: 0.49 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.568 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)




#11 alpha-Chlordane

R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 1981285
Conc: 0.68 ng/ml




#12 4,4'-DDE

R.T.: 5.725 min
Delta R.T.: -0.006 min
Response: 7296593
Conc: 0.61 ng/ml



#12 4,4'-DDE


R.T.: 6.382 min
Delta R.T.: -0.005 min
Response: 2768925
Conc: 0.98 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.248 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)




#16 4,4'-DDD

R.T.: 6.880 min
Delta R.T.: 0.003 min
Response: 2020968
Conc: 0.97 ng/ml




#17 4,4'-DDT

R.T.: 6.482 min
Delta R.T.: -0.009 min
Response: 12191395
Conc: 1.23 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.176 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.770 min
Delta R.T.: -0.011 min
Response: 3134381
Conc: 0.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T. : 7.312 min
Response: 0
Conc: N.D.




#20 Methoxychlor

R.T.: 7.016 min
Delta R.T.: -0.021 min
Response: 10721923
Conc: 2.17 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T. : 7.633 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.292 min
Delta R.T.: 0.017 min
Response: 3697087
Conc: 0.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.783 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.526 min
Delta R.T.: 0.017 min
Response: 7883110
Conc: 6.84 ng/ml



#25 Chlordane-3


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 1432635
Conc: 3.92 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 5.568 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
200-64-(0-1)




#26 Chlordane-4

R.T.: 6.230 min
Delta R.T.: -0.002 min
Response: 1981285
Conc: 4.41 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.326 min
Delta R.T.: -0.008 min
Response: 45076925
Conc: 4.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.121 min
Delta R.T.: -0.005 min
Response: 12987452
Conc: 4.61 ng/ml