

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092658.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 15:23
 Operator : AR\AJ
 Sample : PSTDIC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:13:36 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:10:47 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.778	62808688	68210857	26.546	25.362
28)	SA Decachlor...	9.054	7.916	49968947	69836578	27.328	26.400
Target Compounds							
2)	A alpha-BHC	3.996	3.281	84927238	98362013	25.627	24.168
3)	MA gamma-BHC...	4.328	3.611	81958950	95710712	25.784	24.415
4)	MA Heptachlor	4.917	3.950	76599935	94477178	26.629	24.976
5)	MB Aldrin	5.259	4.230	76180853	90483526	26.486	24.481
6)	B beta-BHC	4.526	3.911	37295050	41549746	26.915	25.675
7)	B delta-BHC	4.773	4.140	77991786	94555626	25.748	24.249
8)	B Heptachlo...	5.685	4.732	70540111	83820686	27.012	25.117
9)	A Endosulfan I	6.070	5.102	63654358	76808476	26.720	25.162
10)	B gamma-Chl...	5.941	4.982	67586796	83550406	26.583	24.826
11)	B alpha-Chl...	6.019	5.046	67542919	83232660	26.625	25.039
12)	B 4,4'-DDE	6.193	5.235	60061765	80248978	26.363	24.834
13)	MA Dieldrin	6.345	5.366	66985225	82586412	26.531	24.577
14)	MA Endrin	6.574	5.642	58111422	71905340	26.841	24.898
15)	B Endosulfa...	6.793	5.937	61248899	71530905	27.295	25.239
16)	A 4,4'-DDD	6.710	5.790	49194300	62230288	26.599	24.759
17)	MA 4,4'-DDT	7.023	6.040	52836397	66342279	26.630	24.568
18)	B Endrin al...	6.923	6.116	48897872	58336435	27.376	25.694
19)	B Endosulfa...	7.158	6.339	55996056	67808739	27.255	25.373
20)	A Methoxychlor	7.499	6.615	29728906	36759011	27.282	26.022
21)	B Endrin ke...	7.643	6.844	61777342	77430982	26.728	25.339
22)	Mirex	8.116	7.025	51864163	67137696	27.785	26.612



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092658.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 15:23
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:13:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:10:47 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 62808688
Conc: 26.55 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 68210857
Conc: 25.36 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 84927238
Conc: 25.63 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 98362013
Conc: 24.17 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 81958950
Conc: 25.78 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 95710712
Conc: 24.41 ng/ml




#4 Heptachlor

R.T.: 4.917 min
Delta R.T.: 0.000 min
Response: 76599935
Conc: 26.63 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 94477178
Conc: 24.98 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.000 min
Response: 76180853
Conc: 26.49 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.000 min
Response: 90483526
Conc: 24.48 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: 0.000 min
Response: 37295050
Conc: 26.91 ng/ml



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 41549746
Conc: 25.68 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: 0.000 min
Response: 77991786
Conc: 25.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 94555626
Conc: 24.25 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: 0.000 min
Response: 70540111
Conc: 27.01 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 83820686
Conc: 25.12 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 63654358
Conc: 26.72 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 76808476
Conc: 25.16 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 67586796
Conc: 26.58 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 83550406
Conc: 24.83 ng/ml



#11 alpha-Chlordane


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 67542919
Conc: 26.62 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 83232660
Conc: 25.04 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 60061765
Conc: 26.36 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 80248978
Conc: 24.83 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 66985225
Conc: 26.53 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 82586412
Conc: 24.58 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 58111422
Conc: 26.84 ng/ml



#14 Endrin


R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 71905340
Conc: 24.90 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: 0.000 min
Response: 61248899
Conc: 27.29 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.937 min
Delta R.T.: 0.000 min
Response: 71530905
Conc: 25.24 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 49194300
Conc: 26.60 ng/ml



#16 4,4'-DDD


R.T.: 5.790 min
Delta R.T.: 0.000 min
Response: 62230288
Conc: 24.76 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 52836397
Conc: 26.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 66342279
Conc: 24.57 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.000 min
Response: 48897872
Conc: 27.38 ng/ml



#18 Endrin aldehyde


R.T.: 6.116 min
Delta R.T.: 0.000 min
Response: 58336435
Conc: 25.69 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 55996056
Conc: 27.25 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.339 min
Delta R.T.: 0.000 min
Response: 67808739
Conc: 25.37 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 29728906
Conc: 27.28 ng/ml



#20 Methoxychlor


R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 36759011
Conc: 26.02 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 61777342
Conc: 26.73 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 77430982
Conc: 25.34 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 51864163
Conc: 27.78 ng/ml



#22 Mirex


R.T.: 7.025 min
Delta R.T.: 0.000 min
Response: 67137696
Conc: 26.61 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 49968947
Conc: 27.33 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 69836578
Conc: 26.40 ng/ml