

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092656.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 14:56
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:11:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:10:47 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.778	172.8E6	199.6E6	74.573	74.581
28)	SA Decachlor...	9.054	7.916	131.7E6	193.2E6	74.361	74.409
Target Compounds							
2)	A alpha-BHC	3.996	3.281	245.4E6	306.7E6	74.672	74.526
3)	MA gamma-BHC...	4.328	3.611	235.0E6	295.1E6	74.703	74.690
4)	MA Heptachlor	4.917	3.950	209.7E6	282.5E6	74.508	74.655
5)	MB Aldrin	5.259	4.230	210.2E6	277.9E6	74.567	74.665
6)	B beta-BHC	4.526	3.911	100.4E6	119.6E6	74.376	74.585
7)	B delta-BHC	4.773	4.140	223.5E6	294.4E6	74.528	74.738
8)	B Heptachlo...	5.685	4.733	189.1E6	248.9E6	74.414	74.698
9)	A Endosulfan I	6.070	5.103	173.5E6	227.5E6	74.558	74.676
10)	B gamma-Chl...	5.941	4.982	185.8E6	251.7E6	74.671	74.608
11)	B alpha-Chl...	6.019	5.047	185.2E6	247.8E6	74.613	74.571
12)	B 4,4'-DDE	6.193	5.235	167.0E6	241.9E6	74.650	74.705
13)	MA Dieldrin	6.345	5.366	184.3E6	252.3E6	74.504	74.669
14)	MA Endrin	6.575	5.642	157.7E6	215.9E6	74.683	74.647
15)	B Endosulfa...	6.794	5.937	162.1E6	211.0E6	74.503	74.700
16)	A 4,4'-DDD	6.710	5.790	135.1E6	188.0E6	74.665	74.546
17)	MA 4,4'-DDT	7.024	6.040	145.0E6	203.5E6	74.705	74.920
18)	B Endrin al...	6.924	6.116	128.9E6	168.3E6	74.510	74.830
19)	B Endosulfa...	7.159	6.339	148.5E6	198.5E6	74.498	74.635
20)	A Methoxychlor	7.500	6.615	78815004	103.9E6	74.596	74.572
21)	B Endrin ke...	7.643	6.844	168.5E6	226.7E6	74.619	74.533
22)	Mirex	8.117	7.024	133.9E6	183.5E6	74.491	74.331



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092656.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 14:56
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:11:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:10:47 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 172805620
Conc: 74.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 199616875
Conc: 74.58 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 245391111
Conc: 74.67 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 306687691
Conc: 74.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 234976931
Conc: 74.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 295082085
Conc: 74.69 ng/ml




#4 Heptachlor

R.T.: 4.917 min
Delta R.T.: 0.000 min
Response: 209667876
Conc: 74.51 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 282493440
Conc: 74.66 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.000 min
Response: 210224540
Conc: 74.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.000 min
Response: 277880126
Conc: 74.66 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: 0.000 min
Response: 100428974
Conc: 74.38 ng/ml



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 119612684
Conc: 74.58 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: 0.000 min
Response: 223502645
Conc: 74.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 294354549
Conc: 74.74 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: 0.000 min
Response: 189114577
Conc: 74.41 ng/ml



#8 Heptachlor epoxide


R.T.: 4.733 min
Delta R.T.: 0.000 min
Response: 248897410
Conc: 74.70 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 173546263
Conc: 74.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 227458228
Conc: 74.68 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 185846742
Conc: 74.67 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 251678405
Conc: 74.61 ng/ml



#11 alpha-Chlordane


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 185181542
Conc: 74.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 5.047 min
Delta R.T.: 0.000 min
Response: 247753766
Conc: 74.57 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 166979475
Conc: 74.65 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 241941031
Conc: 74.71 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 184272087
Conc: 74.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 252329091
Conc: 74.67 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: 0.000 min
Response: 157724834
Conc: 74.68 ng/ml



#14 Endrin


R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 215878333
Conc: 74.65 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 162069691
Conc: 74.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 5.937 min
Delta R.T.: 0.000 min
Response: 211031406
Conc: 74.70 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 135148619
Conc: 74.66 ng/ml



#16 4,4'-DDD


R.T.: 5.790 min
Delta R.T.: 0.000 min
Response: 187969014
Conc: 74.55 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 145003996
Conc: 74.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 203478798
Conc: 74.92 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 128870874
Conc: 74.51 ng/ml



#18 Endrin aldehyde


R.T.: 6.116 min
Delta R.T.: 0.000 min
Response: 168319074
Conc: 74.83 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 148457954
Conc: 74.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 6.339 min
Delta R.T.: 0.000 min
Response: 198465136
Conc: 74.64 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 78815004
Conc: 74.60 ng/ml



#20 Methoxychlor


R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 103909078
Conc: 74.57 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 168499691
Conc: 74.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 226728298
Conc: 74.53 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 133885333
Conc: 74.49 ng/ml



#22 Mirex


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 183495325
Conc: 74.33 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 131747557
Conc: 74.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 193162357
Conc: 74.41 ng/ml