

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
 Data File : PL092657.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Oct 2024 15:09
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 28 17:06:37 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 17:06:20 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	2.778	116.4E6	132.2E6	50.000	50.000
28)	SA Decachlor...	9.054	7.916	90985898	130.3E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.996	3.281	161.5E6	198.7E6	50.000	50.000
3)	MA gamma-BHC...	4.328	3.611	155.2E6	191.7E6	50.000	50.000
4)	MA Heptachlor	4.917	3.949	141.5E6	185.5E6	50.000	50.000
5)	MB Aldrin	5.258	4.229	140.4E6	181.0E6	50.000	50.000
6)	B beta-BHC	4.525	3.910	68426712	79558092	50.000	50.000
7)	B delta-BHC	4.772	4.139	147.5E6	190.1E6	50.000	50.000
8)	B Heptachlo...	5.684	4.732	128.3E6	163.6E6	50.000	50.000
9)	A Endosulfan I	6.070	5.102	117.4E6	149.7E6	50.000	50.000
10)	B gamma-Chl...	5.941	4.982	124.6E6	164.7E6	50.000	50.000
11)	B alpha-Chl...	6.019	5.045	124.5E6	162.7E6	50.000	50.000
12)	B 4,4'-DDE	6.193	5.235	111.5E6	157.7E6	50.000	50.000
13)	MA Dieldrin	6.345	5.366	123.8E6	164.5E6	50.000	50.000
14)	MA Endrin	6.574	5.641	106.1E6	141.4E6	50.000	50.000
15)	B Endosulfa...	6.794	5.936	110.3E6	139.0E6	50.000	50.000
16)	A 4,4'-DDD	6.710	5.789	90898841	122.2E6	50.000	50.000
17)	MA 4,4'-DDT	7.023	6.040	97035972	131.9E6	50.000	50.000
18)	B Endrin al...	6.924	6.115	87908093	111.5E6	50.000	50.000
19)	B Endosulfa...	7.158	6.338	101.2E6	131.2E6	50.000	50.000
20)	A Methoxychlor	7.499	6.615	53913903	69696231	50.000	50.000
21)	B Endrin ke...	7.643	6.843	113.7E6	150.7E6	50.000	50.000
22)	Mirex	8.116	7.024	92300183	124.6E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102824\
Data File : PL092657.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Oct 2024 15:09
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 28 17:06:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 17:06:20 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.540 min
Delta R.T.: 0.000 min
Response: 116421228
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 132158779
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 161519888
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 198693169
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.328 min
Delta R.T.: 0.000 min
Response: 155221381
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 191696231
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.917 min
Delta R.T.: 0.000 min
Response: 141460910
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.949 min
Delta R.T.: 0.000 min
Response: 185456226
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.258 min
Delta R.T.: 0.000 min
Response: 140364466
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.229 min
Delta R.T.: 0.000 min
Response: 180959249
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.000 min
Response: 68426712
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 79558092
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.000 min
Response: 147450348
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.139 min
Delta R.T.: 0.000 min
Response: 190133900
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.684 min
Delta R.T.: 0.000 min
Response: 128320565
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 163604387
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 117418630
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 149679010
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 124597246
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 164701434
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 124497967
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.045 min
Delta R.T.: 0.000 min
Response: 162725398
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 111502741
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 157747656
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 123801503
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 164505094
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 106062790
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.641 min
Delta R.T.: 0.000 min
Response: 141404243
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 110261371
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 5.936 min
Delta R.T.: 0.000 min
Response: 138996376
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 90898841
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 122171479
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 97035972
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 131865297
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 87908093
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.115 min
Delta R.T.: 0.000 min
Response: 111506646
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 101237011
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 131184479
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 53913903
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 69696231
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 113695424
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 150653100
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 92300183
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 124647235
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 90985898
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 130277167
Conc: 50.00 ng/ml