

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102924\
 Data File : PL092711.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Oct 2024 14:07
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 30 00:51:19 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.541	2.778	126.1E6	144.1E6	51.450	52.945
28)	SA Decachlor...	9.054	7.916	96870332	145.9E6	50.334	53.468
Target Compounds							
2)	A alpha-BHC	3.996	3.280	175.2E6	215.4E6	51.670	53.986
3)	MA gamma-BHC...	4.329	3.610	167.5E6	207.5E6	51.385	53.771
4)	MA Heptachlor	4.917	3.949	149.5E6	196.6E6	49.783	52.091
5)	MB Aldrin	5.259	4.229	150.1E6	196.8E6	50.011	53.760
6)	B beta-BHC	4.527	3.910	73253824	86231673	50.679	52.381
7)	B delta-BHC	4.773	4.139	160.4E6	206.3E6	51.247	53.679
8)	B Heptachlo...	5.685	4.732	138.2E6	178.4E6	50.056	53.377
9)	A Endosulfan I	6.070	5.101	125.1E6	161.2E6	50.005	52.800
10)	B gamma-Chl...	5.941	4.982	134.0E6	178.7E6	50.347	53.144
11)	B alpha-Chl...	6.020	5.045	133.0E6	176.3E6	50.234	52.998
12)	B 4,4'-DDE	6.193	5.234	119.9E6	172.8E6	50.594	53.648
13)	MA Dieldrin	6.345	5.366	131.8E6	178.8E6	50.014	53.536
14)	MA Endrin	6.575	5.641	106.5E6	150.9E6	46.799	52.154
15)	B Endosulfa...	6.795	5.936	117.4E6	151.6E6	49.234	53.504
16)	A 4,4'-DDD	6.711	5.789	102.2E6	141.1E6	53.243	56.657
17)	MA 4,4'-DDT	7.023	6.040	97499557	131.2E6	47.107	48.922
18)	B Endrin al...	6.925	6.115	95349863	120.6E6	50.773	52.264
19)	B Endosulfa...	7.159	6.338	107.0E6	142.3E6	49.283	52.747
20)	A Methoxychlor	7.500	6.614	53358109	69970481	46.805	48.998
21)	B Endrin ke...	7.643	6.843	122.4E6	166.3E6	50.519	54.205
22)	Mirex	8.117	7.024	96842515	134.1E6	48.868	51.416
24)	Chlordane-2	5.259f	4.365	150.1E6	5037647	1309.673	40.674 #
25)	Chlordane-3	5.941	4.982	134.0E6	178.7E6	343.197	492.593 #
26)	Chlordane-4	6.020	5.045	133.0E6	176.3E6	278.294	503.908 #
27)	Chlordane-5	0.000	5.936	0	151.6E6	N.D.	1195.444 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL102924\
Data File : PL092711.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Oct 2024 14:07
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 30 00:51:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.541 min
Delta R.T.: 0.000 min
Response: 126063867
Conc: 51.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 144072498
Conc: 52.95 ng/ml




#2 alpha-BHC

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 175241463
Conc: 51.67 ng/ml



#2 alpha-BHC


R.T.: 3.280 min
Delta R.T.: 0.000 min
Response: 215411509
Conc: 53.99 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: 0.000 min
Response: 167494226
Conc: 51.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.610 min
Delta R.T.: 0.000 min
Response: 207525629
Conc: 53.77 ng/ml




#4 Heptachlor

R.T.: 4.917 min
Delta R.T.: 0.000 min
Response: 149504146
Conc: 49.78 ng/ml



#4 Heptachlor


R.T.: 3.949 min
Delta R.T.: 0.000 min
Response: 196588080
Conc: 52.09 ng/ml



#5 Aldrin


R.T.: 5.259 min
Delta R.T.: 0.001 min
Response: 150106567
Conc: 50.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.229 min
Delta R.T.: 0.000 min
Response: 196772052
Conc: 53.76 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.001 min
Response: 73253824
Conc: 50.68 ng/ml



#6 beta-BHC


R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 86231673
Conc: 52.38 ng/ml



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: 0.001 min
Response: 160396671
Conc: 51.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.139 min
Delta R.T.: 0.000 min
Response: 206297946
Conc: 53.68 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: 0.000 min
Response: 138224450
Conc: 50.06 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 178352822
Conc: 53.38 ng/ml



#9 Endosulfan I


R.T.: 6.070 min
Delta R.T.: 0.000 min
Response: 125079780
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.101 min
Delta R.T.: 0.000 min
Response: 161204747
Conc: 52.80 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 133955162
Conc: 50.35 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 178655129
Conc: 53.14 ng/ml



#11 alpha-Chlordane


R.T.: 6.020 min
Delta R.T.: 0.000 min
Response: 133026161
Conc: 50.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.045 min
Delta R.T.: 0.000 min
Response: 176273774
Conc: 53.00 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: 0.000 min
Response: 119867629
Conc: 50.59 ng/ml



#12 4,4'-DDE


R.T.: 5.234 min
Delta R.T.: 0.000 min
Response: 172834063
Conc: 53.65 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 131811712
Conc: 50.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 178825565
Conc: 53.54 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: 0.000 min
Response: 106546429
Conc: 46.80 ng/ml



#14 Endrin


R.T.: 5.641 min
Delta R.T.: 0.000 min
Response: 150881975
Conc: 52.15 ng/ml



#15 Endosulfan II


R.T.: 6.795 min
Delta R.T.: 0.000 min
Response: 117365787
Conc: 49.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.936 min
Delta R.T.: 0.000 min
Response: 151591803
Conc: 53.50 ng/ml




#16 4,4'-DDD

R.T.: 6.711 min
Delta R.T.: 0.000 min
Response: 102200649
Conc: 53.24 ng/ml



#16 4,4'-DDD


R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 141078865
Conc: 56.66 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 97499557
Conc: 47.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 13122202
Conc: 48.92 ng/ml




#18 Endrin aldehyde

R.T.: 6.925 min
Delta R.T.: 0.000 min
Response: 95349863
Conc: 50.77 ng/ml



#18 Endrin aldehyde


R.T.: 6.115 min
Delta R.T.: 0.000 min
Response: 120588492
Conc: 52.26 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 106960947
Conc: 49.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 142252190
Conc: 52.75 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 53358109
Conc: 46.81 ng/ml



#20 Methoxychlor


R.T.: 6.614 min
Delta R.T.: 0.000 min
Response: 69970481
Conc: 49.00 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 122397732
Conc: 50.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.843 min
Delta R.T.: 0.000 min
Response: 166343160
Conc: 54.20 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 96842515
Conc: 48.87 ng/ml



#22 Mirex


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 134148566
Conc: 51.42 ng/ml



#24 Chlordane-2


R.T.: 5.259 min
Delta R.T.: 0.028 min
Response: 150106567
Conc: 1309.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.365 min
Delta R.T.: 0.012 min
Response: 5037647
Conc: 40.67 ng/ml




#25 Chlordane-3

R.T.: 5.941 min
Delta R.T.: 0.000 min
Response: 133955162
Conc: 343.20 ng/ml



#25 Chlordane-3


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 178655129
Conc: 492.59 ng/ml



#26 Chlordane-4


R.T.: 6.020 min
Delta R.T.: -0.003 min
Response: 133026161
Conc: 278.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.045 min
Delta R.T.: 0.000 min
Response: 176273774
Conc: 503.91 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.936 min
Delta R.T.: -0.005 min
Response: 151591803
Conc: 1195.44 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.000 min
Response: 96870332
Conc: 50.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 145926653
Conc: 53.47 ng/ml