

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103020\
 Data File : PL062732.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Oct 2020 17:43
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 31 01:42:37 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.412	3.952	84636300	152.9E6	49.205	52.032
2)	SA Decachlor...	8.127	8.991	78840628	109.4E6	49.144	52.264
Target Compounds							
2)	A alpha-BHC	3.844	4.338	123.9E6	232.0E6	48.597	52.207
3)	MA gamma-BHC...	4.123	4.621	111.4E6	212.4E6	48.068	50.854
4)	MA Heptachlor	4.420	5.126	98970200	188.1E6	46.123	47.155
5)	MB Aldrin	4.664	5.429	92703255	181.0E6	48.568	50.008
6)	B beta-BHC	4.373	4.792	46497410	90700399	48.679	48.168
7)	B delta-BHC	4.573	5.007	104.3E6	190.7E6	47.982	54.504
8)	B Heptachlo...	5.103	5.814	89098466	163.5E6	48.832	50.487
9)	A Endosulfan I	5.439	6.170	81738339	146.2E6	48.898	46.358
10)	B gamma-Chl...	5.328	6.048	87150424	160.5E6	48.375	47.676
11)	B alpha-Chl...	5.386	6.120	87003994	158.4E6	48.128	47.007
12)	B 4,4'-DDE	5.551	6.279	80165605	150.6E6	48.455	46.746
13)	MA Dieldrin	5.679	6.426	85429551	147.7E6	48.348	46.137
14)	MA Endrin	5.934	6.643	69257679	112.6E6	41.627	40.350
15)	B Endosulfa...	6.206	6.853	77835530	123.6E6	47.212	43.249
16)	A 4,4'-DDD	6.063	6.768	77269149	128.7E6	54.627	50.294
17)	MA 4,4'-DDT	6.302	7.066	51710717	86784441	38.747	38.652
18)	B Endrin al...	6.373	6.977	67889292	107.9E6	46.753	47.309
19)	B Endosulfa...	6.585	7.200	76440693	112.1E6	46.321	46.733
20)	A Methoxychlor	6.845	7.526	34482672	50069223	40.036	40.525
21)	B Endrin ke...	7.071	7.669	92795092	125.9E6	51.467	53.137
22)	Mirex	7.257	8.123	65654887	83196163	46.311	48.822
23)	Chlordane-1	4.298f	0.000	395386	0	7.670	N.D. #
24)	Chlordane-2	0.000	5.429f	0	181.0E6	N.D.	1660.041 #
25)	Chlordane-3	5.328	6.048	87150424	160.5E6	569.131	397.322 #
26)	Chlordane-4	5.386	6.120	87003994	158.4E6	667.922	326.999 #
27)	Chlordane-5	6.206	0.000	77835530	0	1613.317	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103020\
Data File : PL062732.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Oct 2020 17:43
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 31 01:42:37 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.412 min
Delta R.T.: 0.000 min
Response: 84636300
Conc: 49.20 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.952 min
Delta R.T.: 0.000 min
Response: 152906168
Conc: 52.03 ng/ml




#2 alpha-BHC

R.T.: 3.844 min
Delta R.T.: 0.000 min
Response: 123907131
Conc: 48.60 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 231968460
Conc: 52.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 111358975
Conc: 48.07 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 212353012
Conc: 50.85 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 98970200
Conc: 46.12 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 188051789
Conc: 47.16 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 92703255
Conc: 48.57 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 181004146
Conc: 50.01 ng/ml




#6 beta-BHC

R.T.: 4.373 min
Delta R.T.: 0.000 min
Response: 46497410
Conc: 48.68 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 90700399
Conc: 48.17 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 104275885
Conc: 47.98 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 190734876
Conc: 54.50 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 89098466
Conc: 48.83 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 163508239
Conc: 50.49 ng/ml



#9 Endosulfan I


R.T.: 5.439 min
Delta R.T.: 0.000 min
Response: 81738339
Conc: 48.90 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 146204858
Conc: 46.36 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 87150424
Conc: 48.37 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 160494412
Conc: 47.68 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 87003994
Conc: 48.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: 0.000 min
Response: 158361048
Conc: 47.01 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 80165605
Conc: 48.45 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 150618648
Conc: 46.75 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 85429551
Conc: 48.35 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 147676674
Conc: 46.14 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 69257679
Conc: 41.63 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 112620779
Conc: 40.35 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.000 min
Response: 77835530
Conc: 47.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 123632898
Conc: 43.25 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.000 min
Response: 77269149
Conc: 54.63 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 128749822
Conc: 50.29 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 51710717
Conc: 38.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 86784441
Conc: 38.65 ng/ml




#18 Endrin aldehyde

R.T.: 6.373 min
Delta R.T.: 0.001 min
Response: 67889292
Conc: 46.75 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 107892840
Conc: 47.31 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 76440693
Conc: 46.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 112122795
Conc: 46.73 ng/ml




#20 Methoxychlor

R.T.: 6.845 min
Delta R.T.: 0.000 min
Response: 34482672
Conc: 40.04 ng/ml



#20 Methoxychlor


R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 50069223
Conc: 40.53 ng/ml



#21 Endrin ketone


R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 92795092
Conc: 51.47 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: 0.000 min
Response: 125924231
Conc: 53.14 ng/ml




#22 Mirex

R.T.: 7.257 min
Delta R.T.: 0.000 min
Response: 65654887
Conc: 46.31 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.002 min
Response: 83196163
Conc: 48.82 ng/ml



#23 Chlordane-1


R.T.: 4.298 min
Delta R.T.: 0.028 min
Response: 395386
Conc: 7.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.938 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.765 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.429 min
Delta R.T.: 0.025 min
Response: 181004146
Conc: 1660.04 ng/ml



#25 Chlordane-3


R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 87150424
Conc: 569.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 160494412
Conc: 397.32 ng/ml




#26 Chlordane-4

R.T.: 5.386 min
Delta R.T.: 0.002 min
Response: 87003994
Conc: 667.92 ng/ml



#26 Chlordane-4


R.T.: 6.120 min
Delta R.T.: -0.002 min
Response: 158361048
Conc: 327.00 ng/ml



#27 Chlordane-5


R.T.: 6.206 min
Delta R.T.: -0.007 min
Response: 77835530
Conc: 1613.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.923 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 78840628
Conc: 49.14 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.991 min
Delta R.T.: 0.002 min
Response: 109386181
Conc: 52.26 ng/ml