

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103024\
 Data File : PL092727.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Oct 2024 12:33
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 30 22:55:08 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.542	2.778	125.7E6	141.5E6	51.318	52.000
28) SA Decachlor...	9.057	7.916	95675427	142.6E6	49.713	52.258
Target Compounds						
2) A alpha-BHC	3.998	3.281	175.1E6	214.5E6	51.618	53.745
3) MA gamma-BHC...	4.331	3.611	167.4E6	206.8E6	51.342	53.588
4) MA Heptachlor	4.919	3.950	150.9E6	199.2E6	50.261	52.793
5) MB Aldrin	5.261	4.230	151.6E6	197.1E6	50.506	53.853
6) B beta-BHC	4.528	3.910	73862389	86047357	51.100	52.269
7) B delta-BHC	4.775	4.139	160.7E6	207.5E6	51.359	53.998
8) B Heptachlo...	5.687	4.732	139.3E6	178.6E6	50.449	53.453
9) A Endosulfan I	6.072	5.102	125.2E6	163.9E6	50.055	53.677
10) B gamma-Chl...	5.943	4.982	133.6E6	179.5E6	50.212	53.390
11) B alpha-Chl...	6.022	5.046	133.4E6	177.7E6	50.383	53.423
12) B 4,4'-DDE	6.196	5.235	121.1E6	172.5E6	51.135	53.535
13) MA Dieldrin	6.348	5.366	132.5E6	180.2E6	50.292	53.943
14) MA Endrin	6.577	5.642	109.1E6	153.8E6	47.917	53.172
15) B Endosulfa...	6.797	5.936	116.8E6	152.1E6	48.977	53.667
16) A 4,4'-DDD	6.713	5.790	101.3E6	139.9E6	52.772	56.182
17) MA 4,4'-DDT	7.026	6.040	100.9E6	138.4E6	48.755	51.590
18) B Endrin al...	6.927	6.116	93695866	121.1E6	49.892	52.495
19) B Endosulfa...	7.161	6.339	107.5E6	143.2E6	49.539	53.105
20) A Methoxychlor	7.502	6.615	55867191	72349063	49.006	50.664
21) B Endrin ke...	7.646	6.844	121.5E6	167.2E6	50.143	54.492
22) Mirex	8.119	7.025	97226123	135.6E6	49.062	51.970



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103024\
Data File : PL092727.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Oct 2024 12:33
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 30 22:55:08 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 125740338
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 141501256
Conc: 52.00 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.003 min
Response: 175065576
Conc: 51.62 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 214450577
Conc: 53.74 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: 0.003 min
Response: 167353379
Conc: 51.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 206819617
Conc: 53.59 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: 0.003 min
Response: 150939056
Conc: 50.26 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 199235192
Conc: 52.79 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: 0.003 min
Response: 151591788
Conc: 50.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.000 min
Response: 197113827
Conc: 53.85 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.003 min
Response: 73862389
Conc: 51.10 ng/ml



#6 beta-BHC


R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 86047357
Conc: 52.27 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.003 min
Response: 160748562
Conc: 51.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.139 min
Delta R.T.: 0.000 min
Response: 207521848
Conc: 54.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.003 min
Response: 139309525
Conc: 50.45 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 178608921
Conc: 53.45 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.003 min
Response: 125205609
Conc: 50.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 163882059
Conc: 53.68 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.003 min
Response: 133596180
Conc: 50.21 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 179480890
Conc: 53.39 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.002 min
Response: 133422167
Conc: 50.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 177685309
Conc: 53.42 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.002 min
Response: 121148457
Conc: 51.13 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 172469625
Conc: 53.54 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: 0.003 min
Response: 132543606
Conc: 50.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 180185665
Conc: 53.94 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.003 min
Response: 109089882
Conc: 47.92 ng/ml



#14 Endrin


R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 153825857
Conc: 53.17 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.002 min
Response: 116753136
Conc: 48.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.936 min
Delta R.T.: 0.000 min
Response: 152054155
Conc: 53.67 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.003 min
Response: 101297576
Conc: 52.77 ng/ml



#16 4,4'-DDD


R.T.: 5.790 min
Delta R.T.: 0.000 min
Response: 139897131
Conc: 56.18 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: 0.004 min
Response: 100910480
Conc: 48.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 138376463
Conc: 51.59 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: 0.003 min
Response: 93695866
Conc: 49.89 ng/ml



#18 Endrin aldehyde


R.T.: 6.116 min
Delta R.T.: 0.000 min
Response: 121120886
Conc: 52.50 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: 0.003 min
Response: 107516740
Conc: 49.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.339 min
Delta R.T.: 0.000 min
Response: 143216904
Conc: 53.10 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: 0.003 min
Response: 55867191
Conc: 49.01 ng/ml



#20 Methoxychlor


R.T.: 6.615 min
Delta R.T.: 0.000 min
Response: 72349063
Conc: 50.66 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: 0.003 min
Response: 121487949
Conc: 50.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 167226097
Conc: 54.49 ng/ml




#22 Mirex

R.T.: 8.119 min
Delta R.T.: 0.003 min
Response: 97226123
Conc: 49.06 ng/ml



#22 Mirex


R.T.: 7.025 min
Delta R.T.: 0.000 min
Response: 135592911
Conc: 51.97 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.003 min
Response: 95675427
Conc: 49.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.916 min
Delta R.T.: 0.000 min
Response: 142623619
Conc: 52.26 ng/ml