

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
 Data File : PL092768.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Oct 2024 18:20
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 01:19:22 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.778	126.4E6	143.1E6	51.607	52.583
2)	SA Decachlor...	9.059	7.918	97783264	145.0E6	50.808	53.141
Target Compounds							
2)	A alpha-BHC	3.998	3.281	177.6E6	215.6E6	52.351	54.037
3)	MA gamma-BHC...	4.331	3.611	169.6E6	208.2E6	52.041	53.942
4)	MA Heptachlor	4.919	3.950	153.2E6	201.6E6	51.004	53.411
5)	MB Aldrin	5.261	4.230	153.5E6	199.5E6	51.153	54.505
6)	B beta-BHC	4.528	3.911	74768760	87194061	51.727	52.965
7)	B delta-BHC	4.775	4.140	163.3E6	208.6E6	52.177	54.268
8)	B Heptachlo...	5.687	4.733	141.8E6	181.5E6	51.354	54.305
9)	A Endosulfan I	6.072	5.103	127.3E6	164.4E6	50.912	53.858
10)	B gamma-Chl...	5.943	4.983	135.6E6	181.8E6	50.963	54.075
11)	B alpha-Chl...	6.022	5.047	135.4E6	179.8E6	51.128	54.047
12)	B 4,4'-DDE	6.195	5.236	123.0E6	176.8E6	51.934	54.868
13)	MA Dieldrin	6.348	5.367	134.6E6	182.4E6	51.074	54.593
14)	MA Endrin	6.577	5.643	111.3E6	157.8E6	48.904	54.562
15)	B Endosulfa...	6.797	5.938	122.5E6	154.0E6	51.406	54.359
16)	A 4,4'-DDD	6.713	5.791	103.7E6	143.5E6	54.043	57.615
17)	MA 4,4'-DDT	7.027	6.042	102.1E6	139.7E6	49.327	52.065
18)	B Endrin al...	6.927	6.117	94779486	122.6E6	50.469	53.140
19)	B Endosulfa...	7.162	6.340	108.8E6	144.6E6	50.149	53.624
20)	A Methoxychlor	7.503	6.617	56245957	73930920	49.339	51.771
21)	B Endrin ke...	7.647	6.846	123.9E6	166.2E6	51.128	54.156
22)	Mirex	8.120	7.027	98039036	135.5E6	49.472	51.925
24)	Chlordane-2	5.261f	4.370	153.5E6	1058106	1339.573	8.543 #
25)	Chlordane-3	5.943	4.983	135.6E6	181.8E6	347.396	501.215 #
26)	Chlordane-4	6.022	5.047	135.4E6	179.8E6	283.250	513.875 #
27)	Chlordane-5	0.000	5.938	0	154.0E6	N.D.	1214.549 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL103124\
Data File : PL092768.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Oct 2024 18:20
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 01:19:22 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 126448615
Conc: 51.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 143086944
Conc: 52.58 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.002 min
Response: 177550521
Conc: 52.35 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 215617959
Conc: 54.04 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: 0.002 min
Response: 169631747
Conc: 52.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 208186297
Conc: 53.94 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: 0.003 min
Response: 153170993
Conc: 51.00 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.001 min
Response: 201569731
Conc: 53.41 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: 0.003 min
Response: 153533565
Conc: 51.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.000 min
Response: 199500800
Conc: 54.51 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.003 min
Response: 74768760
Conc: 51.73 ng/ml



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 87194061
Conc: 52.97 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.003 min
Response: 163307298
Conc: 52.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 208558878
Conc: 54.27 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.003 min
Response: 141809790
Conc: 51.35 ng/ml



#8 Heptachlor epoxide


R.T.: 4.733 min
Delta R.T.: 0.001 min
Response: 181456666
Conc: 54.31 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.003 min
Response: 127348474
Conc: 50.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.103 min
Delta R.T.: 0.001 min
Response: 164434939
Conc: 53.86 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.002 min
Response: 135593838
Conc: 50.96 ng/ml



#10 gamma-Chlordane


R.T.: 4.983 min
Delta R.T.: 0.001 min
Response: 181782093
Conc: 54.07 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.003 min
Response: 135395060
Conc: 51.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.047 min
Delta R.T.: 0.001 min
Response: 179760360
Conc: 54.05 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.002 min
Response: 123042058
Conc: 51.93 ng/ml



#12 4,4'-DDE


R.T.: 5.236 min
Delta R.T.: 0.001 min
Response: 176764586
Conc: 54.87 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: 0.003 min
Response: 134604256
Conc: 51.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.367 min
Delta R.T.: 0.002 min
Response: 182357067
Conc: 54.59 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.003 min
Response: 111338413
Conc: 48.90 ng/ml



#14 Endrin


R.T.: 5.643 min
Delta R.T.: 0.002 min
Response: 157848513
Conc: 54.56 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.003 min
Response: 122543931
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.938 min
Delta R.T.: 0.002 min
Response: 154014574
Conc: 54.36 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.004 min
Response: 103737652
Conc: 54.04 ng/ml



#16 4,4'-DDD


R.T.: 5.791 min
Delta R.T.: 0.002 min
Response: 143465868
Conc: 57.62 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: 0.004 min
Response: 102095070
Conc: 49.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.042 min
Delta R.T.: 0.002 min
Response: 139652291
Conc: 52.07 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: 0.003 min
Response: 94779486
Conc: 50.47 ng/ml



#18 Endrin aldehyde


R.T.: 6.117 min
Delta R.T.: 0.002 min
Response: 122610001
Conc: 53.14 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.162 min
Delta R.T.: 0.003 min
Response: 108840338
Conc: 50.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.340 min
Delta R.T.: 0.002 min
Response: 144618256
Conc: 53.62 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.003 min
Response: 56245957
Conc: 49.34 ng/ml



#20 Methoxychlor


R.T.: 6.617 min
Delta R.T.: 0.002 min
Response: 73930920
Conc: 51.77 ng/ml



#21 Endrin ketone


R.T.: 7.647 min
Delta R.T.: 0.004 min
Response: 123874186
Conc: 51.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.846 min
Delta R.T.: 0.003 min
Response: 166194263
Conc: 54.16 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: 0.004 min
Response: 98039036
Conc: 49.47 ng/ml



#22 Mirex


R.T.: 7.027 min
Delta R.T.: 0.002 min
Response: 135475655
Conc: 51.92 ng/ml



#24 Chlordane-2


R.T.: 5.261 min
Delta R.T.: 0.030 min
Response: 153533565
Conc: 1339.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.370 min
Delta R.T.: 0.017 min
Response: 1058106
Conc: 8.54 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: 0.001 min
Response: 135593838
Conc: 347.40 ng/ml



#25 Chlordane-3


R.T.: 4.983 min
Delta R.T.: 0.000 min
Response: 181782093
Conc: 501.21 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 135395060
Conc: 283.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.047 min
Delta R.T.: 0.002 min
Response: 179760360
Conc: 513.87 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.938 min
Delta R.T.: -0.003 min
Response: 154014574
Conc: 1214.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.005 min
Response: 97783264
Conc: 50.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.918 min
Delta R.T.: 0.003 min
Response: 145033684
Conc: 53.14 ng/ml