

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110119\
 Data File : PL053994.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Nov 2019 10:42
 Operator : SG\AJ
 Sample : K5612-04MSD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 GL-STOCKPILEMSD

Manual Integrations
 APPROVED

Ankita
 11/4/2019 11:42:26 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 01 22:35:38 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 18 13:56:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	4.044	218.9E6	53414512	20.197	21.345
28)	SA Decachlor...	8.327	9.122	144.5E6	41311581	14.725	14.670
Target Compounds							
2)	A alpha-BHC	3.985	4.436	1051.7E6	216.6E6	60.318	62.665
3)	MA gamma-BHC...	4.272	4.721	944.6E6	194.6E6	60.656	60.434
4)	MA Heptachlor	4.577	5.231	893.5E6	177.7E6	56.615m	55.134
5)	MB Aldrin	4.831	5.537	827.1E6	168.9E6	57.859	56.653
6)	B beta-BHC	4.523	4.892	391.5E6	89601866	59.405	58.009
7)	B delta-BHC	4.731	5.109	828.7E6	171.8E6	54.446	56.885
8)	B Heptachlor...	5.275	5.923	768.1E6	157.7E6	56.903m	54.071
9)	A Endosulfan I	5.617	6.280	672.9E6	149.0E6	54.739m	54.943
10)	B gamma-Chl...	5.504	6.157	754.6E6	160.6E6	55.308m	55.028
11)	B alpha-Chl...	5.562	6.229	715.2E6	160.6E6	53.760m	55.028
12)	B 4,4'-DDE	5.726	6.386	662.5E6	148.7E6	55.752	52.785
13)	MA Dieldrin	5.863	6.537	721.6E6	160.6E6	55.368	56.291
14)	MA Endrin	6.122	6.755	620.8E6	127.3E6	53.562	52.451
15)	B Endosulfa...	6.394	6.964	577.8E6	140.2E6	51.683	54.883
16)	A 4,4'-DDD	6.244	6.876	498.8E6	122.4E6	56.043	58.719
17)	MA 4,4'-DDT	6.486	7.174	440.6E6	103.6E6	44.482	44.798
18)	B Endrin al...	6.563	7.088	442.0E6	111.6E6	48.202	50.811
19)	B Endosulfa...	6.776	7.311	511.4E6	126.4E6	50.276	51.496
20)	A Methoxychlor	7.032	7.632	219.4E6	58673372	44.504	45.171
21)	B Endrin ke...	7.270	7.782	563.8E6	145.2E6	52.373	56.323
22)	Mirex	7.463	8.236	435.0E6	112.0E6	50.861	55.370

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110119\
Data File : PL053994.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Nov 2019 10:42
Operator : SG\AJ
Sample : K5612-04MSD
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 01 22:35:38 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
Quant Title : GC Extractables
QLast Update : Fri Oct 18 13:56:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.542 min
Delta R.T.: -0.002 min
Response: 218918009
Conc: 20.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#1 Tetrachloro-m-xylene

R.T.: 4.044 min
Delta R.T.: -0.001 min
Response: 53414512
Conc: 21.35 ng/ml




#2 alpha-BHC

R.T.: 3.985 min
Delta R.T.: -0.003 min
Response: 1051732354
Conc: 60.32 ng/ml



#2 alpha-BHC

R.T.: 4.436 min
Delta R.T.: 0.000 min
Response: 216637519
Conc: 62.66 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.272 min
Delta R.T.: -0.002 min
Response: 944632621
Conc: 60.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#3 gamma-BHC (Lindane)

R.T.: 4.721 min
Delta R.T.: -0.001 min
Response: 194622011
Conc: 60.43 ng/ml




#4 Heptachlor

R.T.: 4.577 min
Delta R.T.: -0.005 min
Response: 893543171
Conc: 56.61 ng/ml m



#4 Heptachlor

R.T.: 5.231 min
Delta R.T.: -0.001 min
Response: 177651269
Conc: 55.13 ng/ml




#5 Aldrin

R.T.: 4.831 min
Delta R.T.: -0.004 min
Response: 827129749
Conc: 57.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#5 Aldrin

R.T.: 5.537 min
Delta R.T.: -0.001 min
Response: 168914744
Conc: 56.65 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 391471895
Conc: 59.41 ng/ml



#6 beta-BHC

R.T.: 4.892 min
Delta R.T.: 0.000 min
Response: 89601866
Conc: 58.01 ng/ml




#7 delta-BHC

R.T.: 4.731 min
Delta R.T.: -0.003 min
Response: 828728526
Conc: 54.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#7 delta-BHC

R.T.: 5.109 min
Delta R.T.: 0.000 min
Response: 171826513
Conc: 56.88 ng/ml




#8 Heptachlor epoxide

R.T.: 5.275 min
Delta R.T.: -0.005 min
Response: 768144655
Conc: 56.90 ng/ml m



#8 Heptachlor epoxide

R.T.: 5.923 min
Delta R.T.: -0.001 min
Response: 157693477
Conc: 54.07 ng/ml




#9 Endosulfan I

R.T.: 5.617 min
Delta R.T.: -0.006 min
Response: 672857613
Conc: 54.74 ng/ml m

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#9 Endosulfan I

R.T.: 6.280 min
Delta R.T.: -0.001 min
Response: 148964390
Conc: 54.94 ng/ml




#10 gamma-Chlordane

R.T.: 5.504 min
Delta R.T.: -0.005 min
Response: 754598947
Conc: 55.31 ng/ml m



#10 gamma-Chlordane

R.T.: 6.157 min
Delta R.T.: -0.001 min
Response: 160560005
Conc: 55.03 ng/ml




#11 alpha-Chlordane

R.T.: 5.562 min
Delta R.T.: -0.006 min
Response: 715199691
Conc: 53.76 ng/ml m

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#11 alpha-Chlordane

R.T.: 6.229 min
Delta R.T.: -0.001 min
Response: 160638144
Conc: 55.03 ng/ml




#12 4,4'-DDE

R.T.: 5.726 min
Delta R.T.: -0.005 min
Response: 662462512
Conc: 55.75 ng/ml



#12 4,4'-DDE

R.T.: 6.386 min
Delta R.T.: -0.001 min
Response: 148662328
Conc: 52.79 ng/ml




#13 Dieldrin

R.T.: 5.863 min
Delta R.T.: -0.005 min
Response: 721634656
Conc: 55.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#13 Dieldrin

R.T.: 6.537 min
Delta R.T.: -0.002 min
Response: 160634047
Conc: 56.29 ng/ml




#14 Endrin

R.T.: 6.122 min
Delta R.T.: -0.004 min
Response: 620849458
Conc: 53.56 ng/ml



#14 Endrin

R.T.: 6.755 min
Delta R.T.: -0.001 min
Response: 127308077
Conc: 52.45 ng/ml




#15 Endosulfan II

R.T.: 6.394 min
Delta R.T.: -0.005 min
Response: 577833027
Conc: 51.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#15 Endosulfan II

R.T.: 6.964 min
Delta R.T.: -0.001 min
Response: 140197905
Conc: 54.88 ng/ml




#16 4,4'-DDD

R.T.: 6.244 min
Delta R.T.: -0.004 min
Response: 498775434
Conc: 56.04 ng/ml



#16 4,4'-DDD

R.T.: 6.876 min
Delta R.T.: 0.000 min
Response: 122367974
Conc: 58.72 ng/ml




#17 4,4'-DDT

R.T.: 6.486 min
Delta R.T.: -0.005 min
Response: 440649985
Conc: 44.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#17 4,4'-DDT

R.T.: 7.174 min
Delta R.T.: -0.001 min
Response: 103596457
Conc: 44.80 ng/ml




#18 Endrin aldehyde

R.T.: 6.563 min
Delta R.T.: -0.004 min
Response: 441977496
Conc: 48.20 ng/ml



#18 Endrin aldehyde

R.T.: 7.088 min
Delta R.T.: -0.001 min
Response: 111619435
Conc: 50.81 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.776 min
Delta R.T.: -0.006 min
Response: 511392719
Conc: 50.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#19 Endosulfan Sulfate

R.T.: 7.311 min
Delta R.T.: 0.000 min
Response: 126351393
Conc: 51.50 ng/ml




#20 Methoxychlor

R.T.: 7.032 min
Delta R.T.: -0.005 min
Response: 219419588
Conc: 44.50 ng/ml



#20 Methoxychlor

R.T.: 7.632 min
Delta R.T.: -0.001 min
Response: 58673372
Conc: 45.17 ng/ml




#21 Endrin ketone

R.T.: 7.270 min
Delta R.T.: -0.005 min
Response: 563804596
Conc: 52.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD


Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM




#21 Endrin ketone

R.T.: 7.782 min
Delta R.T.: -0.001 min
Response: 145227656
Conc: 56.32 ng/ml




#22 Mirex

R.T.: 7.463 min
Delta R.T.: -0.006 min
Response: 435015807
Conc: 50.86 ng/ml



#22 Mirex

R.T.: 8.236 min
Delta R.T.: -0.002 min
Response: 112017508
Conc: 55.37 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.327 min
Delta R.T.: -0.007 min
Response: 144471889
Conc: 14.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
GL-STOCKPILEMSD

Manual Integrations
APPROVED

Ankita
11/4/2019 11:42:26 AM



#28 Decachlorobiphenyl

R.T.: 9.122 min
Delta R.T.: -0.004 min
Response: 41311581
Conc: 14.67 ng/ml