

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110220\
 Data File : PL062784.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Nov 2020 18:56
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 03 08:29:10 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.952	84521626	152.9E6	49.138	52.042
28)	SA Decachlor...	8.127	8.993	87603103	114.0E6	54.606	54.467
Target Compounds							
2)	A alpha-BHC	3.843	4.338	125.4E6	233.1E6	49.171	52.451
3)	MA gamma-BHC...	4.123	4.621	114.1E6	217.2E6	49.236	52.027
4)	MA Heptachlor	4.419	5.126	106.8E6	196.8E6	49.758	49.353
5)	MB Aldrin	4.664	5.429	95224091	183.2E6	49.888	50.609
6)	B beta-BHC	4.372	4.792	47874929	93940234	50.121	49.888
7)	B delta-BHC	4.573	5.007	108.5E6	187.9E6	49.920	53.683
8)	B Heptachlo...	5.103	5.815	92422154	163.8E6	50.654	50.565
9)	A Endosulfan I	5.438	6.170	86356078	153.6E6	51.660	48.710
10)	B gamma-Chl...	5.328	6.049	92110818	165.1E6	51.128	49.036
11)	B alpha-Chl...	5.386	6.121	92186850	165.0E6	50.995	48.974
12)	B 4,4'-DDE	5.551	6.280	84643676	160.0E6	51.161	49.664
13)	MA Dieldrin	5.680	6.427	90172966	157.4E6	51.033	49.186
14)	MA Endrin	5.934	6.644	82090087	132.5E6	49.340	47.466
15)	B Endosulfa...	6.206	6.854	84751740	134.4E6	51.407	47.016
16)	A 4,4'-DDD	6.064	6.769	74583744	125.8E6	52.728	49.132
17)	MA 4,4'-DDT	6.302	7.068	65986507	113.1E6	49.444	50.351
18)	B Endrin al...	6.373	6.978	71782337	113.8E6	49.434	49.908
19)	B Endosulfa...	6.586	7.201	82628328	124.2E6	50.070	51.764
20)	A Methoxychlor	6.846	7.528	42473535	62642763	49.314	50.702
21)	B Endrin ke...	7.072	7.670	96035198	130.6E6	53.264	55.110
22)	Mirex	7.258	8.124	71908980	88581302	50.723	51.982



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110220\
Data File : PL062784.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Nov 2020 18:56
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 03 08:29:10 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 84521626
Conc: 49.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.952 min
Delta R.T.: 0.000 min
Response: 152937556
Conc: 52.04 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 125370087
Conc: 49.17 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 233053969
Conc: 52.45 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 114063501
Conc: 49.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 217248729
Conc: 52.03 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 106770407
Conc: 49.76 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 196816226
Conc: 49.35 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 95224091
Conc: 49.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 183178295
Conc: 50.61 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 47874929
Conc: 50.12 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 93940234
Conc: 49.89 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 108486816
Conc: 49.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 187861296
Conc: 53.68 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 92422154
Conc: 50.65 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 163760548
Conc: 50.57 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 86356078
Conc: 51.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 153622854
Conc: 48.71 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 92110818
Conc: 51.13 ng/ml



#10 gamma-Chlordane


R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 165073720
Conc: 49.04 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 92186850
Conc: 51.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 164987165
Conc: 48.97 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 84643676
Conc: 51.16 ng/ml



#12 4,4'-DDE


R.T.: 6.280 min
Delta R.T.: 0.001 min
Response: 160017679
Conc: 49.66 ng/ml



#13 Dieldrin


R.T.: 5.680 min
Delta R.T.: 0.000 min
Response: 90172966
Conc: 51.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.427 min
Delta R.T.: 0.001 min
Response: 157435922
Conc: 49.19 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 82090087
Conc: 49.34 ng/ml



#14 Endrin


R.T.: 6.644 min
Delta R.T.: 0.001 min
Response: 132483585
Conc: 47.47 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.001 min
Response: 84751740
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.854 min
Delta R.T.: 0.001 min
Response: 134401559
Conc: 47.02 ng/ml




#16 4,4'-DDD

R.T.: 6.064 min
Delta R.T.: 0.001 min
Response: 74583744
Conc: 52.73 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 125775931
Conc: 49.13 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 65986507
Conc: 49.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.068 min
Delta R.T.: 0.002 min
Response: 113052179
Conc: 50.35 ng/ml




#18 Endrin aldehyde

R.T.: 6.373 min
Delta R.T.: 0.001 min
Response: 71782337
Conc: 49.43 ng/ml



#18 Endrin aldehyde


R.T.: 6.978 min
Delta R.T.: 0.002 min
Response: 113820177
Conc: 49.91 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 82628328
Conc: 50.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.201 min
Delta R.T.: 0.002 min
Response: 124192145
Conc: 51.76 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.001 min
Response: 42473535
Conc: 49.31 ng/ml



#20 Methoxychlor


R.T.: 7.528 min
Delta R.T.: 0.003 min
Response: 62642763
Conc: 50.70 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 96035198
Conc: 53.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.002 min
Response: 130600370
Conc: 55.11 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.001 min
Response: 71908980
Conc: 50.72 ng/ml



#22 Mirex


R.T.: 8.124 min
Delta R.T.: 0.002 min
Response: 88581302
Conc: 51.98 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.001 min
Response: 87603103
Conc: 54.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.993 min
Delta R.T.: 0.004 min
Response: 113996746
Conc: 54.47 ng/ml