

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110320\
 Data File : PL062795.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Nov 2020 08:56
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 03 17:00:57 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	88105716	153.1E6	51.222	52.098
28)	SA Decachlor...	8.127	8.992	86442283	110.9E6	53.882	52.992
Target Compounds							
2)	A alpha-BHC	3.843	4.338	132.3E6	231.6E6	51.874	52.117
3)	MA gamma-BHC...	4.123	4.620	117.6E6	215.3E6	50.771	51.560
4)	MA Heptachlor	4.420	5.126	110.0E6	197.3E6	51.283	49.463
5)	MB Aldrin	4.664	5.429	98298844	183.4E6	51.499	50.677
6)	B beta-BHC	4.372	4.792	49181988	93473602	51.489	49.640
7)	B delta-BHC	4.573	5.007	111.6E6	187.1E6	51.330	53.479
8)	B Heptachlo...	5.103	5.815	96408620	164.8E6	52.839	50.881
9)	A Endosulfan I	5.438	6.171	87611959	152.9E6	52.412	48.467
10)	B gamma-Chl...	5.329	6.049	93075530	165.0E6	51.663	49.010
11)	B alpha-Chl...	5.386	6.121	93170327	164.0E6	51.539	48.666
12)	B 4,4'-DDE	5.551	6.280	86677506	158.8E6	52.391	49.287
13)	MA Dieldrin	5.680	6.427	92128599	156.9E6	52.139	49.010
14)	MA Endrin	5.934	6.644	82430516	129.6E6	49.544	46.443
15)	B Endosulfa...	6.207	6.853	85540522	132.0E6	51.885	46.189
16)	A 4,4'-DDD	6.064	6.770	76180922	126.3E6	53.857	49.321
17)	MA 4,4'-DDT	6.302	7.068	67712608	109.8E6	50.738	48.887
18)	B Endrin al...	6.374	6.978	72949784	111.3E6	50.238	48.802
19)	B Endosulfa...	6.586	7.201	83889273	122.7E6	50.835	51.152
20)	A Methoxychlor	6.846	7.527	43127323	59896219	50.073	48.479
21)	B Endrin ke...	7.072	7.670	98330223	128.0E6	54.537	54.014
22)	Mirex	7.258	8.123	74609728	87748636	52.628	51.493



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110320\
Data File : PL062795.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Nov 2020 08:56
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 03 17:00:57 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 88105716
Conc: 51.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 153101146
Conc: 52.10 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 132263527
Conc: 51.87 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 231567305
Conc: 52.12 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 117620761
Conc: 50.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 215299211
Conc: 51.56 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 110043531
Conc: 51.28 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 197252237
Conc: 49.46 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 98298844
Conc: 51.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 183425658
Conc: 50.68 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 49181988
Conc: 51.49 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 93473602
Conc: 49.64 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 111552038
Conc: 51.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 187146563
Conc: 53.48 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 96408620
Conc: 52.84 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 164785153
Conc: 50.88 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 87611959
Conc: 52.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.171 min
Delta R.T.: 0.000 min
Response: 152855577
Conc: 48.47 ng/ml




#10 gamma-Chlordane

R.T.: 5.329 min
Delta R.T.: 0.000 min
Response: 93075530
Conc: 51.66 ng/ml



#10 gamma-Chlordane


R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 164984503
Conc: 49.01 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 93170327
Conc: 51.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 163951430
Conc: 48.67 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.001 min
Response: 86677506
Conc: 52.39 ng/ml



#12 4,4'-DDE


R.T.: 6.280 min
Delta R.T.: 0.000 min
Response: 158803930
Conc: 49.29 ng/ml



#13 Dieldrin


R.T.: 5.680 min
Delta R.T.: 0.000 min
Response: 92128599
Conc: 52.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 156873354
Conc: 49.01 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.001 min
Response: 82430516
Conc: 49.54 ng/ml



#14 Endrin


R.T.: 6.644 min
Delta R.T.: 0.000 min
Response: 129626438
Conc: 46.44 ng/ml



#15 Endosulfan II


R.T.: 6.207 min
Delta R.T.: 0.002 min
Response: 85540522
Conc: 51.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 132037647
Conc: 46.19 ng/ml




#16 4,4'-DDD

R.T.: 6.064 min
Delta R.T.: 0.001 min
Response: 76180922
Conc: 53.86 ng/ml



#16 4,4'-DDD


R.T.: 6.770 min
Delta R.T.: 0.001 min
Response: 126259464
Conc: 49.32 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.001 min
Response: 67712608
Conc: 50.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.068 min
Delta R.T.: 0.002 min
Response: 109765064
Conc: 48.89 ng/ml




#18 Endrin aldehyde

R.T.: 6.374 min
Delta R.T.: 0.002 min
Response: 72949784
Conc: 50.24 ng/ml



#18 Endrin aldehyde


R.T.: 6.978 min
Delta R.T.: 0.001 min
Response: 111296511
Conc: 48.80 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 83889273
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.201 min
Delta R.T.: 0.001 min
Response: 122724353
Conc: 51.15 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.001 min
Response: 43127323
Conc: 50.07 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.002 min
Response: 59896219
Conc: 48.48 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 98330223
Conc: 54.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.002 min
Response: 128003544
Conc: 54.01 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.001 min
Response: 74609728
Conc: 52.63 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.002 min
Response: 87748636
Conc: 51.49 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 86442283
Conc: 53.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.992 min
Delta R.T.: 0.003 min
Response: 110910531
Conc: 52.99 ng/ml