

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110321\
 Data File : PL070743.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Nov 2021 20:01
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 04 09:16:12 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 09:15:58 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.568	5.501	24524416	63584307	50.000	50.000
28)	SA Decachlor...	10.331	11.392	33361808	67940984	50.000	50.000
Target Compounds							
2)	A alpha-BHC	5.274	6.082	34928883	94980942	50.000	50.000
3)	MA gamma-BHC...	5.697	6.477	34416685	89136974	50.000	50.000
4)	MA Heptachlor	6.105	7.124	36787251	84398423	50.000	50.000
5)	MB Aldrin	6.428	7.494	32771845	83086388	50.000	50.000
6)	B beta-BHC	6.079	6.734	16432840	41004377	50.000	50.000
7)	B delta-BHC	6.338	7.000	34420798	86658659	50.000	50.000
8)	B Heptachlo...	7.005	7.961	32858369	77590294	50.000	50.000
9)	A Endosulfan I	7.407	8.366	30996889	73476346	50.000	50.000
10)	B gamma-Chl...	7.282	8.230	33534662	78519102	50.000	50.000
11)	B alpha-Chl...	7.352	8.311	33665640	77471497	50.000	50.000
12)	B 4,4'-DDE	7.567	8.501	30002031	76106777	50.000	50.000
13)	MA Dieldrin	7.693	8.655	31840144	75093594	50.000	50.000
14)	MA Endrin	7.984	8.893	29022456	60246835	50.000	50.000
15)	B Endosulfa...	8.295	9.128	30466770	61663348	50.000	50.000
16)	A 4,4'-DDD	8.152	9.040	26199239	60665375	50.000	50.000
17)	MA 4,4'-DDT	8.413	9.356	28590327	64989811	50.000	50.000
18)	B Endrin al...	8.485	9.263	23087423	49164984	50.000	50.000
19)	B Endosulfa...	8.715	9.500	30802794	63402879	50.000	50.000
20)	A Methoxychlor	9.009	9.843	18477727	34777659	50.000	50.000
21)	B Endrin ke...	9.232	9.996	36275222	72671661	50.000	50.000
22)	Mirex	9.417	10.461	30087021	52690175	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110321\
Data File : PL070743.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Nov 2021 20:01
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 04 09:16:12 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 09:15:58 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 24524416
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 63584307
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 5.274 min
Delta R.T.: 0.000 min
Response: 34928883
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 6.082 min
Delta R.T.: 0.000 min
Response: 94980942
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.697 min
Delta R.T.: 0.000 min
Response: 34416685
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 89136974
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 6.105 min
Delta R.T.: 0.000 min
Response: 36787251
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 84398423
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 6.428 min
Delta R.T.: 0.000 min
Response: 32771845
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 83086388
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 16432840
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 41004377
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 34420798
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 7.000 min
Delta R.T.: 0.000 min
Response: 86658659
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 7.005 min
Delta R.T.: 0.000 min
Response: 32858369
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 7.961 min
Delta R.T.: 0.000 min
Response: 77590294
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 7.407 min
Delta R.T.: 0.000 min
Response: 30996889
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 8.366 min
Delta R.T.: 0.000 min
Response: 73476346
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 7.282 min
Delta R.T.: 0.000 min
Response: 33534662
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 78519102
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 7.352 min
Delta R.T.: 0.000 min
Response: 33665640
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 8.311 min
Delta R.T.: 0.000 min
Response: 77471497
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 30002031
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 8.501 min
Delta R.T.: 0.000 min
Response: 76106777
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 31840144
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 8.655 min
Delta R.T.: 0.000 min
Response: 75093594
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 7.984 min
Delta R.T.: 0.000 min
Response: 29022456
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 8.893 min
Delta R.T.: 0.000 min
Response: 60246835
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 8.295 min
Delta R.T.: 0.000 min
Response: 30466770
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 9.128 min
Delta R.T.: 0.000 min
Response: 61663348
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 26199239
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 9.040 min
Delta R.T.: 0.000 min
Response: 60665375
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 8.413 min
Delta R.T.: 0.000 min
Response: 28590327
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 9.356 min
Delta R.T.: 0.000 min
Response: 64989811
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 8.485 min
Delta R.T.: 0.000 min
Response: 23087423
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 9.263 min
Delta R.T.: 0.000 min
Response: 49164984
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.715 min
Delta R.T.: 0.000 min
Response: 30802794
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 9.500 min
Delta R.T.: 0.000 min
Response: 63402879
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 9.009 min
Delta R.T.: 0.000 min
Response: 18477727
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 9.843 min
Delta R.T.: 0.000 min
Response: 34777659
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 36275222
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 9.996 min
Delta R.T.: 0.000 min
Response: 72671661
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 9.417 min
Delta R.T.: 0.000 min
Response: 30087021
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 10.461 min
Delta R.T.: 0.000 min
Response: 52690175
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.331 min
Delta R.T.: 0.000 min
Response: 33361808
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 11.392 min
Delta R.T.: 0.000 min
Response: 67940984
Conc: 50.00 ng/ml