

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110421\
 Data File : PL070762.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Nov 2021 10:53
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 05 14:24:17 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 19:28:07 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.568	5.501	23249520	62089573	47.467	49.244
28)	SA Decachlor...	10.329	11.391	32853086	69871276	48.080	52.245
Target Compounds							
2)	A alpha-BHC	5.274	6.081	32243008	93135601	48.166	50.595
3)	MA gamma-BHC...	5.696	6.477	31599907	87981579	47.109	50.738
4)	MA Heptachlor	6.104	7.124	33294669	86227899	46.403	53.087
5)	MB Aldrin	6.428	7.494	29638597	83360437	46.349	51.336
6)	B beta-BHC	6.079	6.733	15218951	41073231	46.851	47.937
7)	B delta-BHC	6.338	6.999	31618843	86672683	47.776	51.830
8)	B Heptachlo...	7.005	7.961	30364552	81212957	46.704	53.284
9)	A Endosulfan I	7.406	8.365	29333352	74934736	47.886	52.088
10)	B gamma-Chl...	7.282	8.230	31070101	83529995	46.805	53.948
11)	B alpha-Chl...	7.351	8.310	31358791	78869574	47.059	51.855
12)	B 4,4'-DDE	7.566	8.500	28119527	76141967	48.263	51.604
13)	MA Dieldrin	7.693	8.654	30129354	77053103	48.268	52.880
14)	MA Endrin	7.983	8.893	26694420	61405998	47.083	53.014
15)	B Endosulfa...	8.295	9.127	27984209	64327359	46.229	52.669
16)	A 4,4'-DDD	8.152	9.039	25187085	62737229	49.572	52.132
17)	MA 4,4'-DDT	8.412	9.356	26437259	64115617	48.070	50.822
18)	B Endrin al...	8.483	9.262	22447828	51245927	49.410	52.992
19)	B Endosulfa...	8.714	9.500	29613605	63796839	48.005	51.474
20)	A Methoxychlor	9.008	9.842	17107147	32961717	46.761	48.702
21)	B Endrin ke...	9.232	9.996	37482086	74628043	52.418	51.988
22)	Mirex	9.415	10.460	29451770	53146769	47.956	51.024



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110421\
Data File : PL070762.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Nov 2021 10:53
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 05 14:24:17 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 19:28:07 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 23249520
Conc: 47.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 62089573
Conc: 49.24 ng/ml




#2 alpha-BHC

R.T.: 5.274 min
Delta R.T.: 0.000 min
Response: 32243008
Conc: 48.17 ng/ml



#2 alpha-BHC


R.T.: 6.081 min
Delta R.T.: 0.000 min
Response: 93135601
Conc: 50.60 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 31599907
Conc: 47.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 87981579
Conc: 50.74 ng/ml




#4 Heptachlor

R.T.: 6.104 min
Delta R.T.: 0.000 min
Response: 33294669
Conc: 46.40 ng/ml



#4 Heptachlor


R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 86227899
Conc: 53.09 ng/ml



#5 Aldrin


R.T.: 6.428 min
Delta R.T.: 0.000 min
Response: 29638597
Conc: 46.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 83360437
Conc: 51.34 ng/ml




#6 beta-BHC

R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 15218951
Conc: 46.85 ng/ml



#6 beta-BHC


R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 41073231
Conc: 47.94 ng/ml



#7 delta-BHC


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 31618843
Conc: 47.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.999 min
Delta R.T.: 0.001 min
Response: 86672683
Conc: 51.83 ng/ml




#8 Heptachlor epoxide

R.T.: 7.005 min
Delta R.T.: 0.000 min
Response: 30364552
Conc: 46.70 ng/ml



#8 Heptachlor epoxide


R.T.: 7.961 min
Delta R.T.: 0.000 min
Response: 81212957
Conc: 53.28 ng/ml



#9 Endosulfan I


R.T.: 7.406 min
Delta R.T.: -0.001 min
Response: 29333352
Conc: 47.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.365 min
Delta R.T.: 0.000 min
Response: 74934736
Conc: 52.09 ng/ml




#10 gamma-Chlordane

R.T.: 7.282 min
Delta R.T.: -0.001 min
Response: 31070101
Conc: 46.80 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 83529995
Conc: 53.95 ng/ml



#11 alpha-Chlordane


R.T.: 7.351 min
Delta R.T.: 0.000 min
Response: 31358791
Conc: 47.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.310 min
Delta R.T.: 0.000 min
Response: 78869574
Conc: 51.85 ng/ml




#12 4,4'-DDE

R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 28119527
Conc: 48.26 ng/ml



#12 4,4'-DDE


R.T.: 8.500 min
Delta R.T.: 0.000 min
Response: 76141967
Conc: 51.60 ng/ml



#13 Dieldrin


R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 30129354
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.654 min
Delta R.T.: 0.000 min
Response: 77053103
Conc: 52.88 ng/ml




#14 Endrin

R.T.: 7.983 min
Delta R.T.: 0.000 min
Response: 26694420
Conc: 47.08 ng/ml



#14 Endrin


R.T.: 8.893 min
Delta R.T.: 0.000 min
Response: 61405998
Conc: 53.01 ng/ml



#15 Endosulfan II


R.T.: 8.295 min
Delta R.T.: 0.000 min
Response: 27984209
Conc: 46.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.127 min
Delta R.T.: 0.000 min
Response: 64327359
Conc: 52.67 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 25187085
Conc: 49.57 ng/ml



#16 4,4'-DDD


R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 62737229
Conc: 52.13 ng/ml



#17 4,4'-DDT


R.T.: 8.412 min
Delta R.T.: 0.000 min
Response: 26437259
Conc: 48.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.356 min
Delta R.T.: 0.000 min
Response: 64115617
Conc: 50.82 ng/ml




#18 Endrin aldehyde

R.T.: 8.483 min
Delta R.T.: -0.001 min
Response: 22447828
Conc: 49.41 ng/ml



#18 Endrin aldehyde


R.T.: 9.262 min
Delta R.T.: 0.000 min
Response: 51245927
Conc: 52.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.714 min
Delta R.T.: 0.000 min
Response: 29613605
Conc: 48.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.500 min
Delta R.T.: 0.000 min
Response: 63796839
Conc: 51.47 ng/ml




#20 Methoxychlor

R.T.: 9.008 min
Delta R.T.: -0.001 min
Response: 17107147
Conc: 46.76 ng/ml



#20 Methoxychlor


R.T.: 9.842 min
Delta R.T.: 0.000 min
Response: 32961717
Conc: 48.70 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 37482086
Conc: 52.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.996 min
Delta R.T.: 0.000 min
Response: 74628043
Conc: 51.99 ng/ml




#22 Mirex

R.T.: 9.415 min
Delta R.T.: -0.002 min
Response: 29451770
Conc: 47.96 ng/ml



#22 Mirex


R.T.: 10.460 min
Delta R.T.: -0.001 min
Response: 53146769
Conc: 51.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.329 min
Delta R.T.: 0.000 min
Response: 32853086
Conc: 48.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.391 min
Delta R.T.: -0.001 min
Response: 69871276
Conc: 52.25 ng/ml