

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110421\
 Data File : PL070797.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Nov 2021 23:31
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 05 14:34:28 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 19:28:07 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.568	5.501	25054413	67922783	51.152	53.870
28)	SA Decachlor...	10.330	11.392	30968758	68872656	45.323	51.498
Target Compounds							
2)	A alpha-BHC	5.274	6.081	35198286	101.7E6	52.581	55.238
3)	MA gamma-BHC...	5.696	6.477	34372621	95342971	51.242	54.983
4)	MA Heptachlor	6.104	7.124	35843158	91589055	49.955	56.388
5)	MB Aldrin	6.428	7.494	32871667	88150941	51.405	54.286
6)	B beta-BHC	6.079	6.733	16703807	43353528	51.423	50.598
7)	B delta-BHC	6.338	6.999	34870296	92444026	52.689	55.281
8)	B Heptachlo...	7.005	7.960	32894818	84371712	50.596	55.356
9)	A Endosulfan I	7.407	8.365	31678901	77651522	51.715	53.976
10)	B gamma-Chl...	7.282	8.230	33840507	89098715	50.978	57.544
11)	B alpha-Chl...	7.352	8.310	33882286	82779520	50.846	54.425
12)	B 4,4'-DDE	7.567	8.500	30253930	79914850	51.927	54.161
13)	MA Dieldrin	7.693	8.654	32134400	79644537	51.480	54.659
14)	MA Endrin	7.984	8.893	27833560	59633922	49.092	51.484
15)	B Endosulfa...	8.295	9.127	29305169	64788522	48.411	53.047
16)	A 4,4'-DDD	8.152	9.039	27134579	64669198	53.404	53.737
17)	MA 4,4'-DDT	8.413	9.356	26473651	63080245	48.136	50.001
18)	B Endrin al...	8.484	9.262	23571706	52027226	51.884	53.800
19)	B Endosulfa...	8.715	9.500	30466715	63231968	49.388	51.018
20)	A Methoxychlor	9.009	9.843	16519104	31795542	45.154	46.979
21)	B Endrin ke...	9.232	9.996	37438783	73423110	52.358	51.148
22)	Mirex	9.417	10.461	29291163	51995329	47.695	49.918



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110421\
Data File : PL070797.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Nov 2021 23:31
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 05 14:34:28 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 19:28:07 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 25054413
Conc: 51.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 67922783
Conc: 53.87 ng/ml




#2 alpha-BHC

R.T.: 5.274 min
Delta R.T.: 0.000 min
Response: 35198286
Conc: 52.58 ng/ml



#2 alpha-BHC


R.T.: 6.081 min
Delta R.T.: 0.000 min
Response: 101682202
Conc: 55.24 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 34372621
Conc: 51.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 95342971
Conc: 54.98 ng/ml




#4 Heptachlor

R.T.: 6.104 min
Delta R.T.: 0.000 min
Response: 35843158
Conc: 49.95 ng/ml



#4 Heptachlor


R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 91589055
Conc: 56.39 ng/ml



#5 Aldrin


R.T.: 6.428 min
Delta R.T.: 0.000 min
Response: 32871667
Conc: 51.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 88150941
Conc: 54.29 ng/ml




#6 beta-BHC

R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 16703807
Conc: 51.42 ng/ml



#6 beta-BHC


R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 43353528
Conc: 50.60 ng/ml



#7 delta-BHC


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 34870296
Conc: 52.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.999 min
Delta R.T.: 0.002 min
Response: 92444026
Conc: 55.28 ng/ml




#8 Heptachlor epoxide

R.T.: 7.005 min
Delta R.T.: 0.000 min
Response: 32894818
Conc: 50.60 ng/ml



#8 Heptachlor epoxide


R.T.: 7.960 min
Delta R.T.: 0.000 min
Response: 84371712
Conc: 55.36 ng/ml



#9 Endosulfan I


R.T.: 7.407 min
Delta R.T.: 0.000 min
Response: 31678901
Conc: 51.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.365 min
Delta R.T.: 0.000 min
Response: 77651522
Conc: 53.98 ng/ml




#10 gamma-Chlordane

R.T.: 7.282 min
Delta R.T.: 0.000 min
Response: 33840507
Conc: 50.98 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 89098715
Conc: 57.54 ng/ml



#11 alpha-Chlordane


R.T.: 7.352 min
Delta R.T.: 0.000 min
Response: 33882286
Conc: 50.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.310 min
Delta R.T.: 0.000 min
Response: 82779520
Conc: 54.43 ng/ml




#12 4,4'-DDE

R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 30253930
Conc: 51.93 ng/ml



#12 4,4'-DDE


R.T.: 8.500 min
Delta R.T.: 0.000 min
Response: 79914850
Conc: 54.16 ng/ml



#13 Dieldrin


R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 32134400
Conc: 51.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.654 min
Delta R.T.: 0.000 min
Response: 79644537
Conc: 54.66 ng/ml




#14 Endrin

R.T.: 7.984 min
Delta R.T.: 0.000 min
Response: 27833560
Conc: 49.09 ng/ml



#14 Endrin


R.T.: 8.893 min
Delta R.T.: 0.000 min
Response: 59633922
Conc: 51.48 ng/ml



#15 Endosulfan II


R.T.: 8.295 min
Delta R.T.: 0.001 min
Response: 29305169
Conc: 48.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.127 min
Delta R.T.: 0.000 min
Response: 64788522
Conc: 53.05 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 27134579
Conc: 53.40 ng/ml



#16 4,4'-DDD


R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 64669198
Conc: 53.74 ng/ml



#17 4,4'-DDT


R.T.: 8.413 min
Delta R.T.: 0.000 min
Response: 26473651
Conc: 48.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.356 min
Delta R.T.: 0.000 min
Response: 63080245
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 8.484 min
Delta R.T.: 0.000 min
Response: 23571706
Conc: 51.88 ng/ml



#18 Endrin aldehyde


R.T.: 9.262 min
Delta R.T.: 0.000 min
Response: 52027226
Conc: 53.80 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.715 min
Delta R.T.: 0.000 min
Response: 30466715
Conc: 49.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.500 min
Delta R.T.: 0.000 min
Response: 63231968
Conc: 51.02 ng/ml




#20 Methoxychlor

R.T.: 9.009 min
Delta R.T.: 0.000 min
Response: 16519104
Conc: 45.15 ng/ml



#20 Methoxychlor


R.T.: 9.843 min
Delta R.T.: 0.000 min
Response: 31795542
Conc: 46.98 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 37438783
Conc: 52.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.996 min
Delta R.T.: 0.000 min
Response: 73423110
Conc: 51.15 ng/ml




#22 Mirex

R.T.: 9.417 min
Delta R.T.: 0.000 min
Response: 29291163
Conc: 47.69 ng/ml



#22 Mirex


R.T.: 10.461 min
Delta R.T.: 0.000 min
Response: 51995329
Conc: 49.92 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.330 min
Delta R.T.: 0.000 min
Response: 30968758
Conc: 45.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.392 min
Delta R.T.: 0.000 min
Response: 68872656
Conc: 51.50 ng/ml