

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110521\
 Data File : PL070819.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Nov 2021 23:04
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 08 03:22:32 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 19:28:07 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.568	5.502	23164396	62279386	47.293	49.395
28)	SA Decachlor...	10.329	11.390	31480300	67821490	46.071	50.712
Target Compounds							
2)	A alpha-BHC	5.274	6.082	32742701	93158393	48.913	50.607
3)	MA gamma-BHC...	5.696	6.477	31820609	87904048	47.438	50.693
4)	MA Heptachlor	6.104	7.124	33775947	87780143	47.074	54.043
5)	MB Aldrin	6.427	7.493	30611494	84240290	47.870	51.878
6)	B beta-BHC	6.078	6.733	15264862	39828599	46.993	46.484
7)	B delta-BHC	6.338	6.999	32294233	87034619	48.797	52.046
8)	B Heptachlo...	7.004	7.960	30843762	79478777	47.441	52.146
9)	A Endosulfan I	7.407	8.365	29380360	73882665	47.963	51.357
10)	B gamma-Chl...	7.281	8.230	31532115	79443217	47.501	51.308
11)	B alpha-Chl...	7.351	8.310	31624033	77916059	47.458	51.228
12)	B 4,4'-DDE	7.566	8.499	28091726	77252134	48.216	52.356
13)	MA Dieldrin	7.692	8.654	30094701	76790545	48.212	52.700
14)	MA Endrin	7.983	8.893	25486637	58931250	44.953	50.877
15)	B Endosulfa...	8.294	9.127	27756930	64626735	45.853	52.914
16)	A 4,4'-DDD	8.152	9.039	25715054	63046138	50.611	52.389
17)	MA 4,4'-DDT	8.412	9.355	25192311	62084318	45.806	49.212
18)	B Endrin al...	8.483	9.262	22561678	52065756	49.661	53.840
19)	B Endosulfa...	8.714	9.500	29348582	64057167	47.575	51.684
20)	A Methoxychlor	9.008	9.842	16134227	31878203	44.102	47.101
21)	B Endrin ke...	9.232	9.996	36362998	73658793	50.853	51.313
22)	Mirex	9.416	10.460	28894618	52545056	47.049	50.446



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110521\
Data File : PL070819.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Nov 2021 23:04
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 08 03:22:32 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 19:28:07 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 23164396
Conc: 47.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.502 min
Delta R.T.: 0.000 min
Response: 62279386
Conc: 49.39 ng/ml




#2 alpha-BHC

R.T.: 5.274 min
Delta R.T.: 0.001 min
Response: 32742701
Conc: 48.91 ng/ml



#2 alpha-BHC


R.T.: 6.082 min
Delta R.T.: 0.000 min
Response: 93158393
Conc: 50.61 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 31820609
Conc: 47.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 87904048
Conc: 50.69 ng/ml




#4 Heptachlor

R.T.: 6.104 min
Delta R.T.: 0.000 min
Response: 33775947
Conc: 47.07 ng/ml



#4 Heptachlor


R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 87780143
Conc: 54.04 ng/ml



#5 Aldrin


R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 30611494
Conc: 47.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.493 min
Delta R.T.: 0.000 min
Response: 84240290
Conc: 51.88 ng/ml




#6 beta-BHC

R.T.: 6.078 min
Delta R.T.: -0.001 min
Response: 15264862
Conc: 46.99 ng/ml



#6 beta-BHC


R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 39828599
Conc: 46.48 ng/ml



#7 delta-BHC


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 32294233
Conc: 48.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.999 min
Delta R.T.: 0.001 min
Response: 87034619
Conc: 52.05 ng/ml




#8 Heptachlor epoxide

R.T.: 7.004 min
Delta R.T.: -0.001 min
Response: 30843762
Conc: 47.44 ng/ml



#8 Heptachlor epoxide


R.T.: 7.960 min
Delta R.T.: 0.000 min
Response: 79478777
Conc: 52.15 ng/ml



#9 Endosulfan I


R.T.: 7.407 min
Delta R.T.: 0.000 min
Response: 29380360
Conc: 47.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.365 min
Delta R.T.: 0.000 min
Response: 73882665
Conc: 51.36 ng/ml




#10 gamma-Chlordane

R.T.: 7.281 min
Delta R.T.: -0.001 min
Response: 31532115
Conc: 47.50 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 79443217
Conc: 51.31 ng/ml



#11 alpha-Chlordane


R.T.: 7.351 min
Delta R.T.: -0.001 min
Response: 31624033
Conc: 47.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.310 min
Delta R.T.: 0.000 min
Response: 77916059
Conc: 51.23 ng/ml




#12 4,4'-DDE

R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 28091726
Conc: 48.22 ng/ml



#12 4,4'-DDE


R.T.: 8.499 min
Delta R.T.: 0.000 min
Response: 77252134
Conc: 52.36 ng/ml



#13 Dieldrin


R.T.: 7.692 min
Delta R.T.: 0.000 min
Response: 30094701
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.654 min
Delta R.T.: 0.000 min
Response: 76790545
Conc: 52.70 ng/ml




#14 Endrin

R.T.: 7.983 min
Delta R.T.: 0.000 min
Response: 25486637
Conc: 44.95 ng/ml



#14 Endrin


R.T.: 8.893 min
Delta R.T.: 0.000 min
Response: 58931250
Conc: 50.88 ng/ml



#15 Endosulfan II


R.T.: 8.294 min
Delta R.T.: 0.000 min
Response: 27756930
Conc: 45.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.127 min
Delta R.T.: 0.000 min
Response: 64626735
Conc: 52.91 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 25715054
Conc: 50.61 ng/ml



#16 4,4'-DDD


R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 63046138
Conc: 52.39 ng/ml



#17 4,4'-DDT


R.T.: 8.412 min
Delta R.T.: 0.000 min
Response: 25192311
Conc: 45.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.355 min
Delta R.T.: 0.000 min
Response: 62084318
Conc: 49.21 ng/ml




#18 Endrin aldehyde

R.T.: 8.483 min
Delta R.T.: 0.000 min
Response: 22561678
Conc: 49.66 ng/ml



#18 Endrin aldehyde


R.T.: 9.262 min
Delta R.T.: 0.000 min
Response: 52065756
Conc: 53.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.714 min
Delta R.T.: 0.000 min
Response: 29348582
Conc: 47.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.500 min
Delta R.T.: 0.000 min
Response: 64057167
Conc: 51.68 ng/ml




#20 Methoxychlor

R.T.: 9.008 min
Delta R.T.: -0.001 min
Response: 16134227
Conc: 44.10 ng/ml



#20 Methoxychlor


R.T.: 9.842 min
Delta R.T.: 0.000 min
Response: 31878203
Conc: 47.10 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 36362998
Conc: 50.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.996 min
Delta R.T.: 0.000 min
Response: 73658793
Conc: 51.31 ng/ml




#22 Mirex

R.T.: 9.416 min
Delta R.T.: -0.001 min
Response: 28894618
Conc: 47.05 ng/ml



#22 Mirex


R.T.: 10.460 min
Delta R.T.: -0.001 min
Response: 52545056
Conc: 50.45 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.329 min
Delta R.T.: -0.001 min
Response: 31480300
Conc: 46.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.390 min
Delta R.T.: -0.002 min
Response: 67821490
Conc: 50.71 ng/ml