

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110624\
 Data File : PL092879.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Nov 2024 15:15
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 07 00:08:03 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.778	129.4E6	147.8E6	52.824	54.331
28)	SA Decachlor...	9.059	7.917	96117979	128.2E6	49.943	46.991
Target Compounds							
2)	A alpha-BHC	3.998	3.281	183.8E6	224.6E6	54.195	56.292
3)	MA gamma-BHC...	4.330	3.611	175.7E6	217.0E6	53.900	56.228
4)	MA Heptachlor	4.919	3.950	156.0E6	210.4E6	51.930	55.745
5)	MB Aldrin	5.261	4.229	156.6E6	205.6E6	52.160	56.181
6)	B beta-BHC	4.527	3.910	76351267	90212691	52.821	54.799
7)	B delta-BHC	4.775	4.139	165.2E6	218.2E6	52.783	56.783
8)	B Heptachlo...	5.686	4.732	138.4E6	184.9E6	50.108	55.347
9)	A Endosulfan I	6.072	5.102	126.5E6	163.5E6	50.583	53.542
10)	B gamma-Chl...	5.943	4.982	135.2E6	182.7E6	50.803	54.349
11)	B alpha-Chl...	6.021	5.046	134.6E6	179.9E6	50.829	54.075
12)	B 4,4'-DDE	6.195	5.235	122.5E6	175.0E6	51.720	54.328
13)	MA Dieldrin	6.347	5.367	133.6E6	180.4E6	50.711	54.018
14)	MA Endrin	6.576	5.642	114.3E6	158.1E6	50.217	54.658
15)	B Endosulfa...	6.797	5.937	116.5E6	152.0E6	48.877	53.634
16)	A 4,4'-DDD	6.713	5.791	99157781	137.0E6	51.657	55.007
17)	MA 4,4'-DDT	7.026	6.041	105.6E6	143.4E6	51.023	53.451
18)	B Endrin al...	6.927	6.116	92178479	119.2E6	49.084	51.676
19)	B Endosulfa...	7.161	6.339	105.6E6	136.9E6	48.671	50.767
20)	A Methoxychlor	7.502	6.616	57759990	74035137	50.667	51.844
21)	B Endrin ke...	7.646	6.845	118.6E6	157.7E6	48.942	51.387
22)	Mirex	8.120	7.025	93759560	126.0E6	47.313	48.285
24)	Chlordane-2	5.261f	4.369	156.6E6	1071407	1365.947	8.651 #
25)	Chlordane-3	5.943	4.982	135.2E6	182.7E6	346.308	503.757 #
26)	Chlordane-4	6.021	5.046	134.6E6	179.9E6	281.589	514.146 #
27)	Chlordane-5	0.000	5.937	0	152.0E6	N.D.	1198.344 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110624\
Data File : PL092879.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Nov 2024 15:15
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 07 00:08:03 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 129430604
Conc: 52.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 147843383
Conc: 54.33 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.002 min
Response: 183805080
Conc: 54.19 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 224615487
Conc: 56.29 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: 0.002 min
Response: 175691553
Conc: 53.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 217007455
Conc: 56.23 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: 0.002 min
Response: 155953191
Conc: 51.93 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 210375994
Conc: 55.74 ng/ml



#5 Aldrin


R.T.: 5.261 min
Delta R.T.: 0.003 min
Response: 156556415
Conc: 52.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.229 min
Delta R.T.: 0.000 min
Response: 205636015
Conc: 56.18 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.002 min
Response: 76351267
Conc: 52.82 ng/ml



#6 beta-BHC


R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 90212691
Conc: 54.80 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.003 min
Response: 165205529
Conc: 52.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.139 min
Delta R.T.: 0.000 min
Response: 218227066
Conc: 56.78 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: 0.002 min
Response: 138368321
Conc: 50.11 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 184935618
Conc: 55.35 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.002 min
Response: 126526433
Conc: 50.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 163470153
Conc: 53.54 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.002 min
Response: 135169404
Conc: 50.80 ng/ml



#10 gamma-Chlordane


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 182703994
Conc: 54.35 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: 0.002 min
Response: 134601285
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 179855446
Conc: 54.08 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.002 min
Response: 122535271
Conc: 51.72 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 175024154
Conc: 54.33 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.002 min
Response: 133648373
Conc: 50.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.367 min
Delta R.T.: 0.000 min
Response: 180436673
Conc: 54.02 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: 0.002 min
Response: 114327399
Conc: 50.22 ng/ml



#14 Endrin


R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 158127035
Conc: 54.66 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.003 min
Response: 116514393
Conc: 48.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.937 min
Delta R.T.: 0.000 min
Response: 151959594
Conc: 53.63 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.003 min
Response: 99157781
Conc: 51.66 ng/ml



#16 4,4'-DDD


R.T.: 5.791 min
Delta R.T.: 0.001 min
Response: 136970179
Conc: 55.01 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: 0.003 min
Response: 105604782
Conc: 51.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.041 min
Delta R.T.: 0.001 min
Response: 143370487
Conc: 53.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: 0.003 min
Response: 92178479
Conc: 49.08 ng/ml



#18 Endrin aldehyde


R.T.: 6.116 min
Delta R.T.: 0.001 min
Response: 119232109
Conc: 51.68 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: 0.003 min
Response: 105632890
Conc: 48.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.339 min
Delta R.T.: 0.000 min
Response: 136912177
Conc: 50.77 ng/ml




#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: 0.003 min
Response: 57759990
Conc: 50.67 ng/ml



#20 Methoxychlor


R.T.: 6.616 min
Delta R.T.: 0.000 min
Response: 74035137
Conc: 51.84 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: 0.003 min
Response: 118577574
Conc: 48.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.845 min
Delta R.T.: 0.001 min
Response: 157696389
Conc: 51.39 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: 0.004 min
Response: 93759560
Conc: 47.31 ng/ml



#22 Mirex


R.T.: 7.025 min
Delta R.T.: 0.001 min
Response: 125980135
Conc: 48.29 ng/ml



#24 Chlordane-2


R.T.: 5.261 min
Delta R.T.: 0.029 min
Response: 156556415
Conc: 1365.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.369 min
Delta R.T.: 0.016 min
Response: 1071407
Conc: 8.65 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: 0.002 min
Response: 135169404
Conc: 346.31 ng/ml



#25 Chlordane-3


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 182703994
Conc: 503.76 ng/ml



#26 Chlordane-4


R.T.: 6.021 min
Delta R.T.: -0.002 min
Response: 134601285
Conc: 281.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.046 min
Delta R.T.: 0.001 min
Response: 179855446
Conc: 514.15 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.937 min
Delta R.T.: -0.004 min
Response: 151959594
Conc: 1198.34 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.005 min
Response: 96117979
Conc: 49.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.917 min
Delta R.T.: 0.001 min
Response: 128249523
Conc: 46.99 ng/ml