

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110724\
 Data File : PL092904.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Nov 2024 15:29
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 07 23:56:40 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.542	2.778	116.5E6	137.2E6	47.552	50.402
28)	SA Decachlor...	9.059	7.917	88057220	110.2E6	45.755	40.374
Target Compounds							
2)	A alpha-BHC	3.998	3.281	161.7E6	203.7E6	47.689	51.059
3)	MA gamma-BHC...	4.330	3.611	157.1E6	192.5E6	48.198	49.876
4)	MA Heptachlor	4.919	3.950	139.4E6	188.2E6	46.409	49.861
5)	MB Aldrin	5.260	4.230	136.7E6	185.5E6	45.559	50.684
6)	B beta-BHC	4.528	3.911	69277065	81732026	47.927	49.647
7)	B delta-BHC	4.774	4.140	149.6E6	197.4E6	47.810	51.373
8)	B Heptachlo...	5.687	4.732	126.4E6	158.4E6	45.781	47.405
9)	A Endosulfan I	6.072	5.102	111.2E6	145.0E6	44.450	47.481
10)	B gamma-Chl...	5.943	4.983	120.7E6	161.5E6	45.360	48.035
11)	B alpha-Chl...	6.022	5.046	119.2E6	161.3E6	44.998	48.508
12)	B 4,4'-DDE	6.195	5.235	106.5E6	162.1E6	44.964	50.302
13)	MA Dieldrin	6.347	5.367	117.0E6	162.8E6	44.399	48.725
14)	MA Endrin	6.577	5.642	97713249	134.0E6	42.920	46.326
15)	B Endosulfa...	6.797	5.937	101.1E6	133.3E6	42.391	47.057
16)	A 4,4'-DDD	6.713	5.790	89021585	122.5E6	46.377	49.192
17)	MA 4,4'-DDT	7.027	6.041	88781754	118.1E6	42.895	44.016
18)	B Endrin al...	6.927	6.116	82889638	101.8E6	44.138	44.109
19)	B Endosulfa...	7.161	6.339	93794822	124.9E6	43.217	46.305
20)	A Methoxychlor	7.503	6.616	49330628	63131891	43.273	44.209
21)	B Endrin ke...	7.646	6.845	104.7E6	133.7E6	43.214	43.581
22)	Mirex	8.120	7.026	82511395	107.3E6	41.637	41.108
23)	Chlordane-1	0.000	3.772	0	25915	N.D.	0.244 #
24)	Chlordane-2	5.260f	4.367	136.7E6	4059191	1193.101	32.774 #
25)	Chlordane-3	5.943	4.983	120.7E6	161.5E6	309.205	445.238 #
26)	Chlordane-4	6.022	5.046	119.2E6	161.3E6	249.289	461.211 #
27)	Chlordane-5	0.000	5.937	0	133.3E6	N.D.	1051.402 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110724\
Data File : PL092904.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Nov 2024 15:29
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 07 23:56:40 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.542 min
Delta R.T.: 0.002 min
Response: 116513649
Conc: 47.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.778 min
Delta R.T.: 0.000 min
Response: 137152860
Conc: 50.40 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.002 min
Response: 161741405
Conc: 47.69 ng/ml



#2 alpha-BHC


R.T.: 3.281 min
Delta R.T.: 0.000 min
Response: 203735819
Conc: 51.06 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: 0.002 min
Response: 157105708
Conc: 48.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.611 min
Delta R.T.: 0.000 min
Response: 192495489
Conc: 49.88 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: 0.002 min
Response: 139371075
Conc: 46.41 ng/ml



#4 Heptachlor


R.T.: 3.950 min
Delta R.T.: 0.000 min
Response: 188173274
Conc: 49.86 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: 0.002 min
Response: 136745866
Conc: 45.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.230 min
Delta R.T.: 0.000 min
Response: 185515380
Conc: 50.68 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.003 min
Response: 69277065
Conc: 47.93 ng/ml



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.000 min
Response: 81732026
Conc: 49.65 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: 0.002 min
Response: 149637987
Conc: 47.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 197436286
Conc: 51.37 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.002 min
Response: 126421509
Conc: 45.78 ng/ml



#8 Heptachlor epoxide


R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 158399794
Conc: 47.41 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.002 min
Response: 111184851
Conc: 44.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.102 min
Delta R.T.: 0.000 min
Response: 144965006
Conc: 47.48 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.002 min
Response: 120687485
Conc: 45.36 ng/ml



#10 gamma-Chlordane


R.T.: 4.983 min
Delta R.T.: 0.000 min
Response: 161480366
Conc: 48.04 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.003 min
Response: 119161564
Conc: 45.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 161338059
Conc: 48.51 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.002 min
Response: 106528847
Conc: 44.96 ng/ml



#12 4,4'-DDE


R.T.: 5.235 min
Delta R.T.: 0.000 min
Response: 162054061
Conc: 50.30 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.002 min
Response: 117011210
Conc: 44.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.367 min
Delta R.T.: 0.000 min
Response: 162757737
Conc: 48.73 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.003 min
Response: 97713249
Conc: 42.92 ng/ml



#14 Endrin


R.T.: 5.642 min
Delta R.T.: 0.000 min
Response: 134020218
Conc: 46.33 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.003 min
Response: 101053621
Conc: 42.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.937 min
Delta R.T.: 0.001 min
Response: 133326118
Conc: 47.06 ng/ml




#16 4,4'-DDD

R.T.: 6.713 min
Delta R.T.: 0.003 min
Response: 89021585
Conc: 46.38 ng/ml



#16 4,4'-DDD


R.T.: 5.790 min
Delta R.T.: 0.001 min
Response: 122492455
Conc: 49.19 ng/ml



#17 4,4'-DDT


R.T.: 7.027 min
Delta R.T.: 0.004 min
Response: 88781754
Conc: 42.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.041 min
Delta R.T.: 0.001 min
Response: 118062014
Conc: 44.02 ng/ml




#18 Endrin aldehyde

R.T.: 6.927 min
Delta R.T.: 0.003 min
Response: 82889638
Conc: 44.14 ng/ml



#18 Endrin aldehyde


R.T.: 6.116 min
Delta R.T.: 0.001 min
Response: 101772143
Conc: 44.11 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.161 min
Delta R.T.: 0.003 min
Response: 93794822
Conc: 43.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.339 min
Delta R.T.: 0.001 min
Response: 124877612
Conc: 46.30 ng/ml




#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: 0.004 min
Response: 49330628
Conc: 43.27 ng/ml



#20 Methoxychlor


R.T.: 6.616 min
Delta R.T.: 0.000 min
Response: 63131891
Conc: 44.21 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: 0.003 min
Response: 104699953
Conc: 43.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.845 min
Delta R.T.: 0.001 min
Response: 133740378
Conc: 43.58 ng/ml




#22 Mirex

R.T.: 8.120 min
Delta R.T.: 0.004 min
Response: 82511395
Conc: 41.64 ng/ml



#22 Mirex


R.T.: 7.026 min
Delta R.T.: 0.001 min
Response: 107253809
Conc: 41.11 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.702 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.772 min
Delta R.T.: -0.004 min
Response: 25915
Conc: 0.24 ng/ml




#24 Chlordane-2

R.T.: 5.260 min
Delta R.T.: 0.029 min
Response: 136745866
Conc: 1193.10 ng/ml



#24 Chlordane-2


R.T.: 4.367 min
Delta R.T.: 0.014 min
Response: 4059191
Conc: 32.77 ng/ml



#25 Chlordane-3


R.T.: 5.943 min
Delta R.T.: 0.001 min
Response: 120687485
Conc: 309.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.983 min
Delta R.T.: 0.000 min
Response: 161480366
Conc: 445.24 ng/ml




#26 Chlordane-4

R.T.: 6.022 min
Delta R.T.: -0.001 min
Response: 119161564
Conc: 249.29 ng/ml



#26 Chlordane-4


R.T.: 5.046 min
Delta R.T.: 0.000 min
Response: 161338059
Conc: 461.21 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.872 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 133326118
Conc: 1051.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.059 min
Delta R.T.: 0.005 min
Response: 88057220
Conc: 45.75 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.917 min
Delta R.T.: 0.002 min
Response: 110189065
Conc: 40.37 ng/ml