

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110819\
 Data File : PL054144.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Nov 2019 14:35
 Operator : SG\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 11/11/2019 1:19:04 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 08 22:05:57 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
 Quant Title : GC Extractables
 QLast Update : Fri Oct 18 13:56:08 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.540	4.043	582.4E6	131.6E6	53.727	52.599
28)	SA Decachlor...	8.323	9.121	444.5E6	131.2E6	45.304	46.597
Target Compounds							
2)	A alpha-BHC	3.983	4.435	965.1E6	185.7E6	55.351	53.717
3)	MA gamma-BHC...	4.270	4.720	864.3E6	170.9E6	55.499	53.056
4)	MA Heptachlor	4.576	5.229	852.9E6	157.7E6	54.039	48.954
5)	MB Aldrin	4.826	5.535	796.8E6	146.1E6	55.737m	48.994
6)	B beta-BHC	4.520	4.890	356.8E6	78229840	54.149	50.647
7)	B delta-BHC	4.728	5.107	812.3E6	153.5E6	53.364	50.815
8)	B Heptachlor...	5.273	5.921	731.0E6	145.0E6	54.151	49.726
9)	A Endosulfan I	5.615	6.278	641.6E6	129.3E6	52.197	47.683
10)	B gamma-Chl...	5.502	6.154	708.9E6	138.3E6	51.961	47.392m
11)	B alpha-Chl...	5.560	6.228	672.9E6	137.5E6	50.577	47.107
12)	B 4,4'-DDE	5.723	6.384	609.5E6	133.4E6	51.295	47.362
13)	MA Dieldrin	5.860	6.535	643.1E6	134.7E6	49.342	47.215
14)	MA Endrin	6.118	6.753	575.2E6	109.6E6	49.622	45.145
15)	B Endosulfa...	6.390	6.962	539.0E6	121.0E6	48.210	47.371
16)	A 4,4'-DDD	6.241	6.874	479.4E6	103.7E6	53.866	49.746
17)	MA 4,4'-DDT	6.483	7.172	455.8E6	102.9E6	46.011	44.503
18)	B Endrin al...	6.559	7.086	435.2E6	103.8E6	47.465	47.241
19)	B Endosulfa...	6.773	7.309	475.6E6	112.1E6	46.757	45.673
20)	A Methoxychlor	7.028	7.630	225.2E6	57069064	45.666	43.936
21)	B Endrin ke...	7.266	7.780	513.6E6	120.2E6	47.709	46.625
22)	Mirex	7.459	8.234	367.4E6	91144588	42.953	45.053

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110819\
Data File : PL054144.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Nov 2019 14:35
Operator : SG\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 08 22:05:57 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL101919.M
Quant Title : GC Extractables
QLast Update : Fri Oct 18 13:56:08 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.540 min
Delta R.T.: -0.004 min
Response: 582371495
Conc: 53.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#1 Tetrachloro-m-xylene

R.T.: 4.043 min
Delta R.T.: -0.003 min
Response: 131621985
Conc: 52.60 ng/ml




#2 alpha-BHC

R.T.: 3.983 min
Delta R.T.: -0.005 min
Response: 965121763
Conc: 55.35 ng/ml



#2 alpha-BHC

R.T.: 4.435 min
Delta R.T.: -0.002 min
Response: 185705316
Conc: 53.72 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.270 min
Delta R.T.: -0.005 min
Response: 864317777
Conc: 55.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#3 gamma-BHC (Lindane)

R.T.: 4.720 min
Delta R.T.: -0.002 min
Response: 170860501
Conc: 53.06 ng/ml




#4 Heptachlor

R.T.: 4.576 min
Delta R.T.: -0.006 min
Response: 852899427
Conc: 54.04 ng/ml



#4 Heptachlor

R.T.: 5.229 min
Delta R.T.: -0.003 min
Response: 157737650
Conc: 48.95 ng/ml




#5 Aldrin

R.T.: 4.826 min
Delta R.T.: -0.008 min
Response: 796802179
Conc: 55.74 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#5 Aldrin

R.T.: 5.535 min
Delta R.T.: -0.003 min
Response: 146077512
Conc: 48.99 ng/ml




#6 beta-BHC

R.T.: 4.520 min
Delta R.T.: -0.005 min
Response: 356837933
Conc: 54.15 ng/ml



#6 beta-BHC

R.T.: 4.890 min
Delta R.T.: -0.002 min
Response: 78229840
Conc: 50.65 ng/ml




#7 delta-BHC

R.T.: 4.728 min
Delta R.T.: -0.005 min
Response: 812254523
Conc: 53.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#7 delta-BHC

R.T.: 5.107 min
Delta R.T.: -0.002 min
Response: 153492761
Conc: 50.82 ng/ml




#8 Heptachlor epoxide

R.T.: 5.273 min
Delta R.T.: -0.007 min
Response: 731000944
Conc: 54.15 ng/ml



#8 Heptachlor epoxide

R.T.: 5.921 min
Delta R.T.: -0.003 min
Response: 145019679
Conc: 49.73 ng/ml




#9 Endosulfan I

R.T.: 5.615 min
Delta R.T.: -0.008 min
Response: 641613581
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#9 Endosulfan I

R.T.: 6.278 min
Delta R.T.: -0.003 min
Response: 129280871
Conc: 47.68 ng/ml




#10 gamma-Chlordane

R.T.: 5.502 min
Delta R.T.: -0.007 min
Response: 708934540
Conc: 51.96 ng/ml



#10 gamma-Chlordane

R.T.: 6.154 min
Delta R.T.: -0.004 min
Response: 138280599
Conc: 47.39 ng/ml m




#11 alpha-Chlordane

R.T.: 5.560 min
Delta R.T.: -0.007 min
Response: 672855004
Conc: 50.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#11 alpha-Chlordane

R.T.: 6.228 min
Delta R.T.: -0.003 min
Response: 137514393
Conc: 47.11 ng/ml




#12 4,4'-DDE

R.T.: 5.723 min
Delta R.T.: -0.007 min
Response: 609497525
Conc: 51.29 ng/ml



#12 4,4'-DDE

R.T.: 6.384 min
Delta R.T.: -0.003 min
Response: 133388922
Conc: 47.36 ng/ml




#13 Dieldrin

R.T.: 5.860 min
Delta R.T.: -0.008 min
Response: 643098233
Conc: 49.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#13 Dieldrin

R.T.: 6.535 min
Delta R.T.: -0.003 min
Response: 134734965
Conc: 47.22 ng/ml




#14 Endrin

R.T.: 6.118 min
Delta R.T.: -0.008 min
Response: 575178265
Conc: 49.62 ng/ml



#14 Endrin

R.T.: 6.753 min
Delta R.T.: -0.003 min
Response: 109575849
Conc: 45.14 ng/ml




#15 Endosulfan II

R.T.: 6.390 min
Delta R.T.: -0.009 min
Response: 539005257
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#15 Endosulfan II

R.T.: 6.962 min
Delta R.T.: -0.003 min
Response: 121009932
Conc: 47.37 ng/ml




#16 4,4'-DDD

R.T.: 6.241 min
Delta R.T.: -0.008 min
Response: 479400206
Conc: 53.87 ng/ml



#16 4,4'-DDD

R.T.: 6.874 min
Delta R.T.: -0.003 min
Response: 103668944
Conc: 49.75 ng/ml




#17 4,4'-DDT

R.T.: 6.483 min
Delta R.T.: -0.008 min
Response: 455802660
Conc: 46.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#17 4,4'-DDT

R.T.: 7.172 min
Delta R.T.: -0.003 min
Response: 102914422
Conc: 44.50 ng/ml




#18 Endrin aldehyde

R.T.: 6.559 min
Delta R.T.: -0.008 min
Response: 435217604
Conc: 47.46 ng/ml



#18 Endrin aldehyde

R.T.: 7.086 min
Delta R.T.: -0.003 min
Response: 103777184
Conc: 47.24 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.773 min
Delta R.T.: -0.009 min
Response: 475591624
Conc: 46.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#19 Endosulfan Sulfate

R.T.: 7.309 min
Delta R.T.: -0.003 min
Response: 112062853
Conc: 45.67 ng/ml




#20 Methoxychlor

R.T.: 7.028 min
Delta R.T.: -0.009 min
Response: 225150053
Conc: 45.67 ng/ml



#20 Methoxychlor

R.T.: 7.630 min
Delta R.T.: -0.003 min
Response: 57069064
Conc: 43.94 ng/ml




#21 Endrin ketone

R.T.: 7.266 min
Delta R.T.: -0.009 min
Response: 513594268
Conc: 47.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM




#21 Endrin ketone

R.T.: 7.780 min
Delta R.T.: -0.003 min
Response: 120220423
Conc: 46.62 ng/ml




#22 Mirex

R.T.: 7.459 min
Delta R.T.: -0.010 min
Response: 367380240
Conc: 42.95 ng/ml



#22 Mirex

R.T.: 8.234 min
Delta R.T.: -0.004 min
Response: 91144588
Conc: 45.05 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.323 min
Delta R.T.: -0.011 min
Response: 444507689
Conc: 45.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
11/11/2019 1:19:04 PM



#28 Decachlorobiphenyl

R.T.: 9.121 min
Delta R.T.: -0.005 min
Response: 131219288
Conc: 46.60 ng/ml