

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110821\
 Data File : PL070854.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Nov 2021 02:58
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 09 05:19:29 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 19:28:07 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.568	5.502	25937851	70101402	52.956	55.598
2)	SA Decachlor...	10.330	11.392	32660189	72368643	47.798	54.112
Target Compounds							
2)	A alpha-BHC	5.273	6.082	36475066	105.5E6	54.489	57.327
3)	MA gamma-BHC...	5.696	6.478	35354559	99054892	52.706	57.123
4)	MA Heptachlor	6.103	7.124	36526335	96669713	50.907	59.516
5)	MB Aldrin	6.427	7.494	34292394	93511394	53.627	57.587
6)	B beta-BHC	6.078	6.734	16762743	44952162	51.604	52.464
7)	B delta-BHC	6.338	7.000	35757815	97969272	54.030	58.585
8)	B Heptachlo...	7.004	7.961	33615991	87403129	51.705	57.345
9)	A Endosulfan I	7.407	8.366	32109877	82451079	52.419	57.313
10)	B gamma-Chl...	7.281	8.230	34368464	89923285	51.773	58.077
11)	B alpha-Chl...	7.351	8.311	34409855	87014822	51.638	57.210
12)	B 4,4'-DDE	7.566	8.501	30611684	85414502	52.541	57.888
13)	MA Dieldrin	7.692	8.655	32728443	85584121	52.432	58.735
14)	MA Endrin	7.983	8.894	26436477	62222267	46.628	53.719
15)	B Endosulfa...	8.295	9.128	29850150	71446527	49.311	58.498
16)	A 4,4'-DDD	8.152	9.040	28467197	71289160	56.027	59.238
17)	MA 4,4'-DDT	8.412	9.356	25569832	64613355	46.493	51.216
18)	B Endrin al...	8.484	9.263	23554824	55668228	51.847	57.565
19)	B Endosulfa...	8.714	9.500	31422771	69766279	50.937	56.290
20)	A Methoxychlor	9.008	9.843	15823252	32368003	43.252	47.825
21)	B Endrin ke...	9.232	9.997	40282561	82816610	56.335	57.692
22)	Mirex	9.416	10.461	30522629	57017565	49.700	54.740



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110821\
Data File : PL070854.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Nov 2021 02:58
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 09 05:19:29 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 19:28:07 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.568 min
Delta R.T.: 0.000 min
Response: 25937851
Conc: 52.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.502 min
Delta R.T.: 0.000 min
Response: 70101402
Conc: 55.60 ng/ml




#2 alpha-BHC

R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 36475066
Conc: 54.49 ng/ml



#2 alpha-BHC


R.T.: 6.082 min
Delta R.T.: 0.000 min
Response: 105528067
Conc: 57.33 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 35354559
Conc: 52.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.478 min
Delta R.T.: 0.000 min
Response: 99054892
Conc: 57.12 ng/ml




#4 Heptachlor

R.T.: 6.103 min
Delta R.T.: -0.001 min
Response: 36526335
Conc: 50.91 ng/ml



#4 Heptachlor


R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 96669713
Conc: 59.52 ng/ml



#5 Aldrin


R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 34292394
Conc: 53.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 93511394
Conc: 57.59 ng/ml




#6 beta-BHC

R.T.: 6.078 min
Delta R.T.: 0.000 min
Response: 16762743
Conc: 51.60 ng/ml



#6 beta-BHC


R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 44952162
Conc: 52.46 ng/ml



#7 delta-BHC


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 35757815
Conc: 54.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.000 min
Delta R.T.: 0.002 min
Response: 97969272
Conc: 58.59 ng/ml




#8 Heptachlor epoxide

R.T.: 7.004 min
Delta R.T.: -0.001 min
Response: 33615991
Conc: 51.70 ng/ml



#8 Heptachlor epoxide


R.T.: 7.961 min
Delta R.T.: 0.000 min
Response: 87403129
Conc: 57.35 ng/ml



#9 Endosulfan I


R.T.: 7.407 min
Delta R.T.: 0.000 min
Response: 32109877
Conc: 52.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.366 min
Delta R.T.: 0.000 min
Response: 82451079
Conc: 57.31 ng/ml




#10 gamma-Chlordane

R.T.: 7.281 min
Delta R.T.: -0.002 min
Response: 34368464
Conc: 51.77 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 89923285
Conc: 58.08 ng/ml



#11 alpha-Chlordane


R.T.: 7.351 min
Delta R.T.: 0.000 min
Response: 34409855
Conc: 51.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.311 min
Delta R.T.: 0.000 min
Response: 87014822
Conc: 57.21 ng/ml




#12 4,4'-DDE

R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 30611684
Conc: 52.54 ng/ml



#12 4,4'-DDE


R.T.: 8.501 min
Delta R.T.: 0.000 min
Response: 85414502
Conc: 57.89 ng/ml



#13 Dieldrin


R.T.: 7.692 min
Delta R.T.: 0.000 min
Response: 32728443
Conc: 52.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.655 min
Delta R.T.: 0.000 min
Response: 85584121
Conc: 58.73 ng/ml




#14 Endrin

R.T.: 7.983 min
Delta R.T.: 0.000 min
Response: 26436477
Conc: 46.63 ng/ml



#14 Endrin


R.T.: 8.894 min
Delta R.T.: 0.000 min
Response: 62222267
Conc: 53.72 ng/ml



#15 Endosulfan II


R.T.: 8.295 min
Delta R.T.: 0.001 min
Response: 29850150
Conc: 49.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.128 min
Delta R.T.: 0.002 min
Response: 71446527
Conc: 58.50 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 28467197
Conc: 56.03 ng/ml



#16 4,4'-DDD


R.T.: 9.040 min
Delta R.T.: 0.001 min
Response: 71289160
Conc: 59.24 ng/ml



#17 4,4'-DDT


R.T.: 8.412 min
Delta R.T.: 0.000 min
Response: 25569832
Conc: 46.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.356 min
Delta R.T.: 0.000 min
Response: 64613355
Conc: 51.22 ng/ml




#18 Endrin aldehyde

R.T.: 8.484 min
Delta R.T.: 0.000 min
Response: 23554824
Conc: 51.85 ng/ml



#18 Endrin aldehyde


R.T.: 9.263 min
Delta R.T.: 0.000 min
Response: 55668228
Conc: 57.56 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.714 min
Delta R.T.: 0.000 min
Response: 31422771
Conc: 50.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.500 min
Delta R.T.: 0.000 min
Response: 69766279
Conc: 56.29 ng/ml




#20 Methoxychlor

R.T.: 9.008 min
Delta R.T.: 0.000 min
Response: 15823252
Conc: 43.25 ng/ml



#20 Methoxychlor


R.T.: 9.843 min
Delta R.T.: 0.000 min
Response: 32368003
Conc: 47.82 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 40282561
Conc: 56.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.997 min
Delta R.T.: 0.000 min
Response: 82816610
Conc: 57.69 ng/ml




#22 Mirex

R.T.: 9.416 min
Delta R.T.: 0.000 min
Response: 30522629
Conc: 49.70 ng/ml



#22 Mirex


R.T.: 10.461 min
Delta R.T.: 0.000 min
Response: 57017565
Conc: 54.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.330 min
Delta R.T.: 0.000 min
Response: 32660189
Conc: 47.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.392 min
Delta R.T.: 0.000 min
Response: 72368643
Conc: 54.11 ng/ml