

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110823\
 Data File : PL086517.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Nov 2023 08:55
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 08 11:25:53 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110823.M
 Quant Title : GC Extractables
 QLast Update : Wed Nov 08 11:22:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.352	2.618	324.0E6	100.7E6	99.882	101.257
28)	SA Decachlor...	8.854	7.769	274.8E6	113.0E6	98.451	98.120
Target Compounds							
2)	A alpha-BHC	3.807	3.117	518.3E6	149.6E6	102.636	104.434
3)	MA gamma-BHC...	4.138	3.444	492.5E6	145.1E6	101.568	103.493
4)	MA Heptachlor	4.725	3.780	466.0E6	140.8E6	100.916	102.336
5)	MB Aldrin	5.065	4.056	468.5E6	140.3E6	101.383	103.357
6)	B beta-BHC	4.342	3.746	192.7E6	58590861	98.422	99.793
7)	B delta-BHC	4.585	3.971	477.2E6	145.4E6	101.341	104.037
8)	B Heptachlo...	5.495	4.561	397.8E6	125.0E6	100.380	101.822
9)	A Endosulfan I	5.879	4.928	373.0E6	117.4E6	99.872	101.920
10)	B gamma-Chl...	5.753	4.812	411.0E6	128.5E6	100.722	102.269
11)	B alpha-Chl...	5.832	4.876	404.5E6	128.7E6	100.059	101.905
12)	B 4,4'-DDE	6.016	5.075	359.0E6	113.8E6	101.408	104.127
13)	MA Dieldrin	6.157	5.194	404.5E6	129.1E6	101.007	103.395
14)	MA Endrin	6.385	5.468	351.8E6	117.5E6	100.730	103.045
15)	B Endosulfa...	6.608	5.766	339.7E6	113.3E6	99.264	101.621
16)	A 4,4'-DDD	6.535	5.632	274.1E6	92038490	100.749	103.415
17)	MA 4,4'-DDT	6.851	5.882	307.0E6	106.7E6	101.079	103.292
18)	B Endrin al...	6.739	5.948	258.0E6	88927896	98.722	99.842
19)	B Endosulfa...	6.975	6.172	324.1E6	110.3E6	99.218	101.176
20)	A Methoxychlor	7.336	6.467	154.6E6	59256235	98.391	99.494
21)	B Endrin ke...	7.458	6.673	340.4E6	132.2E6	99.489	101.305
22)	Mirex	7.930	6.850	260.3E6	107.2E6	97.183	98.667



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110823\
Data File : PL086517.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Nov 2023 08:55
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 08 11:25:53 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110823.M
Quant Title : GC Extractables
QLast Update : Wed Nov 08 11:22:05 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.352 min
Delta R.T.: 0.000 min
Response: 324047305
Conc: 99.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.618 min
Delta R.T.: 0.000 min
Response: 100693069
Conc: 101.26 ng/ml




#2 alpha-BHC

R.T.: 3.807 min
Delta R.T.: 0.000 min
Response: 518317015
Conc: 102.64 ng/ml



#2 alpha-BHC


R.T.: 3.117 min
Delta R.T.: 0.000 min
Response: 149620072
Conc: 104.43 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.138 min
Delta R.T.: 0.000 min
Response: 492507976
Conc: 101.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.444 min
Delta R.T.: 0.000 min
Response: 145079866
Conc: 103.49 ng/ml




#4 Heptachlor

R.T.: 4.725 min
Delta R.T.: 0.000 min
Response: 465962295
Conc: 100.92 ng/ml



#4 Heptachlor


R.T.: 3.780 min
Delta R.T.: 0.000 min
Response: 140823005
Conc: 102.34 ng/ml



#5 Aldrin


R.T.: 5.065 min
Delta R.T.: 0.000 min
Response: 468543532
Conc: 101.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.056 min
Delta R.T.: 0.000 min
Response: 140299915
Conc: 103.36 ng/ml




#6 beta-BHC

R.T.: 4.342 min
Delta R.T.: 0.000 min
Response: 192732085
Conc: 98.42 ng/ml



#6 beta-BHC


R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 58590861
Conc: 99.79 ng/ml



#7 delta-BHC


R.T.: 4.585 min
Delta R.T.: 0.000 min
Response: 477236986
Conc: 101.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 3.971 min
Delta R.T.: 0.000 min
Response: 145443217
Conc: 104.04 ng/ml




#8 Heptachlor epoxide

R.T.: 5.495 min
Delta R.T.: 0.000 min
Response: 397821345
Conc: 100.38 ng/ml



#8 Heptachlor epoxide


R.T.: 4.561 min
Delta R.T.: 0.000 min
Response: 125027796
Conc: 101.82 ng/ml



#9 Endosulfan I


R.T.: 5.879 min
Delta R.T.: 0.000 min
Response: 372986597
Conc: 99.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 4.928 min
Delta R.T.: 0.000 min
Response: 117417674
Conc: 101.92 ng/ml




#10 gamma-Chlordane

R.T.: 5.753 min
Delta R.T.: 0.000 min
Response: 411039340
Conc: 100.72 ng/ml



#10 gamma-Chlordane


R.T.: 4.812 min
Delta R.T.: 0.000 min
Response: 128544546
Conc: 102.27 ng/ml



#11 alpha-Chlordane


R.T.: 5.832 min
Delta R.T.: 0.000 min
Response: 404534986
Conc: 100.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 4.876 min
Delta R.T.: 0.000 min
Response: 128676453
Conc: 101.91 ng/ml




#12 4,4'-DDE

R.T.: 6.016 min
Delta R.T.: 0.000 min
Response: 359040244
Conc: 101.41 ng/ml



#12 4,4'-DDE


R.T.: 5.075 min
Delta R.T.: 0.000 min
Response: 113837765
Conc: 104.13 ng/ml



#13 Dieldrin


R.T.: 6.157 min
Delta R.T.: 0.000 min
Response: 404519483
Conc: 101.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.194 min
Delta R.T.: 0.000 min
Response: 129086285
Conc: 103.40 ng/ml




#14 Endrin

R.T.: 6.385 min
Delta R.T.: 0.000 min
Response: 351826742
Conc: 100.73 ng/ml



#14 Endrin


R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 117465037
Conc: 103.04 ng/ml



#15 Endosulfan II


R.T.: 6.608 min
Delta R.T.: 0.000 min
Response: 339747935
Conc: 99.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.766 min
Delta R.T.: 0.000 min
Response: 113273191
Conc: 101.62 ng/ml




#16 4,4'-DDD

R.T.: 6.535 min
Delta R.T.: 0.000 min
Response: 274086487
Conc: 100.75 ng/ml



#16 4,4'-DDD


R.T.: 5.632 min
Delta R.T.: 0.000 min
Response: 92038490
Conc: 103.41 ng/ml



#17 4,4'-DDT


R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 306984907
Conc: 101.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 5.882 min
Delta R.T.: 0.000 min
Response: 106727711
Conc: 103.29 ng/ml




#18 Endrin aldehyde

R.T.: 6.739 min
Delta R.T.: 0.000 min
Response: 258014386
Conc: 98.72 ng/ml



#18 Endrin aldehyde


R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 88927896
Conc: 99.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.975 min
Delta R.T.: 0.000 min
Response: 324130481
Conc: 99.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.172 min
Delta R.T.: 0.000 min
Response: 110261752
Conc: 101.18 ng/ml




#20 Methoxychlor

R.T.: 7.336 min
Delta R.T.: 0.000 min
Response: 154596103
Conc: 98.39 ng/ml



#20 Methoxychlor


R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 59256235
Conc: 99.49 ng/ml



#21 Endrin ketone


R.T.: 7.458 min
Delta R.T.: 0.000 min
Response: 340440903
Conc: 99.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.673 min
Delta R.T.: 0.000 min
Response: 132205463
Conc: 101.30 ng/ml




#22 Mirex

R.T.: 7.930 min
Delta R.T.: 0.000 min
Response: 260297962
Conc: 97.18 ng/ml



#22 Mirex


R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 107195422
Conc: 98.67 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.854 min
Delta R.T.: 0.000 min
Response: 274823564
Conc: 98.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.769 min
Delta R.T.: 0.000 min
Response: 113029289
Conc: 98.12 ng/ml