

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110824\
 Data File : PL092927.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Nov 2024 15:03
 Operator : AR\AJ
 Sample : P4756-01MS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 08 22:15:13 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.779	83840784	58154052	34.217	21.371 #
28)	SA Decachlor...	9.064	7.920	36547409	48786181	18.990	17.875
Target Compounds							
2)	A alpha-BHC	3.999	3.282	166.6E6	209.7E6	49.107	52.566
3)	MA gamma-BHC...	4.332	3.612	160.2E6	199.9E6	49.160	51.796
4)	MA Heptachlor	4.920	3.951	153.3E6	205.4E6	51.050	54.432
5)	MB Aldrin	5.262	4.231	145.3E6	191.4E6	48.398	52.292
6)	B beta-BHC	4.530	3.911	77716925	87847342	53.766	53.362
7)	B delta-BHC	4.777	4.141	136.3E6	173.0E6	43.561	45.028
8)	B Heptachlo...	5.689	4.733	133.2E6	175.0E6	48.237	52.361
9)	A Endosulfan I	6.075	5.103	121.2E6	160.1E6	48.461	52.442
10)	B gamma-Chl...	5.945	4.984	131.9E6	180.7E6	49.581	53.759
11)	B alpha-Chl...	6.024	5.047	130.7E6	177.3E6	49.365	53.320
12)	B 4,4'-DDE	6.198	5.236	119.1E6	173.7E6	50.270	53.921
13)	MA Dieldrin	6.350	5.367	128.7E6	177.7E6	48.829	53.195
14)	MA Endrin	6.580	5.643	108.3E6	159.1E6	47.549	54.987
15)	B Endosulfa...	6.799	5.938	115.1E6	149.2E6	48.276	52.667
16)	A 4,4'-DDD	6.715	5.791	98272051	133.8E6	51.196	53.722
17)	MA 4,4'-DDT	7.029	6.042	103.2E6	141.9E6	49.870	52.902
18)	B Endrin al...	6.930	6.117	88458252	112.9E6	47.103	48.933
19)	B Endosulfa...	7.164	6.341	102.4E6	131.6E6	47.194	48.779
20)	A Methoxychlor	7.505	6.617	56059833	71318499	49.175	49.942
21)	B Endrin ke...	7.650	6.846	117.1E6	149.2E6	48.328	48.627
22)	Mirex	8.123	7.027	86283721	116.1E6	43.540	44.508
23)	Chlordane-1	0.000	3.791	0	3703093	N.D.	34.884 #
24)	Chlordane-2	0.000	4.369	0	625096	N.D.	5.047 #
25)	Chlordane-3	5.945	4.984	131.9E6	180.7E6	337.978	498.292 #
26)	Chlordane-4	6.024	5.047	130.7E6	177.3E6	273.483	506.969 #
27)	Chlordane-5	0.000	5.938	0	149.2E6	N.D.	1176.738 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110824\
Data File : PL092927.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Nov 2024 15:03
Operator : AR\AJ
Sample : P4756-01MS
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 08 22:15:13 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.003 min
Response: 83840784
Conc: 34.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.779 min
Delta R.T.: 0.000 min
Response: 58154052
Conc: 21.37 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.003 min
Response: 166551138
Conc: 49.11 ng/ml



#2 alpha-BHC


R.T.: 3.282 min
Delta R.T.: 0.001 min
Response: 209746675
Conc: 52.57 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.004 min
Response: 160239116
Conc: 49.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.612 min
Delta R.T.: 0.000 min
Response: 199903957
Conc: 51.80 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.004 min
Response: 153308964
Conc: 51.05 ng/ml



#4 Heptachlor


R.T.: 3.951 min
Delta R.T.: 0.002 min
Response: 205420885
Conc: 54.43 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.004 min
Response: 145264912
Conc: 48.40 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.231 min
Delta R.T.: 0.002 min
Response: 191400936
Conc: 52.29 ng/ml




#6 beta-BHC

R.T.: 4.530 min
Delta R.T.: 0.005 min
Response: 77716925
Conc: 53.77 ng/ml



#6 beta-BHC


R.T.: 3.911 min
Delta R.T.: 0.001 min
Response: 87847342
Conc: 53.36 ng/ml



#7 delta-BHC


R.T.: 4.777 min
Delta R.T.: 0.005 min
Response: 136340296
Conc: 43.56 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.141 min
Delta R.T.: 0.002 min
Response: 173047706
Conc: 45.03 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.005 min
Response: 133201716
Conc: 48.24 ng/ml



#8 Heptachlor epoxide


R.T.: 4.733 min
Delta R.T.: 0.002 min
Response: 174958041
Conc: 52.36 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.005 min
Response: 121218857
Conc: 48.46 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.103 min
Delta R.T.: 0.002 min
Response: 160114256
Conc: 52.44 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.004 min
Response: 131918033
Conc: 49.58 ng/ml



#10 gamma-Chlordane


R.T.: 4.984 min
Delta R.T.: 0.002 min
Response: 180722194
Conc: 53.76 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.005 min
Response: 130726524
Conc: 49.37 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.047 min
Delta R.T.: 0.002 min
Response: 177344728
Conc: 53.32 ng/ml




#12 4,4'-DDE

R.T.: 6.198 min
Delta R.T.: 0.004 min
Response: 119098921
Conc: 50.27 ng/ml



#12 4,4'-DDE


R.T.: 5.236 min
Delta R.T.: 0.002 min
Response: 173711471
Conc: 53.92 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.005 min
Response: 128687397
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.367 min
Delta R.T.: 0.002 min
Response: 177687522
Conc: 53.20 ng/ml




#14 Endrin

R.T.: 6.580 min
Delta R.T.: 0.005 min
Response: 108251999
Conc: 47.55 ng/ml



#14 Endrin


R.T.: 5.643 min
Delta R.T.: 0.002 min
Response: 159078450
Conc: 54.99 ng/ml



#15 Endosulfan II


R.T.: 6.799 min
Delta R.T.: 0.005 min
Response: 115082333
Conc: 48.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.938 min
Delta R.T.: 0.002 min
Response: 149219800
Conc: 52.67 ng/ml




#16 4,4'-DDD

R.T.: 6.715 min
Delta R.T.: 0.005 min
Response: 98272051
Conc: 51.20 ng/ml



#16 4,4'-DDD


R.T.: 5.791 min
Delta R.T.: 0.002 min
Response: 133772034
Conc: 53.72 ng/ml



#17 4,4'-DDT


R.T.: 7.029 min
Delta R.T.: 0.006 min
Response: 103218030
Conc: 49.87 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.042 min
Delta R.T.: 0.002 min
Response: 141897681
Conc: 52.90 ng/ml




#18 Endrin aldehyde

R.T.: 6.930 min
Delta R.T.: 0.006 min
Response: 88458252
Conc: 47.10 ng/ml



#18 Endrin aldehyde


R.T.: 6.117 min
Delta R.T.: 0.002 min
Response: 112901435
Conc: 48.93 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.164 min
Delta R.T.: 0.006 min
Response: 102427071
Conc: 47.19 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.341 min
Delta R.T.: 0.003 min
Response: 131550067
Conc: 48.78 ng/ml




#20 Methoxychlor

R.T.: 7.505 min
Delta R.T.: 0.006 min
Response: 56059833
Conc: 49.18 ng/ml



#20 Methoxychlor


R.T.: 6.617 min
Delta R.T.: 0.002 min
Response: 71318499
Conc: 49.94 ng/ml



#21 Endrin ketone


R.T.: 7.650 min
Delta R.T.: 0.007 min
Response: 117090811
Conc: 48.33 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.846 min
Delta R.T.: 0.003 min
Response: 149226725
Conc: 48.63 ng/ml




#22 Mirex

R.T.: 8.123 min
Delta R.T.: 0.007 min
Response: 86283721
Conc: 43.54 ng/ml



#22 Mirex


R.T.: 7.027 min
Delta R.T.: 0.003 min
Response: 116124647
Conc: 44.51 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.702 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.791 min
Delta R.T.: 0.015 min
Response: 3703093
Conc: 34.88 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.231 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.369 min
Delta R.T.: 0.016 min
Response: 625096
Conc: 5.05 ng/ml



#25 Chlordane-3


R.T.: 5.945 min
Delta R.T.: 0.003 min
Response: 131918033
Conc: 337.98 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.984 min
Delta R.T.: 0.001 min
Response: 180722194
Conc: 498.29 ng/ml




#26 Chlordane-4

R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 130726524
Conc: 273.48 ng/ml



#26 Chlordane-4


R.T.: 5.047 min
Delta R.T.: 0.002 min
Response: 177344728
Conc: 506.97 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.872 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.938 min
Delta R.T.: -0.002 min
Response: 149219800
Conc: 1176.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.064 min
Delta R.T.: 0.010 min
Response: 36547409
Conc: 18.99 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.920 min
Delta R.T.: 0.005 min
Response: 48786181
Conc: 17.88 ng/ml