

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110918\
 Data File : PL041955.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Nov 2018 10:16
 Operator : AJ\SJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 09 11:00:16 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110918.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 09 10:59:15 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.469	4.102	469.4E6	221.7E6	75.575	74.659
2)	SA Decachlor...	8.207	9.231	489.3E6	184.4E6	73.186	72.889
Target Compounds							
2)	A alpha-BHC	3.909	4.497	749.6E6	340.1E6	77.030	75.383
3)	MA gamma-BHC...	4.192	4.786	686.0E6	313.9E6	76.724	75.261
4)	MA Heptachlor	4.488	5.301	687.8E6	301.9E6	75.570	74.302
5)	MB Aldrin	4.734	5.610	657.1E6	288.7E6	76.568	74.366
6)	B beta-BHC	4.445	4.954	275.6E6	127.5E6	75.189	75.022
7)	B delta-BHC	4.648	5.175	649.7E6	301.4E6	76.931	74.721
8)	B Heptachlo...	5.177	5.998	603.9E6	264.8E6	75.369	73.973
9)	A Endosulfan I	5.515	6.358	560.4E6	242.8E6	75.549	73.898
10)	B gamma-Chl...	5.403	6.233	623.2E6	265.4E6	76.009	74.342
11)	B alpha-Chl...	5.460	6.306	610.4E6	259.3E6	75.770	74.223
12)	B 4,4'-DDE	5.627	6.460	545.4E6	255.3E6	76.735	74.181
13)	MA Dieldrin	5.758	6.616	611.0E6	259.1E6	76.262	74.534
14)	MA Endrin	6.014	6.836	557.9E6	220.0E6	76.346	74.203
15)	B Endosulfa...	6.289	7.044	520.5E6	220.6E6	76.260	74.089
16)	A 4,4'-DDD	6.143	6.952	437.8E6	197.6E6	76.909	74.308
17)	MA 4,4'-DDT	6.381	7.253	456.2E6	202.6E6	77.056	73.627
18)	B Endrin al...	6.457	7.168	419.0E6	183.6E6	74.996	73.955
19)	B Endosulfa...	6.669	7.392	480.8E6	200.4E6	77.536	73.558
20)	A Methoxychlor	6.928	7.709	235.2E6	101.4E6	73.998	72.454
21)	B Endrin ke...	7.159	7.866	550.7E6	213.5E6	75.263	73.520



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110918\
Data File : PL041955.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Nov 2018 10:16
Operator : AJ\SJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 09 11:00:16 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110918.M
Quant Title : GC Extractables
QLast Update : Fri Nov 09 10:59:15 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.469 min
Delta R.T.: 0.000 min
Response: 469356273
Conc: 75.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 4.102 min
Delta R.T.: 0.000 min
Response: 221690179
Conc: 74.66 ng/ml




#2 alpha-BHC

R.T.: 3.909 min
Delta R.T.: 0.000 min
Response: 749621917
Conc: 77.03 ng/ml



#2 alpha-BHC


R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 340091257
Conc: 75.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.192 min
Delta R.T.: 0.000 min
Response: 685990376
Conc: 76.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 4.786 min
Delta R.T.: 0.000 min
Response: 313886782
Conc: 75.26 ng/ml




#4 Heptachlor

R.T.: 4.488 min
Delta R.T.: 0.000 min
Response: 687779334
Conc: 75.57 ng/ml



#4 Heptachlor


R.T.: 5.301 min
Delta R.T.: 0.000 min
Response: 301898441
Conc: 74.30 ng/ml



#5 Aldrin


R.T.: 4.734 min
Delta R.T.: 0.000 min
Response: 657070524
Conc: 76.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 5.610 min
Delta R.T.: 0.000 min
Response: 288667706
Conc: 74.37 ng/ml




#6 beta-BHC

R.T.: 4.445 min
Delta R.T.: 0.000 min
Response: 275606707
Conc: 75.19 ng/ml



#6 beta-BHC


R.T.: 4.954 min
Delta R.T.: 0.000 min
Response: 127470853
Conc: 75.02 ng/ml



#7 delta-BHC


R.T.: 4.648 min
Delta R.T.: 0.000 min
Response: 649735661
Conc: 76.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#7 delta-BHC

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 301432421
Conc: 74.72 ng/ml




#8 Heptachlor epoxide

R.T.: 5.177 min
Delta R.T.: 0.000 min
Response: 603932879
Conc: 75.37 ng/ml



#8 Heptachlor epoxide


R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 264839143
Conc: 73.97 ng/ml



#9 Endosulfan I


R.T.: 5.515 min
Delta R.T.: 0.000 min
Response: 560354807
Conc: 75.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#9 Endosulfan I

R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 242797107
Conc: 73.90 ng/ml




#10 gamma-Chlordane

R.T.: 5.403 min
Delta R.T.: 0.000 min
Response: 623229493
Conc: 76.01 ng/ml



#10 gamma-Chlordane


R.T.: 6.233 min
Delta R.T.: 0.000 min
Response: 265369940
Conc: 74.34 ng/ml



#11 alpha-Chlordane


R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 610401525
Conc: 75.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 6.306 min
Delta R.T.: 0.000 min
Response: 259285037
Conc: 74.22 ng/ml




#12 4,4'-DDE

R.T.: 5.627 min
Delta R.T.: 0.000 min
Response: 545380253
Conc: 76.74 ng/ml



#12 4,4'-DDE


R.T.: 6.460 min
Delta R.T.: 0.000 min
Response: 255300460
Conc: 74.18 ng/ml



#13 Dieldrin


R.T.: 5.758 min
Delta R.T.: 0.000 min
Response: 611024380
Conc: 76.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 6.616 min
Delta R.T.: 0.000 min
Response: 259087881
Conc: 74.53 ng/ml




#14 Endrin

R.T.: 6.014 min
Delta R.T.: 0.000 min
Response: 557907217
Conc: 76.35 ng/ml



#14 Endrin


R.T.: 6.836 min
Delta R.T.: 0.000 min
Response: 220032119
Conc: 74.20 ng/ml



#15 Endosulfan II


R.T.: 6.289 min
Delta R.T.: 0.000 min
Response: 520536539
Conc: 76.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#15 Endosulfan II

R.T.: 7.044 min
Delta R.T.: 0.000 min
Response: 220626956
Conc: 74.09 ng/ml




#16 4,4'-DDD

R.T.: 6.143 min
Delta R.T.: 0.000 min
Response: 437805183
Conc: 76.91 ng/ml



#16 4,4'-DDD


R.T.: 6.952 min
Delta R.T.: 0.000 min
Response: 197649304
Conc: 74.31 ng/ml



#17 4,4'-DDT


R.T.: 6.381 min
Delta R.T.: 0.000 min
Response: 456199109
Conc: 77.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 7.253 min
Delta R.T.: 0.000 min
Response: 202609470
Conc: 73.63 ng/ml




#18 Endrin aldehyde

R.T.: 6.457 min
Delta R.T.: 0.000 min
Response: 419038774
Conc: 75.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.168 min
Delta R.T.: 0.000 min
Response: 183649883
Conc: 73.95 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.669 min
Delta R.T.: 0.000 min
Response: 480815913
Conc: 77.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC075




#19 Endosulfan Sulfate

R.T.: 7.392 min
Delta R.T.: 0.000 min
Response: 200371317
Conc: 73.56 ng/ml




#20 Methoxychlor

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 235221912
Conc: 74.00 ng/ml



#20 Methoxychlor


R.T.: 7.709 min
Delta R.T.: 0.000 min
Response: 101352222
Conc: 72.45 ng/ml



#21 Endrin ketone


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 550665560
Conc: 75.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 7.866 min
Delta R.T.: 0.000 min
Response: 213505795
Conc: 73.52 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 489290731
Conc: 73.19 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.231 min
Delta R.T.: 0.000 min
Response: 184367420
Conc: 72.89 ng/ml