

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110918\
 Data File : PL041956.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Nov 2018 10:30
 Operator : AJ\SJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 09 10:59:32 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110918.M
 Quant Title : GC Extractables
 QLast Update : Fri Nov 09 10:59:15 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.470	4.102	310.5E6	148.5E6	50.000	50.000
28)	SA Decachlor...	8.208	9.230	334.3E6	126.5E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.910	4.498	486.6E6	225.6E6	50.000	50.000
3)	MA gamma-BHC...	4.192	4.786	447.1E6	208.5E6	50.000	50.000
4)	MA Heptachlor	4.488	5.302	455.1E6	203.2E6	50.000	50.000
5)	MB Aldrin	4.734	5.610	429.1E6	194.1E6	50.000	50.000
6)	B beta-BHC	4.446	4.954	183.3E6	84955118	50.000	50.000
7)	B delta-BHC	4.648	5.175	422.3E6	201.7E6	50.000	50.000
8)	B Heptachlo...	5.178	5.998	400.7E6	179.0E6	50.000	50.000
9)	A Endosulfan I	5.515	6.358	370.9E6	164.3E6	50.000	50.000
10)	B gamma-Chl...	5.403	6.233	410.0E6	178.5E6	50.000	50.000
11)	B alpha-Chl...	5.460	6.307	402.8E6	174.7E6	50.000	50.000
12)	B 4,4'-DDE	5.627	6.461	355.4E6	172.1E6	50.000	50.000
13)	MA Dieldrin	5.758	6.617	400.6E6	173.8E6	50.000	50.000
14)	MA Endrin	6.014	6.836	365.4E6	148.3E6	50.000	50.000
15)	B Endosulfa...	6.289	7.044	341.3E6	148.9E6	50.000	50.000
16)	A 4,4'-DDD	6.142	6.952	284.6E6	133.0E6	50.000	50.000
17)	MA 4,4'-DDT	6.381	7.253	296.0E6	137.6E6	50.000	50.000
18)	B Endrin al...	6.457	7.168	279.4E6	124.2E6	50.000	50.000
19)	B Endosulfa...	6.669	7.392	310.1E6	136.2E6	50.000	50.000
20)	A Methoxychlor	6.928	7.709	158.9E6	69942392	50.000	50.000
21)	B Endrin ke...	7.159	7.867	365.8E6	145.2E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110918\
Data File : PL041956.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Nov 2018 10:30
Operator : AJ\SJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 09 10:59:32 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110918.M
Quant Title : GC Extractables
QLast Update : Fri Nov 09 10:59:15 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.470 min
Delta R.T.: 0.000 min
Response: 310524074
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.102 min
Delta R.T.: 0.000 min
Response: 148467726
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.910 min
Delta R.T.: 0.000 min
Response: 486578389
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.498 min
Delta R.T.: 0.000 min
Response: 225574740
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.192 min
Delta R.T.: 0.000 min
Response: 447051694
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.786 min
Delta R.T.: 0.000 min
Response: 208531207
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.488 min
Delta R.T.: 0.000 min
Response: 455063743
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.302 min
Delta R.T.: 0.000 min
Response: 203155128
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.734 min
Delta R.T.: 0.000 min
Response: 429075749
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.610 min
Delta R.T.: 0.000 min
Response: 194087096
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.446 min
Delta R.T.: 0.000 min
Response: 183276831
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.954 min
Delta R.T.: 0.000 min
Response: 84955118
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.648 min
Delta R.T.: 0.000 min
Response: 422285596
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 201704051
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.178 min
Delta R.T.: 0.000 min
Response: 400650532
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 179010451
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.515 min
Delta R.T.: 0.000 min
Response: 370856987
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 164278734
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.403 min
Delta R.T.: 0.000 min
Response: 409969438
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.233 min
Delta R.T.: 0.000 min
Response: 178479761
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 402799961
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 174666979
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.627 min
Delta R.T.: 0.000 min
Response: 355365670
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.461 min
Delta R.T.: 0.000 min
Response: 172079809
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.758 min
Delta R.T.: 0.000 min
Response: 400606937
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.617 min
Delta R.T.: 0.000 min
Response: 173804768
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.014 min
Delta R.T.: 0.000 min
Response: 365379594
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.836 min
Delta R.T.: 0.000 min
Response: 148262801
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.289 min
Delta R.T.: 0.000 min
Response: 341290824
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 7.044 min
Delta R.T.: 0.000 min
Response: 148892862
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.142 min
Delta R.T.: 0.000 min
Response: 284625404
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.952 min
Delta R.T.: 0.000 min
Response: 132992643
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.381 min
Delta R.T.: 0.000 min
Response: 296016986
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 7.253 min
Delta R.T.: 0.000 min
Response: 137592147
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.457 min
Delta R.T.: 0.000 min
Response: 279374890
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.168 min
Delta R.T.: 0.000 min
Response: 124163952
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.669 min
Delta R.T.: 0.000 min
Response: 310060712
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.392 min
Delta R.T.: 0.000 min
Response: 136199451
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 158936984
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.709 min
Delta R.T.: 0.000 min
Response: 69942392
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 365827025
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.867 min
Delta R.T.: 0.000 min
Response: 145202304
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.208 min
Delta R.T.: 0.000 min
Response: 334279426
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.230 min
Delta R.T.: 0.000 min
Response: 126471250
Conc: 50.00 ng/ml