

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110920\
 Data File : PL062915.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Nov 2020 17:17
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 10 00:54:15 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	88982285	161.0E6	51.731	54.785
28)	SA Decachlor...	8.125	8.988	88678931	114.5E6	55.276	54.684
Target Compounds							
2)	A alpha-BHC	3.843	4.337	130.0E6	241.5E6	50.968	54.357
3)	MA gamma-BHC...	4.122	4.620	117.6E6	224.6E6	50.755	53.775
4)	MA Heptachlor	4.419	5.125	107.2E6	199.8E6	49.944	50.096
5)	MB Aldrin	4.664	5.428	97987657	190.6E6	51.336	52.647
6)	B beta-BHC	4.372	4.791	49264453	96997244	51.575	51.512
7)	B delta-BHC	4.573	5.006	112.4E6	209.7E6	51.725	59.925
8)	B Heptachlo...	5.102	5.813	96756554	179.6E6	53.029	55.454
9)	A Endosulfan I	5.437	6.169	86851882	159.2E6	51.957	50.473
10)	B gamma-Chl...	5.327	6.047	92324332	171.7E6	51.246	51.012
11)	B alpha-Chl...	5.385	6.119	91884590	169.5E6	50.828	50.311
12)	B 4,4'-DDE	5.550	6.278	85658579	164.7E6	51.775	51.129
13)	MA Dieldrin	5.678	6.425	91202909	162.3E6	51.615	50.701
14)	MA Endrin	5.933	6.642	77193977	126.0E6	46.397	45.139
15)	B Endosulfa...	6.205	6.852	84296669	137.0E6	51.131	47.910
16)	A 4,4'-DDD	6.062	6.767	76977930	132.6E6	54.421	51.787
17)	MA 4,4'-DDT	6.301	7.066	64349614	107.7E6	48.218	47.973
18)	B Endrin al...	6.372	6.975	72415665	117.3E6	49.870	51.446
19)	B Endosulfa...	6.584	7.199	83213489	127.2E6	50.425	53.025
20)	A Methoxychlor	6.844	7.525	40232038	59172221	46.711	47.893
21)	B Endrin ke...	7.070	7.667	99915546	136.2E6	55.416	57.494
22)	Mirex	7.256	8.120	73621731	90200386	51.931	52.932
23)	Chlordane-1	4.297f	0.000	497784	0	9.656	N.D. #
24)	Chlordane-2	0.000	5.428f	0	190.6E6	N.D.	1747.644 #
25)	Chlordane-3	5.327	6.047	92324332	171.7E6	602.919	425.125 #
26)	Chlordane-4	5.385	6.119	91884590	169.5E6	705.390	349.985 #
27)	Chlordane-5	6.205	0.000	84296669	0	1747.239	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL110920\
Data File : PL062915.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Nov 2020 17:17
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 10 00:54:15 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 88982285
Conc: 51.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 160996586
Conc: 54.78 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 129952737
Conc: 50.97 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 241522513
Conc: 54.36 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: -0.002 min
Response: 117584080
Conc: 50.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 224550069
Conc: 53.78 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: -0.001 min
Response: 107168900
Conc: 49.94 ng/ml



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: -0.001 min
Response: 199778855
Conc: 50.10 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 97987657
Conc: 51.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 190556005
Conc: 52.65 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 49264453
Conc: 51.58 ng/ml



#6 beta-BHC


R.T.: 4.791 min
Delta R.T.: 0.000 min
Response: 96997244
Conc: 51.51 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 112409117
Conc: 51.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 209705841
Conc: 59.93 ng/ml




#8 Heptachlor epoxide

R.T.: 5.102 min
Delta R.T.: -0.001 min
Response: 96756554
Conc: 53.03 ng/ml



#8 Heptachlor epoxide


R.T.: 5.813 min
Delta R.T.: -0.001 min
Response: 179594595
Conc: 55.45 ng/ml



#9 Endosulfan I


R.T.: 5.437 min
Delta R.T.: 0.000 min
Response: 86851882
Conc: 51.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: -0.002 min
Response: 159182452
Conc: 50.47 ng/ml




#10 gamma-Chlordane

R.T.: 5.327 min
Delta R.T.: -0.001 min
Response: 92324332
Conc: 51.25 ng/ml



#10 gamma-Chlordane


R.T.: 6.047 min
Delta R.T.: -0.002 min
Response: 171725445
Conc: 51.01 ng/ml



#11 alpha-Chlordane


R.T.: 5.385 min
Delta R.T.: -0.001 min
Response: 91884590
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 169492995
Conc: 50.31 ng/ml




#12 4,4'-DDE

R.T.: 5.550 min
Delta R.T.: 0.000 min
Response: 85658579
Conc: 51.77 ng/ml



#12 4,4'-DDE


R.T.: 6.278 min
Delta R.T.: -0.002 min
Response: 164738267
Conc: 51.13 ng/ml



#13 Dieldrin


R.T.: 5.678 min
Delta R.T.: -0.001 min
Response: 91202909
Conc: 51.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.425 min
Delta R.T.: -0.001 min
Response: 162288227
Conc: 50.70 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 77193977
Conc: 46.40 ng/ml



#14 Endrin


R.T.: 6.642 min
Delta R.T.: -0.002 min
Response: 125986920
Conc: 45.14 ng/ml



#15 Endosulfan II


R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 84296669
Conc: 51.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 136958267
Conc: 47.91 ng/ml




#16 4,4'-DDD

R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 76977930
Conc: 54.42 ng/ml



#16 4,4'-DDD


R.T.: 6.767 min
Delta R.T.: -0.001 min
Response: 132573633
Conc: 51.79 ng/ml



#17 4,4'-DDT


R.T.: 6.301 min
Delta R.T.: 0.000 min
Response: 64349614
Conc: 48.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 107711618
Conc: 47.97 ng/ml




#18 Endrin aldehyde

R.T.: 6.372 min
Delta R.T.: 0.000 min
Response: 72415665
Conc: 49.87 ng/ml



#18 Endrin aldehyde


R.T.: 6.975 min
Delta R.T.: -0.001 min
Response: 117326667
Conc: 51.45 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.584 min
Delta R.T.: 0.000 min
Response: 83213489
Conc: 50.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 127218917
Conc: 53.03 ng/ml




#20 Methoxychlor

R.T.: 6.844 min
Delta R.T.: 0.000 min
Response: 40232038
Conc: 46.71 ng/ml



#20 Methoxychlor


R.T.: 7.525 min
Delta R.T.: 0.000 min
Response: 59172221
Conc: 47.89 ng/ml



#21 Endrin ketone


R.T.: 7.070 min
Delta R.T.: -0.001 min
Response: 99915546
Conc: 55.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.667 min
Delta R.T.: 0.000 min
Response: 13624986
Conc: 57.49 ng/ml




#22 Mirex

R.T.: 7.256 min
Delta R.T.: -0.001 min
Response: 73621731
Conc: 51.93 ng/ml



#22 Mirex


R.T.: 8.120 min
Delta R.T.: 0.000 min
Response: 90200386
Conc: 52.93 ng/ml



#23 Chlordane-1


R.T.: 4.297 min
Delta R.T.: 0.027 min
Response: 497784
Conc: 9.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.938 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.765 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.428 min
Delta R.T.: 0.024 min
Response: 190556005
Conc: 1747.64 ng/ml



#25 Chlordane-3


R.T.: 5.327 min
Delta R.T.: 0.000 min
Response: 92324332
Conc: 602.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 6.047 min
Delta R.T.: -0.001 min
Response: 171725445
Conc: 425.13 ng/ml




#26 Chlordane-4

R.T.: 5.385 min
Delta R.T.: 0.000 min
Response: 91884590
Conc: 705.39 ng/ml



#26 Chlordane-4


R.T.: 6.119 min
Delta R.T.: -0.003 min
Response: 169492995
Conc: 349.98 ng/ml



#27 Chlordane-5


R.T.: 6.205 min
Delta R.T.: -0.008 min
Response: 84296669
Conc: 1747.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.923 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.125 min
Delta R.T.: -0.001 min
Response: 88678931
Conc: 55.28 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.988 min
Delta R.T.: 0.000 min
Response: 114451718
Conc: 54.68 ng/ml