

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111220\
 Data File : PL062976.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Nov 2020 08:58
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 13 00:26:34 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	88031087	157.6E6	51.178	53.645
28)	SA Decachlor...	8.127	8.991	82796212	107.1E6	51.609	51.160
Target Compounds							
2)	A alpha-BHC	3.843	4.338	129.4E6	237.5E6	50.749	53.446
3)	MA gamma-BHC...	4.122	4.620	114.6E6	219.8E6	49.479	52.641
4)	MA Heptachlor	4.419	5.125	104.6E6	195.8E6	48.756	49.097
5)	MB Aldrin	4.664	5.429	95551179	183.8E6	50.060	50.791
6)	B beta-BHC	4.373	4.792	47910334	94551701	50.158	50.213
7)	B delta-BHC	4.573	5.006	109.8E6	205.2E6	50.517	58.627
8)	B Heptachlo...	5.103	5.814	92361663	172.9E6	50.621	53.390
9)	A Endosulfan I	5.438	6.169	86654224	155.7E6	51.839	49.379
10)	B gamma-Chl...	5.329	6.048	93365659	164.3E6	51.824	48.821
11)	B alpha-Chl...	5.386	6.120	91379543	167.7E6	50.549	49.773
12)	B 4,4'-DDE	5.551	6.279	83775784	163.9E6	50.637	50.856
13)	MA Dieldrin	5.679	6.426	89455747	162.1E6	50.627	50.652
14)	MA Endrin	5.934	6.643	74934006	126.9E6	45.039	45.452
15)	B Endosulfa...	6.206	6.853	82873938	134.1E6	50.268	46.928
16)	A 4,4'-DDD	6.063	6.768	77264360	133.3E6	54.623	52.058
17)	MA 4,4'-DDT	6.302	7.067	60965409	101.5E6	45.682	45.196
18)	B Endrin al...	6.373	6.977	71222067	114.1E6	49.048	50.013
19)	B Endosulfa...	6.586	7.199	81871992	122.7E6	49.612	51.158
20)	A Methoxychlor	6.846	7.526	37984308	54183144	44.101	43.855
21)	B Endrin ke...	7.071	7.669	97641649	131.0E6	54.155	55.295
22)	Mirex	7.258	8.122	71164625	87106037	50.198	51.116



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111220\
Data File : PL062976.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Nov 2020 08:58
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 13 00:26:34 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 88031087
Conc: 51.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 157646099
Conc: 53.64 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 129393842
Conc: 50.75 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 237473145
Conc: 53.45 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: -0.001 min
Response: 114626830
Conc: 49.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 219812634
Conc: 52.64 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: 0.000 min
Response: 104619959
Conc: 48.76 ng/ml



#4 Heptachlor

R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 195793414
Conc: 49.10 ng/ml



#5 Aldrin


R.T.: 4.664 min

Delta R.T.: 0.000 min

Response: 95551179

Conc: 50.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.429 min

Delta R.T.: 0.000 min

Response: 183837947

Conc: 50.79 ng/ml




#6 beta-BHC

R.T.: 4.373 min

Delta R.T.: 0.000 min

Response: 47910334

Conc: 50.16 ng/ml




#6 beta-BHC

R.T.: 4.792 min

Delta R.T.: 0.000 min

Response: 94551701


Conc: 50.21 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 109784070
Conc: 50.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 205163351
Conc: 58.63 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 92361663
Conc: 50.62 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 172908154
Conc: 53.39 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 86654224
Conc: 51.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 155733680
Conc: 49.38 ng/ml




#10 gamma-Chlordane

R.T.: 5.329 min
Delta R.T.: 0.000 min
Response: 93365659
Conc: 51.82 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 164347425
Conc: 48.82 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 91379543
Conc: 50.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 167680181
Conc: 49.77 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 83775784
Conc: 50.64 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 163859759
Conc: 50.86 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 89455747
Conc: 50.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 162131113
Conc: 50.65 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 74934006
Conc: 45.04 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 126860863
Conc: 45.45 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.000 min
Response: 82873938
Conc: 50.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 134149406
Conc: 46.93 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.001 min
Response: 77264360
Conc: 54.62 ng/ml



#16 4,4'-DDD


R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 133265924
Conc: 52.06 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.001 min
Response: 60965409
Conc: 45.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 101477710
Conc: 45.20 ng/ml




#18 Endrin aldehyde

R.T.: 6.373 min
Delta R.T.: 0.001 min
Response: 71222067
Conc: 49.05 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 114058318
Conc: 50.01 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.001 min
Response: 81871992
Conc: 49.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 122738447
Conc: 51.16 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.000 min
Response: 37984308
Conc: 44.10 ng/ml



#20 Methoxychlor


R.T.: 7.526 min
Delta R.T.: 0.000 min
Response: 54183144
Conc: 43.86 ng/ml



#21 Endrin ketone


R.T.: 7.071 min
Delta R.T.: 0.000 min
Response: 97641649
Conc: 54.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.669 min
Delta R.T.: 0.001 min
Response: 131039400
Conc: 55.30 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 71164625
Conc: 50.20 ng/ml



#22 Mirex


R.T.: 8.122 min
Delta R.T.: 0.000 min
Response: 87106037
Conc: 51.12 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.001 min
Response: 82796212
Conc: 51.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.991 min
Delta R.T.: 0.002 min
Response: 107076211
Conc: 51.16 ng/ml