

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111221\
 Data File : PL070969.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Nov 2021 18:43
 Operator : AR\AJ
 Sample : PB140743BS
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB140743BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 13 00:44:23 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 19:28:07 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.567	5.501	9176979	25658141	18.736	20.350
28)	SA Decachlor...	10.330	11.391	13968137	27973285	20.442	20.917
Target Compounds							
2)	A alpha-BHC	5.273	6.081	31902900	97387484	47.658	52.905
3)	MA gamma-BHC...	5.695	6.477	31470106	91591454	46.915	52.819
4)	MA Heptachlor	6.103	7.123	33338510	93080634	46.464	57.306
5)	MB Aldrin	6.427	7.494	29918655	86096467	46.787	53.021
6)	B beta-BHC	6.077	6.733	14838697	44344762	45.681	51.755
7)	B delta-BHC	6.337	6.999	31392843	92048574	47.435	55.045
8)	B Heptachlo...	7.004	7.960	30166357	81067832	46.399	53.189
9)	A Endosulfan I	7.406	8.365	28713846	75373770	46.875	52.393
10)	B gamma-Chl...	7.281	8.230	30934908	81215305	46.601	52.453
11)	B alpha-Chl...	7.351	8.310	30882242	79284758	46.344	52.128
12)	B 4,4'-DDE	7.566	8.499	27919780	79160111	47.920	53.649
13)	MA Dieldrin	7.693	8.654	30219341	79959090	48.412	54.874
14)	MA Endrin	7.983	8.892	27525423	66764764	48.549	57.640
15)	B Endosulfa...	8.295	9.127	27785458	67006844	45.900	54.863
16)	A 4,4'-DDD	8.152	9.039	24706516	60170640	48.626	49.999
17)	MA 4,4'-DDT	8.412	9.355	26404036	65561480	48.009	51.968
18)	B Endrin al...	8.484	9.262	24942391	59687127	54.901	61.721
19)	B Endosulfa...	8.714	9.499	30023524	67493105	48.669	54.456
20)	A Methoxychlor	9.008	9.842	16977271	34441127	46.406	50.888
21)	B Endrin ke...	9.232	9.996	35695600	74030768	49.920	51.572
22)	Mirex	9.416	10.461	29161382	53060654	47.484	50.941



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111221\
Data File : PL070969.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Nov 2021 18:43
Operator : AR\AJ
Sample : PB140743BS
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB140743BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 13 00:44:23 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 19:28:07 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.567 min
Delta R.T.: -0.001 min
Response: 9176979
Conc: 18.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#1 Tetrachloro-m-xylene

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 25658141
Conc: 20.35 ng/ml




#2 alpha-BHC

R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 31902900
Conc: 47.66 ng/ml



#2 alpha-BHC


R.T.: 6.081 min
Delta R.T.: 0.000 min
Response: 97387484
Conc: 52.90 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.695 min
Delta R.T.: -0.001 min
Response: 31470106
Conc: 46.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#3 gamma-BHC (Lindane)

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 91591454
Conc: 52.82 ng/ml




#4 Heptachlor

R.T.: 6.103 min
Delta R.T.: -0.002 min
Response: 33338510
Conc: 46.46 ng/ml



#4 Heptachlor


R.T.: 7.123 min
Delta R.T.: 0.000 min
Response: 93080634
Conc: 57.31 ng/ml



#5 Aldrin


R.T.: 6.427 min
Delta R.T.: -0.001 min
Response: 29918655
Conc: 46.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#5 Aldrin

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 86096467
Conc: 53.02 ng/ml




#6 beta-BHC

R.T.: 6.077 min
Delta R.T.: -0.002 min
Response: 14838697
Conc: 45.68 ng/ml



#6 beta-BHC


R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 44344762
Conc: 51.75 ng/ml



#7 delta-BHC


R.T.: 6.337 min
Delta R.T.: 0.000 min
Response: 31392843
Conc: 47.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#7 delta-BHC

R.T.: 6.999 min
Delta R.T.: 0.001 min
Response: 92048574
Conc: 55.04 ng/ml




#8 Heptachlor epoxide

R.T.: 7.004 min
Delta R.T.: -0.001 min
Response: 30166357
Conc: 46.40 ng/ml



#8 Heptachlor epoxide


R.T.: 7.960 min
Delta R.T.: 0.000 min
Response: 81067832
Conc: 53.19 ng/ml



#9 Endosulfan I


R.T.: 7.406 min
Delta R.T.: -0.001 min
Response: 28713846
Conc: 46.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#9 Endosulfan I

R.T.: 8.365 min
Delta R.T.: 0.000 min
Response: 75373770
Conc: 52.39 ng/ml




#10 gamma-Chlordane

R.T.: 7.281 min
Delta R.T.: -0.002 min
Response: 30934908
Conc: 46.60 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 81215305
Conc: 52.45 ng/ml



#11 alpha-Chlordane


R.T.: 7.351 min
Delta R.T.: -0.001 min
Response: 30882242
Conc: 46.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#11 alpha-Chlordane

R.T.: 8.310 min
Delta R.T.: 0.000 min
Response: 79284758
Conc: 52.13 ng/ml




#12 4,4'-DDE

R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 27919780
Conc: 47.92 ng/ml



#12 4,4'-DDE


R.T.: 8.499 min
Delta R.T.: 0.000 min
Response: 79160111
Conc: 53.65 ng/ml



#13 Dieldrin


R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 30219341
Conc: 48.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#13 Dieldrin

R.T.: 8.654 min
Delta R.T.: 0.000 min
Response: 79959090
Conc: 54.87 ng/ml




#14 Endrin

R.T.: 7.983 min
Delta R.T.: 0.000 min
Response: 27525423
Conc: 48.55 ng/ml



#14 Endrin


R.T.: 8.892 min
Delta R.T.: 0.000 min
Response: 66764764
Conc: 57.64 ng/ml



#15 Endosulfan II


R.T.: 8.295 min
Delta R.T.: 0.001 min
Response: 27785458
Conc: 45.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#15 Endosulfan II

R.T.: 9.127 min
Delta R.T.: 0.001 min
Response: 67006844
Conc: 54.86 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 24706516
Conc: 48.63 ng/ml



#16 4,4'-DDD


R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 60170640
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 8.412 min
Delta R.T.: 0.000 min
Response: 26404036
Conc: 48.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#17 4,4'-DDT

R.T.: 9.355 min
Delta R.T.: 0.000 min
Response: 65561480
Conc: 51.97 ng/ml




#18 Endrin aldehyde

R.T.: 8.484 min
Delta R.T.: 0.000 min
Response: 24942391
Conc: 54.90 ng/ml



#18 Endrin aldehyde


R.T.: 9.262 min
Delta R.T.: 0.000 min
Response: 59687127
Conc: 61.72 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.714 min
Delta R.T.: 0.000 min
Response: 30023524
Conc: 48.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#19 Endosulfan Sulfate

R.T.: 9.499 min
Delta R.T.: 0.000 min
Response: 67493105
Conc: 54.46 ng/ml




#20 Methoxychlor

R.T.: 9.008 min
Delta R.T.: -0.001 min
Response: 16977271
Conc: 46.41 ng/ml



#20 Methoxychlor


R.T.: 9.842 min
Delta R.T.: 0.000 min
Response: 34441127
Conc: 50.89 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 35695600
Conc: 49.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS




#21 Endrin ketone

R.T.: 9.996 min
Delta R.T.: 0.000 min
Response: 74030768
Conc: 51.57 ng/ml




#22 Mirex

R.T.: 9.416 min
Delta R.T.: -0.001 min
Response: 29161382
Conc: 47.48 ng/ml



#22 Mirex


R.T.: 10.461 min
Delta R.T.: 0.000 min
Response: 53060654
Conc: 50.94 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.330 min
Delta R.T.: 0.000 min
Response: 13968137
Conc: 20.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB140743BS



#28 Decachlorobiphenyl

R.T.: 11.391 min
Delta R.T.: 0.000 min
Response: 27973285
Conc: 20.92 ng/ml