

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111221\
 Data File : PL070978.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Nov 2021 21:13
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 13 00:45:31 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
 Quant Title : GC Extractables
 QLast Update : Thu Nov 04 19:28:07 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.567	5.502	22160306	62092001	45.243	49.246
28)	SA Decachlor...	10.330	11.393	30888394	65208351	45.205	48.758
Target Compounds							
2)	A alpha-BHC	5.273	6.082	30860894	93034396	46.102	50.540
3)	MA gamma-BHC...	5.696	6.477	30221407	87776762	45.054	50.619
4)	MA Heptachlor	6.103	7.124	32598810	90279308	45.433	55.581
5)	MB Aldrin	6.427	7.494	29301866	82981400	45.822	51.102
6)	B beta-BHC	6.078	6.734	14679049	40705152	45.189	47.507
7)	B delta-BHC	6.338	7.000	30952758	87205298	46.770	52.148
8)	B Heptachlo...	7.005	7.961	29097253	78280881	44.754	51.360
9)	A Endosulfan I	7.406	8.366	27622578	72790440	45.093	50.597
10)	B gamma-Chl...	7.281	8.230	29622938	77783452	44.625	50.236
11)	B alpha-Chl...	7.351	8.311	29776895	76737330	44.686	50.453
12)	B 4,4'-DDE	7.566	8.500	26582843	75306400	45.626	51.037
13)	MA Dieldrin	7.693	8.654	28406049	75008141	45.507	51.477
14)	MA Endrin	7.983	8.893	26162145	63280259	46.144	54.632
15)	B Endosulfa...	8.295	9.128	26283945	63150285	43.420	51.705
16)	A 4,4'-DDD	8.152	9.039	23704544	57957401	46.654	48.160
17)	MA 4,4'-DDT	8.412	9.356	25405152	64766904	46.193	51.338
18)	B Endrin al...	8.483	9.262	20687088	49067758	45.535	50.739
19)	B Endosulfa...	8.714	9.500	27955157	62150657	45.316	50.146
20)	A Methoxychlor	9.007	9.843	16274589	33031324	44.485	48.805
21)	B Endrin ke...	9.232	9.996	33444405	69456672	46.772	48.385
22)	Mirex	9.415	10.461	27518869	50330710	44.809	48.320



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111221\
Data File : PL070978.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Nov 2021 21:13
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 13 00:45:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL110321.M
Quant Title : GC Extractables
QLast Update : Thu Nov 04 19:28:07 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.567 min
Delta R.T.: 0.000 min
Response: 22160306
Conc: 45.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.502 min
Delta R.T.: 0.000 min
Response: 62092001
Conc: 49.25 ng/ml




#2 alpha-BHC

R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 30860894
Conc: 46.10 ng/ml



#2 alpha-BHC


R.T.: 6.082 min
Delta R.T.: 0.000 min
Response: 93034396
Conc: 50.54 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 30221407
Conc: 45.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 87776762
Conc: 50.62 ng/ml




#4 Heptachlor

R.T.: 6.103 min
Delta R.T.: -0.001 min
Response: 32598810
Conc: 45.43 ng/ml



#4 Heptachlor


R.T.: 7.124 min
Delta R.T.: 0.000 min
Response: 90279308
Conc: 55.58 ng/ml



#5 Aldrin


R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 29301866
Conc: 45.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.494 min
Delta R.T.: 0.000 min
Response: 82981400
Conc: 51.10 ng/ml




#6 beta-BHC

R.T.: 6.078 min
Delta R.T.: 0.000 min
Response: 14679049
Conc: 45.19 ng/ml



#6 beta-BHC


R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 40705152
Conc: 47.51 ng/ml



#7 delta-BHC


R.T.: 6.338 min
Delta R.T.: 0.000 min
Response: 30952758
Conc: 46.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.000 min
Delta R.T.: 0.002 min
Response: 87205298
Conc: 52.15 ng/ml




#8 Heptachlor epoxide

R.T.: 7.005 min
Delta R.T.: 0.000 min
Response: 29097253
Conc: 44.75 ng/ml



#8 Heptachlor epoxide


R.T.: 7.961 min
Delta R.T.: 0.000 min
Response: 78280881
Conc: 51.36 ng/ml



#9 Endosulfan I


R.T.: 7.406 min
Delta R.T.: -0.001 min
Response: 27622578
Conc: 45.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.366 min
Delta R.T.: 0.000 min
Response: 72790440
Conc: 50.60 ng/ml




#10 gamma-Chlordane

R.T.: 7.281 min
Delta R.T.: -0.001 min
Response: 29622938
Conc: 44.62 ng/ml



#10 gamma-Chlordane


R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 77783452
Conc: 50.24 ng/ml



#11 alpha-Chlordane


R.T.: 7.351 min
Delta R.T.: 0.000 min
Response: 29776895
Conc: 44.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.311 min
Delta R.T.: 0.000 min
Response: 76737330
Conc: 50.45 ng/ml




#12 4,4'-DDE

R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 26582843
Conc: 45.63 ng/ml



#12 4,4'-DDE


R.T.: 8.500 min
Delta R.T.: 0.000 min
Response: 75306400
Conc: 51.04 ng/ml



#13 Dieldrin


R.T.: 7.693 min
Delta R.T.: 0.000 min
Response: 28406049
Conc: 45.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.654 min
Delta R.T.: 0.000 min
Response: 75008141
Conc: 51.48 ng/ml




#14 Endrin

R.T.: 7.983 min
Delta R.T.: 0.000 min
Response: 26162145
Conc: 46.14 ng/ml



#14 Endrin


R.T.: 8.893 min
Delta R.T.: 0.000 min
Response: 63280259
Conc: 54.63 ng/ml



#15 Endosulfan II


R.T.: 8.295 min
Delta R.T.: 0.001 min
Response: 26283945
Conc: 43.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.128 min
Delta R.T.: 0.001 min
Response: 63150285
Conc: 51.71 ng/ml




#16 4,4'-DDD

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 23704544
Conc: 46.65 ng/ml



#16 4,4'-DDD


R.T.: 9.039 min
Delta R.T.: 0.000 min
Response: 57957401
Conc: 48.16 ng/ml



#17 4,4'-DDT


R.T.: 8.412 min
Delta R.T.: -0.001 min
Response: 25405152
Conc: 46.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.356 min
Delta R.T.: 0.000 min
Response: 64766904
Conc: 51.34 ng/ml




#18 Endrin aldehyde

R.T.: 8.483 min
Delta R.T.: 0.000 min
Response: 20687088
Conc: 45.53 ng/ml



#18 Endrin aldehyde


R.T.: 9.262 min
Delta R.T.: 0.000 min
Response: 49067758
Conc: 50.74 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.714 min
Delta R.T.: 0.000 min
Response: 27955157
Conc: 45.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.500 min
Delta R.T.: 0.000 min
Response: 62150657
Conc: 50.15 ng/ml




#20 Methoxychlor

R.T.: 9.007 min
Delta R.T.: -0.001 min
Response: 16274589
Conc: 44.49 ng/ml



#20 Methoxychlor


R.T.: 9.843 min
Delta R.T.: 0.000 min
Response: 33031324
Conc: 48.80 ng/ml



#21 Endrin ketone


R.T.: 9.232 min
Delta R.T.: 0.000 min
Response: 33444405
Conc: 46.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.996 min
Delta R.T.: 0.000 min
Response: 69456672
Conc: 48.39 ng/ml




#22 Mirex

R.T.: 9.415 min
Delta R.T.: -0.001 min
Response: 27518869
Conc: 44.81 ng/ml



#22 Mirex


R.T.: 10.461 min
Delta R.T.: 0.000 min
Response: 50330710
Conc: 48.32 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.330 min
Delta R.T.: 0.000 min
Response: 30888394
Conc: 45.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.393 min
Delta R.T.: 0.000 min
Response: 65208351
Conc: 48.76 ng/ml