

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111320\
 Data File : PL063018.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Nov 2020 14:45
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 13 15:39:18 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	85401693	158.6E6	49.650	53.983
28)	SA Decachlor...	8.127	8.992	85573711	110.9E6	53.341	52.989
Target Compounds							
2)	A alpha-BHC	3.843	4.338	126.1E6	238.6E6	49.462	53.691
3)	MA gamma-BHC...	4.122	4.621	113.4E6	222.1E6	48.948	53.182
4)	MA Heptachlor	4.420	5.126	102.8E6	196.4E6	47.899	49.251
5)	MB Aldrin	4.664	5.429	94968905	190.2E6	49.755	52.562
6)	B beta-BHC	4.372	4.792	47301749	96216969	49.521	51.097
7)	B delta-BHC	4.573	5.006	108.2E6	205.1E6	49.781	58.605
8)	B Heptachlo...	5.103	5.815	91605693	173.0E6	50.206	53.405
9)	A Endosulfan I	5.438	6.170	85368884	160.4E6	51.070	50.859
10)	B gamma-Chl...	5.328	6.048	90542162	172.5E6	50.257	51.244
11)	B alpha-Chl...	5.386	6.121	90801393	170.8E6	50.229	50.685
12)	B 4,4'-DDE	5.551	6.279	82941634	166.4E6	50.133	51.637
13)	MA Dieldrin	5.679	6.427	88625047	164.0E6	50.157	51.239
14)	MA Endrin	5.933	6.644	71994167	125.4E6	43.272	44.922
15)	B Endosulfa...	6.206	6.853	82295443	138.7E6	49.917	48.526
16)	A 4,4'-DDD	6.063	6.769	78356321	139.6E6	55.395	54.533
17)	MA 4,4'-DDT	6.302	7.067	57675520	99798388	43.217	44.448
18)	B Endrin al...	6.373	6.977	71354182	117.7E6	49.139	51.626
19)	B Endosulfa...	6.585	7.201	81849000	126.7E6	49.598	52.807
20)	A Methoxychlor	6.846	7.527	36698030	54628396	42.608	44.215
21)	B Endrin ke...	7.072	7.670	99837456	136.9E6	55.372	57.755
22)	Mirex	7.258	8.123	72170343	89615513	50.907	52.589



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111320\
Data File : PL063018.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Nov 2020 14:45
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 13 15:39:18 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 85401693
Conc: 49.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 158641535
Conc: 53.98 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 126114202
Conc: 49.46 ng/ml



#2 alpha-BHC


R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 238559825
Conc: 53.69 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: -0.001 min
Response: 113397324
Conc: 48.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.621 min
Delta R.T.: 0.000 min
Response: 222072509
Conc: 53.18 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 102781514
Conc: 47.90 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 196407858
Conc: 49.25 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 94968905
Conc: 49.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 190248361
Conc: 52.56 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 47301749
Conc: 49.52 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 96216969
Conc: 51.10 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 108185447
Conc: 49.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 205084610
Conc: 58.60 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 91605693
Conc: 50.21 ng/ml



#8 Heptachlor epoxide


R.T.: 5.815 min
Delta R.T.: 0.000 min
Response: 172957351
Conc: 53.40 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 85368884
Conc: 51.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 160398598
Conc: 50.86 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 90542162
Conc: 50.26 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 172506904
Conc: 51.24 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 90801393
Conc: 50.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.121 min
Delta R.T.: 0.000 min
Response: 170752600
Conc: 50.68 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 82941634
Conc: 50.13 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 166377195
Conc: 51.64 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 88625047
Conc: 50.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.427 min
Delta R.T.: 0.000 min
Response: 164009536
Conc: 51.24 ng/ml




#14 Endrin

R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 71994167
Conc: 43.27 ng/ml



#14 Endrin


R.T.: 6.644 min
Delta R.T.: 0.000 min
Response: 125381322
Conc: 44.92 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.001 min
Response: 82295443
Conc: 49.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 138718893
Conc: 48.53 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.000 min
Response: 78356321
Conc: 55.40 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 139602606
Conc: 54.53 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 57675520
Conc: 43.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.001 min
Response: 99798388
Conc: 44.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.373 min
Delta R.T.: 0.001 min
Response: 71354182
Conc: 49.14 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 117736954
Conc: 51.63 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 81849000
Conc: 49.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.201 min
Delta R.T.: 0.001 min
Response: 126695834
Conc: 52.81 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.000 min
Response: 36698030
Conc: 42.61 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.002 min
Response: 54628396
Conc: 44.22 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 99837456
Conc: 55.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.002 min
Response: 136868808
Conc: 57.76 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.000 min
Response: 72170343
Conc: 50.91 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.002 min
Response: 89615513
Conc: 52.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.127 min
Delta R.T.: 0.000 min
Response: 85573711
Conc: 53.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.992 min
Delta R.T.: 0.003 min
Response: 110903502
Conc: 52.99 ng/ml