

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111524\
 Data File : PL093096.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Nov 2024 18:39
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 15 20:55:58 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.538	2.776	122.4E6	142.4E6	49.946	52.342
28)	SA Decachlor...	9.056	7.915	87436476	129.7E6	45.432	47.504
Target Compounds							
2)	A alpha-BHC	3.994	3.279	170.9E6	213.8E6	50.388	53.574
3)	MA gamma-BHC...	4.327	3.609	162.4E6	205.7E6	49.822	53.294
4)	MA Heptachlor	4.915	3.948	143.9E6	199.7E6	47.907	52.920
5)	MB Aldrin	5.257	4.227	142.8E6	195.0E6	47.566	53.267
6)	B beta-BHC	4.524	3.908	70601668	86836484	48.844	52.748
7)	B delta-BHC	4.771	4.137	152.4E6	209.4E6	48.682	54.489
8)	B Heptachlo...	5.683	4.730	127.4E6	175.1E6	46.139	52.389
9)	A Endosulfan I	6.069	5.100	114.8E6	156.6E6	45.897	51.286
10)	B gamma-Chl...	5.939	4.980	120.1E6	180.0E6	45.133	53.559
11)	B alpha-Chl...	6.018	5.044	121.8E6	173.1E6	45.984	52.054
12)	B 4,4'-DDE	6.192	5.233	112.2E6	170.8E6	47.353	53.014
13)	MA Dieldrin	6.344	5.364	121.6E6	174.5E6	46.134	52.231
14)	MA Endrin	6.574	5.640	105.3E6	153.2E6	46.258	52.968
15)	B Endosulfa...	6.794	5.935	108.8E6	146.4E6	45.631	51.671
16)	A 4,4'-DDD	6.710	5.788	93721332	136.4E6	48.825	54.784
17)	MA 4,4'-DDT	7.024	6.038	95225954	133.7E6	46.008	49.854
18)	B Endrin al...	6.924	6.113	87063018	115.0E6	46.360	49.841
19)	B Endosulfa...	7.159	6.337	98483648	136.4E6	45.377	50.571
20)	A Methoxychlor	7.500	6.614	52422539	71869623	45.985	50.328
21)	B Endrin ke...	7.644	6.842	110.4E6	152.8E6	45.584	49.783
22)	Mirex	8.117	7.023	85411620	122.8E6	43.100	47.073
24)	Chlordane-2	5.257f	4.366	142.8E6	331857	1245.658	2.679 #
25)	Chlordane-3	5.939	4.980	120.1E6	180.0E6	307.657	496.436 #
26)	Chlordane-4	6.018	5.044	121.8E6	173.1E6	254.749	494.925 #
27)	Chlordane-5	0.000	5.935	0	146.4E6	N.D.	1154.497 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111524\
Data File : PL093096.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Nov 2024 18:39
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 15 20:55:58 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.538 min
Delta R.T.: -0.002 min
Response: 122379440
Conc: 49.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.776 min
Delta R.T.: -0.002 min
Response: 142430343
Conc: 52.34 ng/ml




#2 alpha-BHC

R.T.: 3.994 min
Delta R.T.: -0.002 min
Response: 170896015
Conc: 50.39 ng/ml



#2 alpha-BHC


R.T.: 3.279 min
Delta R.T.: -0.002 min
Response: 213767689
Conc: 53.57 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.327 min
Delta R.T.: -0.001 min
Response: 162398827
Conc: 49.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.609 min
Delta R.T.: -0.002 min
Response: 205683809
Conc: 53.29 ng/ml




#4 Heptachlor

R.T.: 4.915 min
Delta R.T.: -0.001 min
Response: 143870218
Conc: 47.91 ng/ml



#4 Heptachlor


R.T.: 3.948 min
Delta R.T.: -0.002 min
Response: 199716162
Conc: 52.92 ng/ml



#5 Aldrin


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 142769614
Conc: 47.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.227 min
Delta R.T.: -0.002 min
Response: 194966971
Conc: 53.27 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: 0.000 min
Response: 70601668
Conc: 48.84 ng/ml



#6 beta-BHC


R.T.: 3.908 min
Delta R.T.: -0.002 min
Response: 86836484
Conc: 52.75 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: 0.000 min
Response: 152367053
Conc: 48.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.137 min
Delta R.T.: -0.002 min
Response: 209409886
Conc: 54.49 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: -0.001 min
Response: 127407490
Conc: 46.14 ng/ml



#8 Heptachlor epoxide


R.T.: 4.730 min
Delta R.T.: -0.002 min
Response: 175054480
Conc: 52.39 ng/ml



#9 Endosulfan I


R.T.: 6.069 min
Delta R.T.: 0.000 min
Response: 114804018
Conc: 45.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.100 min
Delta R.T.: -0.002 min
Response: 156584021
Conc: 51.29 ng/ml




#10 gamma-Chlordane

R.T.: 5.939 min
Delta R.T.: -0.002 min
Response: 120083057
Conc: 45.13 ng/ml



#10 gamma-Chlordane


R.T.: 4.980 min
Delta R.T.: -0.002 min
Response: 180048971
Conc: 53.56 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 121771429
Conc: 45.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.044 min
Delta R.T.: -0.002 min
Response: 173131508
Conc: 52.05 ng/ml




#12 4,4'-DDE

R.T.: 6.192 min
Delta R.T.: -0.002 min
Response: 112187604
Conc: 47.35 ng/ml



#12 4,4'-DDE


R.T.: 5.233 min
Delta R.T.: -0.002 min
Response: 170789006
Conc: 53.01 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: -0.001 min
Response: 121586153
Conc: 46.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.364 min
Delta R.T.: -0.002 min
Response: 174465852
Conc: 52.23 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 105314394
Conc: 46.26 ng/ml



#14 Endrin


R.T.: 5.640 min
Delta R.T.: -0.002 min
Response: 153236897
Conc: 52.97 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 108776100
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.935 min
Delta R.T.: -0.001 min
Response: 146399434
Conc: 51.67 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 93721332
Conc: 48.83 ng/ml



#16 4,4'-DDD


R.T.: 5.788 min
Delta R.T.: -0.001 min
Response: 136415496
Conc: 54.78 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.000 min
Response: 95225954
Conc: 46.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.038 min
Delta R.T.: -0.002 min
Response: 133721630
Conc: 49.85 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: 0.000 min
Response: 87063018
Conc: 46.36 ng/ml



#18 Endrin aldehyde


R.T.: 6.113 min
Delta R.T.: -0.002 min
Response: 114997722
Conc: 49.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 98483648
Conc: 45.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.337 min
Delta R.T.: -0.001 min
Response: 136385038
Conc: 50.57 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 52422539
Conc: 45.98 ng/ml



#20 Methoxychlor


R.T.: 6.614 min
Delta R.T.: -0.001 min
Response: 71869623
Conc: 50.33 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 110441317
Conc: 45.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.842 min
Delta R.T.: -0.001 min
Response: 152775370
Conc: 49.78 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.001 min
Response: 85411620
Conc: 43.10 ng/ml



#22 Mirex


R.T.: 7.023 min
Delta R.T.: -0.002 min
Response: 122817129
Conc: 47.07 ng/ml



#24 Chlordane-2


R.T.: 5.257 min
Delta R.T.: 0.026 min
Response: 142769614
Conc: 1245.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.366 min
Delta R.T.: 0.013 min
Response: 331857
Conc: 2.68 ng/ml




#25 Chlordane-3

R.T.: 5.939 min
Delta R.T.: -0.002 min
Response: 120083057
Conc: 307.66 ng/ml



#25 Chlordane-3


R.T.: 4.980 min
Delta R.T.: -0.002 min
Response: 180048971
Conc: 496.44 ng/ml



#26 Chlordane-4


R.T.: 6.018 min
Delta R.T.: -0.005 min
Response: 121771429
Conc: 254.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.044 min
Delta R.T.: -0.001 min
Response: 173131508
Conc: 494.92 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.935 min
Delta R.T.: -0.006 min
Response: 146399434
Conc: 1154.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.002 min
Response: 87436476
Conc: 45.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: 0.000 min
Response: 129650543
Conc: 47.50 ng/ml