

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111622\
 Data File : PL079134.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Nov 2022 12:25
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 16 13:15:16 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL111622.M
 Quant Title : GC Extractables
 QLast Update : Wed Nov 16 13:14:15 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.321	2.568	105.3E6	126.1E6	50.000	50.000
28)	SA Decachlor...	8.771	7.635	98082427	109.3E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.781	3.054	162.0E6	202.2E6	50.000	50.000
3)	MA gamma-BHC...	4.114	3.375	152.9E6	175.7E6	50.000	50.000
4)	MA Heptachlor	4.685	3.702	152.6E6	180.6E6	50.000	50.000
5)	MB Aldrin	5.023	3.973	142.7E6	173.6E6	50.000	50.000
6)	B beta-BHC	4.330	3.675	64582647	69810697	50.000	50.000
7)	B delta-BHC	4.570	3.895	118.8E6	180.3E6	50.000	50.000
8)	B Heptachlo...	5.456	4.470	117.3E6	152.0E6	50.000	50.000
9)	A Endosulfan I	5.840	4.833	121.6E6	145.8E6	50.000	50.000
10)	B gamma-Chl...	5.711	4.718	129.9E6	153.5E6	50.000	50.000
11)	B alpha-Chl...	5.788	4.780	130.0E6	150.6E6	50.000	50.000
12)	B 4,4'-DDE	5.972	4.975	121.6E6	145.0E6	50.000	50.000
13)	MA Dieldrin	6.118	5.095	124.5E6	153.6E6	50.000	50.000
14)	MA Endrin	6.349	5.365	111.3E6	130.7E6	50.000	50.000
15)	B Endosulfa...	6.578	5.662	112.3E6	130.2E6	50.000	50.000
16)	A 4,4'-DDD	6.496	5.526	92425915	118.4E6	50.000	50.000
17)	MA 4,4'-DDT	6.806	5.772	105.5E6	124.2E6	50.000	50.000
18)	B Endrin al...	6.710	5.840	81877104	99878106	50.000	50.000
19)	B Endosulfa...	6.943	6.063	102.1E6	127.7E6	50.000	50.000
20)	A Methoxychlor	7.290	6.349	54459606	65571024	50.000	50.000
21)	B Endrin ke...	7.428	6.559	107.0E6	139.5E6	50.000	50.000
22)	Mirex	7.886	6.730	78986663	102.5E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111622\
Data File : PL079134.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Nov 2022 12:25
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 16 13:15:16 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL111622.M
Quant Title : GC Extractables
QLast Update : Wed Nov 16 13:14:15 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.321 min
Delta R.T.: 0.000 min
Response: 105264849
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.568 min
Delta R.T.: 0.000 min
Response: 126066368
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.781 min
Delta R.T.: 0.000 min
Response: 161967281
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.054 min
Delta R.T.: 0.000 min
Response: 202241264
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.114 min
Delta R.T.: 0.000 min
Response: 152913479
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.375 min
Delta R.T.: 0.000 min
Response: 175659629
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.685 min
Delta R.T.: 0.000 min
Response: 152559592
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.702 min
Delta R.T.: 0.000 min
Response: 180638998
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.023 min
Delta R.T.: 0.000 min
Response: 142720436
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 3.973 min
Delta R.T.: 0.000 min
Response: 173609918
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 64582647
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.675 min
Delta R.T.: 0.000 min
Response: 69810697
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.570 min
Delta R.T.: 0.000 min
Response: 118774839
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 3.895 min
Delta R.T.: 0.000 min
Response: 180306285
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 117321381
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.470 min
Delta R.T.: 0.000 min
Response: 151986229
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.840 min
Delta R.T.: 0.000 min
Response: 121649222
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 4.833 min
Delta R.T.: 0.000 min
Response: 145840242
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 129915270
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.718 min
Delta R.T.: 0.000 min
Response: 153501242
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.788 min
Delta R.T.: 0.000 min
Response: 129980586
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 150580200
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.972 min
Delta R.T.: 0.000 min
Response: 121644146
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 4.975 min
Delta R.T.: 0.000 min
Response: 144973095
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.118 min
Delta R.T.: 0.000 min
Response: 124456065
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.095 min
Delta R.T.: 0.000 min
Response: 153637982
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 111268914
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.365 min
Delta R.T.: 0.000 min
Response: 130686083
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.578 min
Delta R.T.: 0.000 min
Response: 112327367
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 5.662 min
Delta R.T.: 0.000 min
Response: 130162901
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.496 min
Delta R.T.: 0.000 min
Response: 92425915
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.526 min
Delta R.T.: 0.000 min
Response: 118445148
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.806 min
Delta R.T.: 0.000 min
Response: 105528747
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 5.772 min
Delta R.T.: 0.000 min
Response: 124185074
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.710 min
Delta R.T.: 0.000 min
Response: 81877104
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 5.840 min
Delta R.T.: 0.000 min
Response: 99878106
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.943 min
Delta R.T.: 0.000 min
Response: 102141016
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.063 min
Delta R.T.: 0.000 min
Response: 127688345
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.290 min
Delta R.T.: 0.000 min
Response: 54459606
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 65571024
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.428 min
Delta R.T.: 0.000 min
Response: 106959663
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.559 min
Delta R.T.: 0.000 min
Response: 139548505
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.886 min
Delta R.T.: 0.000 min
Response: 78986663
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 6.730 min
Delta R.T.: 0.000 min
Response: 102453884
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.771 min
Delta R.T.: 0.000 min
Response: 98082427
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 7.635 min
Delta R.T.: 0.000 min
Response: 109308759
Conc: 50.00 ng/ml