

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111720\
 Data File : PL063060.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Nov 2020 14:07
 Operator : DD\AJ
 Sample : PB133047BS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB133047BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 17 17:50:18 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	33221292	61976547	19.314	21.090
2)	SA Decachlor...	8.129	8.992	33147487	42508240	20.662	20.310
Target Compounds							
2)	A alpha-BHC	3.843	4.337	117.1E6	226.7E6	45.938	51.026
3)	MA gamma-BHC...	4.122	4.620	105.6E6	207.2E6	45.599	49.612
4)	MA Heptachlor	4.420	5.125	102.4E6	190.5E6	47.701	47.775
5)	MB Aldrin	4.664	5.428	90911893	179.4E6	47.629	49.573
6)	B beta-BHC	4.373	4.792	45978710	90760502	48.136	48.199
7)	B delta-BHC	4.573	5.006	103.6E6	187.4E6	47.694	53.551
8)	B Heptachlo...	5.103	5.814	87846573	154.9E6	48.146	47.815
9)	A Endosulfan I	5.438	6.169	80611083	144.5E6	48.224	45.804
10)	B gamma-Chl...	5.328	6.048	85337100	155.7E6	47.368	46.253
11)	B alpha-Chl...	5.386	6.120	84375300	154.1E6	46.674	45.737
12)	B 4,4'-DDE	5.551	6.279	79211658	150.3E6	47.878	46.633
13)	MA Dieldrin	5.679	6.426	83302705	143.9E6	47.144	44.963
14)	MA Endrin	5.934	6.643	79709158	125.3E6	47.909	44.908
15)	B Endosulfa...	6.207	6.854	73048244	116.0E6	44.308	40.582
16)	A 4,4'-DDD	6.063	6.769	69816405	117.9E6	49.358	46.038
17)	MA 4,4'-DDT	6.302	7.067	63211467	104.0E6	47.365	46.299
18)	B Endrin al...	6.374	6.978	60715365	92546565	41.813	40.580
19)	B Endosulfa...	6.586	7.201	76489032	110.6E6	46.350	46.087
20)	A Methoxychlor	6.846	7.527	38715437	54264710	44.950	43.921
21)	B Endrin ke...	7.072	7.670	83917157	113.6E6	46.543	47.926
22)	Mirex	7.257	8.123	66405431	79529173	46.841	46.670



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111720\
Data File : PL063060.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Nov 2020 14:07
Operator : DD\AJ
Sample : PB133047BS
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB133047BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 17 17:50:18 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: -0.001 min
Response: 33221292
Conc: 19.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 61976547
Conc: 21.09 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 117127500
Conc: 45.94 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 226718308
Conc: 51.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: -0.001 min
Response: 105639204
Conc: 45.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 207166965
Conc: 49.61 ng/ml




#4 Heptachlor

R.T.: 4.420 min
Delta R.T.: 0.000 min
Response: 102356379
Conc: 47.70 ng/ml



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 190520748
Conc: 47.77 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 90911893
Conc: 47.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#5 Aldrin

R.T.: 5.428 min
Delta R.T.: 0.000 min
Response: 179428868
Conc: 49.57 ng/ml




#6 beta-BHC

R.T.: 4.373 min
Delta R.T.: 0.000 min
Response: 45978710
Conc: 48.14 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 90760502
Conc: 48.20 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 103648968
Conc: 47.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#7 delta-BHC

R.T.: 5.006 min
Delta R.T.: 0.000 min
Response: 187399495
Conc: 53.55 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 87846573
Conc: 48.15 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 154853095
Conc: 47.81 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 80611083
Conc: 48.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#9 Endosulfan I

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 144457777
Conc: 45.80 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 85337100
Conc: 47.37 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 155702939
Conc: 46.25 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 84375300
Conc: 46.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 154082207
Conc: 45.74 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 79211658
Conc: 47.88 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 150254208
Conc: 46.63 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 83302705
Conc: 47.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 143921044
Conc: 44.96 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 79709158
Conc: 47.91 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 125342819
Conc: 44.91 ng/ml



#15 Endosulfan II


R.T.: 6.207 min
Delta R.T.: 0.002 min
Response: 73048244
Conc: 44.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#15 Endosulfan II

R.T.: 6.854 min
Delta R.T.: 0.001 min
Response: 116008276
Conc: 40.58 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.001 min
Response: 69816405
Conc: 49.36 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 117855847
Conc: 46.04 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.001 min
Response: 63211467
Conc: 47.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 103954097
Conc: 46.30 ng/ml




#18 Endrin aldehyde

R.T.: 6.374 min
Delta R.T.: 0.002 min
Response: 60715365
Conc: 41.81 ng/ml



#18 Endrin aldehyde


R.T.: 6.978 min
Delta R.T.: 0.001 min
Response: 92546565
Conc: 40.58 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.586 min
Delta R.T.: 0.000 min
Response: 76489032
Conc: 46.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#19 Endosulfan Sulfate

R.T.: 7.201 min
Delta R.T.: 0.001 min
Response: 110572529
Conc: 46.09 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.000 min
Response: 38715437
Conc: 44.95 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.002 min
Response: 54264710
Conc: 43.92 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 83917157
Conc: 46.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.002 min
Response: 113574360
Conc: 47.93 ng/ml




#22 Mirex

R.T.: 7.257 min
Delta R.T.: 0.000 min
Response: 66405431
Conc: 46.84 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.002 min
Response: 79529173
Conc: 46.67 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.129 min
Delta R.T.: 0.002 min
Response: 33147487
Conc: 20.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133047BS



#28 Decachlorobiphenyl

R.T.: 8.992 min
Delta R.T.: 0.003 min
Response: 42508240
Conc: 20.31 ng/ml