

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111720\
 Data File : PL063083.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Nov 2020 20:15
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 18 03:18:54 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.411	3.951	86280955	157.8E6	50.161	53.682
2)	SA Decachlor...	8.128	8.991	76575468	101.1E6	47.732	48.319
Target Compounds							
2)	A alpha-BHC	3.843	4.337	126.2E6	236.6E6	49.497	53.241
3)	MA gamma-BHC...	4.122	4.620	114.4E6	220.4E6	49.367	52.782
4)	MA Heptachlor	4.419	5.126	104.7E6	192.0E6	48.788	48.141
5)	MB Aldrin	4.664	5.429	95316709	184.8E6	49.937	51.054
6)	B beta-BHC	4.372	4.792	47764232	93999261	50.005	49.919
7)	B delta-BHC	4.573	5.007	108.9E6	186.4E6	50.109	53.268
8)	B Heptachlo...	5.103	5.814	94914488	162.0E6	52.020	50.034
9)	A Endosulfan I	5.438	6.170	84747557	148.1E6	50.698	46.955
10)	B gamma-Chl...	5.328	6.048	90819030	161.7E6	50.411	48.048
11)	B alpha-Chl...	5.386	6.120	90461775	159.8E6	50.041	47.422
12)	B 4,4'-DDE	5.551	6.279	83819418	153.4E6	50.663	47.603
13)	MA Dieldrin	5.679	6.426	89350492	150.4E6	50.567	46.999
14)	MA Endrin	5.934	6.643	82522002	126.2E6	49.599	45.203
15)	B Endosulfa...	6.206	6.853	81282765	125.5E6	49.303	43.905
16)	A 4,4'-DDD	6.063	6.769	75056504	120.0E6	53.063	46.892
17)	MA 4,4'-DDT	6.302	7.067	60810812	95499659	45.566	42.534
18)	B Endrin al...	6.373	6.977	68360437	105.1E6	47.077	46.069
19)	B Endosulfa...	6.585	7.200	78127610	111.7E6	47.343	46.553
20)	A Methoxychlor	6.846	7.527	38110932	52922861	44.248	42.835
21)	B Endrin ke...	7.072	7.670	88032168	116.1E6	48.825	49.008
22)	Mirex	7.258	8.123	67528929	79034919	47.633	46.380



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111720\
Data File : PL063083.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Nov 2020 20:15
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 18 03:18:54 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.411 min
Delta R.T.: 0.000 min
Response: 86280955
Conc: 50.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.951 min
Delta R.T.: 0.000 min
Response: 157757204
Conc: 53.68 ng/ml




#2 alpha-BHC

R.T.: 3.843 min
Delta R.T.: -0.001 min
Response: 126202611
Conc: 49.50 ng/ml



#2 alpha-BHC


R.T.: 4.337 min
Delta R.T.: 0.000 min
Response: 236561454
Conc: 53.24 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.122 min
Delta R.T.: -0.001 min
Response: 114366347
Conc: 49.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.620 min
Delta R.T.: 0.000 min
Response: 220403514
Conc: 52.78 ng/ml




#4 Heptachlor

R.T.: 4.419 min
Delta R.T.: -0.001 min
Response: 104689444
Conc: 48.79 ng/ml



#4 Heptachlor


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 191982940
Conc: 48.14 ng/ml



#5 Aldrin


R.T.: 4.664 min
Delta R.T.: 0.000 min
Response: 95316709
Conc: 49.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.429 min
Delta R.T.: 0.000 min
Response: 184790744
Conc: 51.05 ng/ml




#6 beta-BHC

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 47764232
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 93999261
Conc: 49.92 ng/ml



#7 delta-BHC


R.T.: 4.573 min
Delta R.T.: 0.000 min
Response: 108899099
Conc: 50.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: 0.000 min
Response: 186409064
Conc: 53.27 ng/ml




#8 Heptachlor epoxide

R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 94914488
Conc: 52.02 ng/ml



#8 Heptachlor epoxide


R.T.: 5.814 min
Delta R.T.: 0.000 min
Response: 162042116
Conc: 50.03 ng/ml



#9 Endosulfan I


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 84747557
Conc: 50.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 148087768
Conc: 46.96 ng/ml




#10 gamma-Chlordane

R.T.: 5.328 min
Delta R.T.: 0.000 min
Response: 90819030
Conc: 50.41 ng/ml



#10 gamma-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 161746745
Conc: 48.05 ng/ml



#11 alpha-Chlordane


R.T.: 5.386 min
Delta R.T.: 0.000 min
Response: 90461775
Conc: 50.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.120 min
Delta R.T.: -0.001 min
Response: 159759102
Conc: 47.42 ng/ml




#12 4,4'-DDE

R.T.: 5.551 min
Delta R.T.: 0.000 min
Response: 83819418
Conc: 50.66 ng/ml



#12 4,4'-DDE


R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 153379942
Conc: 47.60 ng/ml



#13 Dieldrin


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 89350492
Conc: 50.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.426 min
Delta R.T.: 0.000 min
Response: 150437501
Conc: 47.00 ng/ml




#14 Endrin

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 82522002
Conc: 49.60 ng/ml



#14 Endrin


R.T.: 6.643 min
Delta R.T.: 0.000 min
Response: 126167638
Conc: 45.20 ng/ml



#15 Endosulfan II


R.T.: 6.206 min
Delta R.T.: 0.000 min
Response: 81282765
Conc: 49.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 125509354
Conc: 43.91 ng/ml




#16 4,4'-DDD

R.T.: 6.063 min
Delta R.T.: 0.000 min
Response: 75056504
Conc: 53.06 ng/ml



#16 4,4'-DDD


R.T.: 6.769 min
Delta R.T.: 0.000 min
Response: 120041526
Conc: 46.89 ng/ml



#17 4,4'-DDT


R.T.: 6.302 min
Delta R.T.: 0.000 min
Response: 60810812
Conc: 45.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.067 min
Delta R.T.: 0.001 min
Response: 95499659
Conc: 42.53 ng/ml




#18 Endrin aldehyde

R.T.: 6.373 min
Delta R.T.: 0.002 min
Response: 68360437
Conc: 47.08 ng/ml



#18 Endrin aldehyde


R.T.: 6.977 min
Delta R.T.: 0.000 min
Response: 105065691
Conc: 46.07 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.585 min
Delta R.T.: 0.000 min
Response: 78127610
Conc: 47.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.200 min
Delta R.T.: 0.000 min
Response: 111690631
Conc: 46.55 ng/ml




#20 Methoxychlor

R.T.: 6.846 min
Delta R.T.: 0.001 min
Response: 38110932
Conc: 44.25 ng/ml



#20 Methoxychlor


R.T.: 7.527 min
Delta R.T.: 0.001 min
Response: 52922861
Conc: 42.83 ng/ml



#21 Endrin ketone


R.T.: 7.072 min
Delta R.T.: 0.000 min
Response: 88032168
Conc: 48.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.670 min
Delta R.T.: 0.001 min
Response: 116140137
Conc: 49.01 ng/ml




#22 Mirex

R.T.: 7.258 min
Delta R.T.: 0.001 min
Response: 67528929
Conc: 47.63 ng/ml



#22 Mirex


R.T.: 8.123 min
Delta R.T.: 0.002 min
Response: 79034919
Conc: 46.38 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.128 min
Delta R.T.: 0.001 min
Response: 76575468
Conc: 47.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.991 min
Delta R.T.: 0.002 min
Response: 101128605
Conc: 48.32 ng/ml