

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111819\
 Data File : PL054383.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Nov 2019 13:41
 Operator : SG\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 18 14:02:12 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL111819.M
 Quant Title : GC Extractables
 QLast Update : Mon Nov 18 14:01:51 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.539	4.043	543.0E6	124.3E6	50.000	50.000
28)	SA Decachlor...	8.323	9.125	452.8E6	122.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.982	4.435	893.0E6	175.4E6	50.000	50.000
3)	MA gamma-BHC...	4.269	4.720	804.0E6	160.1E6	50.000	50.000
4)	MA Heptachlor	4.575	5.230	809.7E6	147.2E6	50.000	50.000
5)	MB Aldrin	4.827	5.535	743.9E6	135.5E6	50.000	50.000
6)	B beta-BHC	4.520	4.891	332.8E6	73118468	50.000	50.000
7)	B delta-BHC	4.728	5.108	754.1E6	132.6E6	50.000	50.000
8)	B Heptachlo...	5.273	5.922	683.5E6	122.7E6	50.000	50.000
9)	A Endosulfan I	5.615	6.279	623.9E6	120.0E6	50.000	50.000
10)	B gamma-Chl...	5.501	6.156	685.9E6	128.6E6	50.000	50.000
11)	B alpha-Chl...	5.559	6.229	662.6E6	128.3E6	50.000	50.000
12)	B 4,4'-DDE	5.723	6.385	617.3E6	121.8E6	50.000	50.000
13)	MA Dieldrin	5.859	6.536	655.4E6	124.0E6	50.000	50.000
14)	MA Endrin	6.117	6.754	593.0E6	109.2E6	50.000	50.000
15)	B Endosulfa...	6.391	6.964	554.9E6	111.3E6	50.000	50.000
16)	A 4,4'-DDD	6.241	6.875	446.0E6	91789653	50.000	50.000
17)	MA 4,4'-DDT	6.483	7.174	492.9E6	101.3E6	50.000	50.000
18)	B Endrin al...	6.559	7.087	450.6E6	96328337	50.000	50.000
19)	B Endosulfa...	6.773	7.310	494.1E6	103.9E6	50.000	50.000
20)	A Methoxychlor	7.028	7.633	238.6E6	57105794	50.000	50.000
21)	B Endrin ke...	7.267	7.782	534.7E6	117.9E6	50.000	50.000
22)	Mirex	7.460	8.237	388.6E6	85949149	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111819\
Data File : PL054383.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Nov 2019 13:41
Operator : SG\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 18 14:02:12 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL111819.M
Quant Title : GC Extractables
QLast Update : Mon Nov 18 14:01:51 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.539 min
Delta R.T.: 0.000 min
Response: 543001105
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 4.043 min
Delta R.T.: 0.000 min
Response: 124305825
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 893038432
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.435 min
Delta R.T.: 0.000 min
Response: 175382154
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.269 min
Delta R.T.: 0.000 min
Response: 804013899
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.720 min
Delta R.T.: 0.000 min
Response: 160109042
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.575 min
Delta R.T.: 0.000 min
Response: 809730798
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.230 min
Delta R.T.: 0.000 min
Response: 147195482
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.827 min
Delta R.T.: 0.000 min
Response: 743928962
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.535 min
Delta R.T.: 0.000 min
Response: 135536883
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.520 min
Delta R.T.: 0.000 min
Response: 332769199
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.891 min
Delta R.T.: 0.000 min
Response: 73118468
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.728 min
Delta R.T.: 0.000 min
Response: 754076620
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.108 min
Delta R.T.: 0.000 min
Response: 132578442
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 683480338
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.922 min
Delta R.T.: 0.000 min
Response: 122654665
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.615 min
Delta R.T.: 0.000 min
Response: 623889613
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.279 min
Delta R.T.: 0.000 min
Response: 119972000
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 685925658
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.156 min
Delta R.T.: 0.000 min
Response: 128568347
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.559 min
Delta R.T.: 0.000 min
Response: 662569314
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.229 min
Delta R.T.: 0.000 min
Response: 128329516
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.723 min
Delta R.T.: 0.000 min
Response: 617254559
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.385 min
Delta R.T.: 0.000 min
Response: 121823637
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 655386643
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 6.536 min
Delta R.T.: 0.000 min
Response: 123970487
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.117 min
Delta R.T.: 0.000 min
Response: 593033700
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.754 min
Delta R.T.: 0.000 min
Response: 109205812
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.391 min
Delta R.T.: 0.000 min
Response: 554879892
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.964 min
Delta R.T.: 0.000 min
Response: 111314563
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.241 min
Delta R.T.: 0.000 min
Response: 446034551
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 91789653
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.483 min
Delta R.T.: 0.000 min
Response: 492917638
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 101282015
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.559 min
Delta R.T.: 0.000 min
Response: 450554102
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.087 min
Delta R.T.: 0.000 min
Response: 96328337
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.773 min
Delta R.T.: 0.000 min
Response: 494056241
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.310 min
Delta R.T.: 0.000 min
Response: 103919361
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 238579431
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.633 min
Delta R.T.: 0.000 min
Response: 57105794
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.267 min
Delta R.T.: 0.000 min
Response: 534669814
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.782 min
Delta R.T.: 0.000 min
Response: 117915941
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.460 min
Delta R.T.: 0.000 min
Response: 388649409
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.237 min
Delta R.T.: 0.000 min
Response: 85949149
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.323 min
Delta R.T.: 0.000 min
Response: 452758521
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.125 min
Delta R.T.: 0.000 min
Response: 122909394
Conc: 50.00 ng/ml