

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111820\
 Data File : PL063091.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Nov 2020 10:47
 Operator : DD\AJ
 Sample : PB133055BS
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB133055BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 18 16:28:53 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
 Quant Title : GC Extractables
 QLast Update : Thu Oct 22 04:25:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.410	3.950	33363725	61025144	19.397	20.766
28)	SA Decachlor...	8.125	8.988	35441309	44634491	22.092	21.326
Target Compounds							
2)	A alpha-BHC	3.842	4.336	116.9E6	220.1E6	45.831	49.530
3)	MA gamma-BHC...	4.121	4.619	105.3E6	202.2E6	45.439	48.413
4)	MA Heptachlor	4.418	5.124	101.6E6	187.1E6	47.370	46.906
5)	MB Aldrin	4.662	5.427	91528942	177.8E6	47.952	49.128
6)	B beta-BHC	4.371	4.790	45994801	90800554	48.152	48.221
7)	B delta-BHC	4.572	5.005	103.4E6	185.0E6	47.582	52.872
8)	B Heptachlo...	5.102	5.812	88735031	158.9E6	48.633	49.073
9)	A Endosulfan I	5.436	6.168	81649107	147.9E6	48.844	46.906
10)	B gamma-Chl...	5.326	6.046	86635854	158.2E6	48.089	46.981
11)	B alpha-Chl...	5.384	6.118	85710794	157.8E6	47.413	46.855
12)	B 4,4'-DDE	5.549	6.277	80151016	155.6E6	48.446	48.298
13)	MA Dieldrin	5.677	6.424	84672353	150.3E6	47.920	46.960
14)	MA Endrin	5.932	6.641	77004097	127.5E6	46.283	45.685
15)	B Endosulfa...	6.204	6.851	74998983	123.2E6	45.491	43.114
16)	A 4,4'-DDD	6.061	6.767	71522485	128.4E6	50.564	50.156
17)	MA 4,4'-DDT	6.300	7.064	62858226	109.0E6	47.100	48.568
18)	B Endrin al...	6.371	6.974	63562226	102.7E6	43.773	45.052
19)	B Endosulfa...	6.584	7.198	79056557	117.3E6	47.906	48.906
20)	A Methoxychlor	6.844	7.524	39354693	55522373	45.693	44.939
21)	B Endrin ke...	7.069	7.667	91359803	120.6E6	50.671	50.894
22)	Mirex	7.255	8.120	71681058	85377799	50.562	50.102



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111820\
Data File : PL063091.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Nov 2020 10:47
Operator : DD\AJ
Sample : PB133055BS
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB133055BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 18 16:28:53 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102120.M
Quant Title : GC Extractables
QLast Update : Thu Oct 22 04:25:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.410 min
Delta R.T.: -0.002 min
Response: 33363725
Conc: 19.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#1 Tetrachloro-m-xylene

R.T.: 3.950 min
Delta R.T.: -0.002 min
Response: 61025144
Conc: 20.77 ng/ml




#2 alpha-BHC

R.T.: 3.842 min
Delta R.T.: -0.002 min
Response: 116855622
Conc: 45.83 ng/ml



#2 alpha-BHC


R.T.: 4.336 min
Delta R.T.: -0.002 min
Response: 220074213
Conc: 49.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.121 min
Delta R.T.: -0.002 min
Response: 105267877
Conc: 45.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#3 gamma-BHC (Lindane)

R.T.: 4.619 min
Delta R.T.: -0.002 min
Response: 202161171
Conc: 48.41 ng/ml




#4 Heptachlor

R.T.: 4.418 min
Delta R.T.: -0.002 min
Response: 101646624
Conc: 47.37 ng/ml



#4 Heptachlor


R.T.: 5.124 min
Delta R.T.: -0.002 min
Response: 187057187
Conc: 46.91 ng/ml



#5 Aldrin


R.T.: 4.662 min
Delta R.T.: -0.002 min
Response: 91528942
Conc: 47.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#5 Aldrin

R.T.: 5.427 min
Delta R.T.: -0.002 min
Response: 177817901
Conc: 49.13 ng/ml




#6 beta-BHC

R.T.: 4.371 min
Delta R.T.: -0.001 min
Response: 45994801
Conc: 48.15 ng/ml



#6 beta-BHC


R.T.: 4.790 min
Delta R.T.: -0.001 min
Response: 90800554
Conc: 48.22 ng/ml



#7 delta-BHC


R.T.: 4.572 min
Delta R.T.: -0.002 min
Response: 103406125
Conc: 47.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#7 delta-BHC

R.T.: 5.005 min
Delta R.T.: -0.002 min
Response: 185022652
Conc: 52.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.102 min
Delta R.T.: -0.002 min
Response: 88735031
Conc: 48.63 ng/ml



#8 Heptachlor epoxide


R.T.: 5.812 min
Delta R.T.: -0.002 min
Response: 158929431
Conc: 49.07 ng/ml



#9 Endosulfan I


R.T.: 5.436 min
Delta R.T.: -0.002 min
Response: 81649107
Conc: 48.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#9 Endosulfan I

R.T.: 6.168 min
Delta R.T.: -0.003 min
Response: 147933828
Conc: 46.91 ng/ml




#10 gamma-Chlordane

R.T.: 5.326 min
Delta R.T.: -0.002 min
Response: 86635854
Conc: 48.09 ng/ml



#10 gamma-Chlordane


R.T.: 6.046 min
Delta R.T.: -0.003 min
Response: 158154371
Conc: 46.98 ng/ml



#11 alpha-Chlordane


R.T.: 5.384 min
Delta R.T.: -0.002 min
Response: 85710794
Conc: 47.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#11 alpha-Chlordane

R.T.: 6.118 min
Delta R.T.: -0.003 min
Response: 157849044
Conc: 46.85 ng/ml




#12 4,4'-DDE

R.T.: 5.549 min
Delta R.T.: -0.001 min
Response: 80151016
Conc: 48.45 ng/ml



#12 4,4'-DDE


R.T.: 6.277 min
Delta R.T.: -0.002 min
Response: 155618413
Conc: 48.30 ng/ml



#13 Dieldrin


R.T.: 5.677 min
Delta R.T.: -0.002 min
Response: 84672353
Conc: 47.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#13 Dieldrin

R.T.: 6.424 min
Delta R.T.: -0.003 min
Response: 150312685
Conc: 46.96 ng/ml




#14 Endrin

R.T.: 5.932 min
Delta R.T.: -0.001 min
Response: 77004097
Conc: 46.28 ng/ml



#14 Endrin


R.T.: 6.641 min
Delta R.T.: -0.003 min
Response: 127512525
Conc: 45.69 ng/ml



#15 Endosulfan II


R.T.: 6.204 min
Delta R.T.: -0.001 min
Response: 74998983
Conc: 45.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#15 Endosulfan II

R.T.: 6.851 min
Delta R.T.: -0.002 min
Response: 123247204
Conc: 43.11 ng/ml




#16 4,4'-DDD

R.T.: 6.061 min
Delta R.T.: 0.000 min
Response: 71522485
Conc: 50.56 ng/ml



#16 4,4'-DDD


R.T.: 6.767 min
Delta R.T.: -0.002 min
Response: 128399075
Conc: 50.16 ng/ml



#17 4,4'-DDT


R.T.: 6.300 min
Delta R.T.: -0.001 min
Response: 62858226
Conc: 47.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#17 4,4'-DDT

R.T.: 7.064 min
Delta R.T.: -0.002 min
Response: 109047026
Conc: 48.57 ng/ml




#18 Endrin aldehyde

R.T.: 6.371 min
Delta R.T.: -0.001 min
Response: 63562226
Conc: 43.77 ng/ml



#18 Endrin aldehyde


R.T.: 6.974 min
Delta R.T.: -0.002 min
Response: 102745284
Conc: 45.05 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.584 min
Delta R.T.: 0.000 min
Response: 79056557
Conc: 47.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#19 Endosulfan Sulfate

R.T.: 7.198 min
Delta R.T.: -0.002 min
Response: 117337412
Conc: 48.91 ng/ml




#20 Methoxychlor

R.T.: 6.844 min
Delta R.T.: -0.001 min
Response: 39354693
Conc: 45.69 ng/ml



#20 Methoxychlor


R.T.: 7.524 min
Delta R.T.: -0.001 min
Response: 55522373
Conc: 44.94 ng/ml



#21 Endrin ketone


R.T.: 7.069 min
Delta R.T.: -0.002 min
Response: 91359803
Conc: 50.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS




#21 Endrin ketone

R.T.: 7.667 min
Delta R.T.: -0.001 min
Response: 120609908
Conc: 50.89 ng/ml




#22 Mirex

R.T.: 7.255 min
Delta R.T.: -0.002 min
Response: 71681058
Conc: 50.56 ng/ml



#22 Mirex


R.T.: 8.120 min
Delta R.T.: -0.001 min
Response: 85377799
Conc: 50.10 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.125 min
Delta R.T.: -0.001 min
Response: 35441309
Conc: 22.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB133055BS



#28 Decachlorobiphenyl

R.T.: 8.988 min
Delta R.T.: -0.001 min
Response: 44634491
Conc: 21.33 ng/ml