

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112018\
 Data File : PL042278.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Nov 2018 11:13
 Operator : AJ\SJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 19 12:01:39 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112018.M
 Quant Title : GC Extractables
 QLast Update : Mon Nov 19 11:49:47 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.468	4.101	141.3E6	70786196	24.521	25.045
28)	SA Decachlor...	8.207	9.231	153.4E6	58862906	26.229	25.442
Target Compounds							
2)	A alpha-BHC	3.908	4.497	213.7E6	103.5E6	23.488	24.382
3)	MA gamma-BHC...	4.191	4.785	196.0E6	95702936	23.582	24.486
4)	MA Heptachlor	4.487	5.301	207.6E6	95228969	23.984	24.533
5)	MB Aldrin	4.733	5.610	191.9E6	92673377	23.467	24.506
6)	B beta-BHC	4.444	4.954	85440649	39156536	24.977	24.583
7)	B delta-BHC	4.646	5.175	180.3E6	89216600	23.210	24.792
8)	B Heptachlor...	5.176	5.998	181.5E6	86156626	24.306	25.400
9)	A Endosulfan I	5.514	6.358	165.3E6	77013793	24.324	24.772
10)	B gamma-Chl...	5.401	6.233	180.6E6	82443993	24.003	24.532
11)	B alpha-Chl...	5.459	6.307	179.2E6	80838146	24.371	24.654
12)	B 4,4'-DDE	5.625	6.460	153.2E6	80855759	23.430	24.652
13)	MA Dieldrin	5.756	6.616	173.7E6	81650230	23.724	25.544
14)	MA Endrin	6.012	6.836	153.1E6	66478274	23.648	24.579
15)	B Endosulfa...	6.287	7.044	149.1E6	67755279	24.169	25.006
16)	A 4,4'-DDD	6.141	6.953	124.3E6	63604671	23.624	24.663
17)	MA 4,4'-DDT	6.379	7.252	129.7E6	63164474	23.364	24.168
18)	B Endrin al...	6.455	7.168	124.3E6	55948334	24.764	24.513
19)	B Endosulfa...	6.668	7.391	149.2E6	67656607	23.983	25.227
20)	A Methoxychlor	6.926	7.708	75734089	33129413	25.078	25.265
21)	B Endrin ke...	7.158	7.866	165.8E6	67949507	24.405	24.930


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112018\
Data File : PL042278.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Nov 2018 11:13
Operator : AJ\SJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 19 12:01:39 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112018.M
Quant Title : GC Extractables
QLast Update : Mon Nov 19 11:49:47 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.468 min
Delta R.T.: 0.000 min
Response: 141279025
Conc: 24.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#1 Tetrachloro-m-xylene

R.T.: 4.101 min
Delta R.T.: 0.000 min
Response: 70786196
Conc: 25.05 ng/ml




#2 alpha-BHC

R.T.: 3.908 min
Delta R.T.: 0.000 min
Response: 213664448
Conc: 23.49 ng/ml



#2 alpha-BHC


R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 103540577
Conc: 24.38 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.191 min
Delta R.T.: 0.000 min
Response: 196007874
Conc: 23.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 4.785 min
Delta R.T.: 0.000 min
Response: 95702936
Conc: 24.49 ng/ml




#4 Heptachlor

R.T.: 4.487 min
Delta R.T.: 0.000 min
Response: 207637560
Conc: 23.98 ng/ml



#4 Heptachlor


R.T.: 5.301 min
Delta R.T.: 0.000 min
Response: 95228969
Conc: 24.53 ng/ml



#5 Aldrin


R.T.: 4.733 min
Delta R.T.: 0.000 min
Response: 191858440
Conc: 23.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 5.610 min
Delta R.T.: 0.000 min
Response: 92673377
Conc: 24.51 ng/ml




#6 beta-BHC

R.T.: 4.444 min
Delta R.T.: 0.000 min
Response: 85440649
Conc: 24.98 ng/ml



#6 beta-BHC


R.T.: 4.954 min
Delta R.T.: 0.000 min
Response: 39156536
Conc: 24.58 ng/ml



#7 delta-BHC


R.T.: 4.646 min
Delta R.T.: 0.000 min
Response: 180287542
Conc: 23.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 89216600
Conc: 24.79 ng/ml




#8 Heptachlor epoxide

R.T.: 5.176 min
Delta R.T.: 0.000 min
Response: 181459020
Conc: 24.31 ng/ml



#8 Heptachlor epoxide


R.T.: 5.998 min
Delta R.T.: 0.000 min
Response: 86156626
Conc: 25.40 ng/ml



#9 Endosulfan I


R.T.: 5.514 min
Delta R.T.: 0.000 min
Response: 165330715
Conc: 24.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 77013793
Conc: 24.77 ng/ml




#10 gamma-Chlordane

R.T.: 5.401 min
Delta R.T.: -0.001 min
Response: 180584115
Conc: 24.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.233 min
Delta R.T.: 0.000 min
Response: 82443993
Conc: 24.53 ng/ml



#11 alpha-Chlordane


R.T.: 5.459 min
Delta R.T.: 0.000 min
Response: 179202413
Conc: 24.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 80838146
Conc: 24.65 ng/ml




#12 4,4'-DDE

R.T.: 5.625 min
Delta R.T.: 0.000 min
Response: 153217108
Conc: 23.43 ng/ml



#12 4,4'-DDE


R.T.: 6.460 min
Delta R.T.: 0.000 min
Response: 80855759
Conc: 24.65 ng/ml



#13 Dieldrin


R.T.: 5.756 min
Delta R.T.: 0.000 min
Response: 173664240
Conc: 23.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC025




#13 Dieldrin

R.T.: 6.616 min
Delta R.T.: 0.000 min
Response: 81650230
Conc: 25.54 ng/ml




#14 Endrin

R.T.: 6.012 min
Delta R.T.: 0.000 min
Response: 153068308
Conc: 23.65 ng/ml



#14 Endrin


R.T.: 6.836 min
Delta R.T.: 0.000 min
Response: 66478274
Conc: 24.58 ng/ml



#15 Endosulfan II


R.T.: 6.287 min
Delta R.T.: 0.000 min
Response: 149107477
Conc: 24.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 7.044 min
Delta R.T.: 0.000 min
Response: 67755279
Conc: 25.01 ng/ml




#16 4,4'-DDD

R.T.: 6.141 min
Delta R.T.: 0.000 min
Response: 124340373
Conc: 23.62 ng/ml



#16 4,4'-DDD


R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 63604671
Conc: 24.66 ng/ml



#17 4,4'-DDT


R.T.: 6.379 min
Delta R.T.: 0.000 min
Response: 129678248
Conc: 23.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 7.252 min
Delta R.T.: 0.000 min
Response: 63164474
Conc: 24.17 ng/ml




#18 Endrin aldehyde

R.T.: 6.455 min
Delta R.T.: 0.000 min
Response: 124338953
Conc: 24.76 ng/ml



#18 Endrin aldehyde


R.T.: 7.168 min
Delta R.T.: 0.000 min
Response: 55948334
Conc: 24.51 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 149184414
Conc: 23.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 7.391 min
Delta R.T.: -0.001 min
Response: 67656607
Conc: 25.23 ng/ml




#20 Methoxychlor

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 75734089
Conc: 25.08 ng/ml



#20 Methoxychlor


R.T.: 7.708 min
Delta R.T.: 0.000 min
Response: 33129413
Conc: 25.26 ng/ml



#21 Endrin ketone


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 165844282
Conc: 24.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 7.866 min
Delta R.T.: 0.000 min
Response: 67949507
Conc: 24.93 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.207 min
Delta R.T.: 0.000 min
Response: 153427690
Conc: 26.23 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.231 min
Delta R.T.: 0.000 min
Response: 58862906
Conc: 25.44 ng/ml