

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112024\
 Data File : PL093170.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Nov 2024 10:18
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 20 23:03:39 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.774	117.9E6	132.0E6	48.122	48.515
28)	SA Decachlor...	9.055	7.913	81144045	131.2E6	42.163	48.069
Target Compounds							
2)	A alpha-BHC	3.992	3.276	164.2E6	198.0E6	48.427	49.623
3)	MA gamma-BHC...	4.325	3.607	156.0E6	190.9E6	47.871	49.467
4)	MA Heptachlor	4.914	3.946	136.7E6	183.5E6	45.520	48.635
5)	MB Aldrin	5.256	4.225	135.8E6	181.8E6	45.251	49.683
6)	B beta-BHC	4.523	3.907	67536140	80451576	46.723	48.870
7)	B delta-BHC	4.770	4.136	148.9E6	193.7E6	47.580	50.406
8)	B Heptachlo...	5.682	4.728	124.1E6	164.9E6	44.933	49.346
9)	A Endosulfan I	6.068	5.098	110.2E6	149.1E6	44.051	48.841
10)	B gamma-Chl...	5.938	4.978	116.7E6	167.9E6	43.857	49.943
11)	B alpha-Chl...	6.018	5.042	117.3E6	164.4E6	44.279	49.438
12)	B 4,4'-DDE	6.191	5.231	107.3E6	163.9E6	45.276	50.861
13)	MA Dieldrin	6.343	5.363	117.1E6	167.1E6	44.447	50.012
14)	MA Endrin	6.572	5.638	94484935	138.9E6	41.502	48.017
15)	B Endosulfa...	6.793	5.933	101.0E6	143.2E6	42.361	50.531
16)	A 4,4'-DDD	6.709	5.786	86379100	132.1E6	45.000	53.063
17)	MA 4,4'-DDT	7.022	6.037	85746567	124.5E6	41.428	46.412
18)	B Endrin al...	6.922	6.112	83355469	115.5E6	44.386	50.044
19)	B Endosulfa...	7.157	6.335	93736130	135.7E6	43.190	50.313
20)	A Methoxychlor	7.499	6.612	46808272	66983426	41.060	46.906
21)	B Endrin ke...	7.642	6.841	107.2E6	157.4E6	44.238	51.279
22)	Mirex	8.116	7.021	82200169	126.0E6	41.480	48.285
24)	Chlordane-2	5.256f	4.364	135.8E6	405057	1185.033	3.270 #
25)	Chlordane-3	5.938	4.978	116.7E6	167.9E6	298.958	462.916 #
26)	Chlordane-4	6.018	5.042	117.3E6	164.4E6	245.307	470.052 #
27)	Chlordane-5	0.000	5.933	0	143.2E6	N.D.	1129.018 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112024\
Data File : PL093170.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Nov 2024 10:18
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 20 23:03:39 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.004 min
Response: 117909615
Conc: 48.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: -0.004 min
Response: 132017043
Conc: 48.51 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.003 min
Response: 164242055
Conc: 48.43 ng/ml



#2 alpha-BHC


R.T.: 3.276 min
Delta R.T.: -0.004 min
Response: 198003870
Conc: 49.62 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: -0.003 min
Response: 156038578
Conc: 47.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.607 min
Delta R.T.: -0.004 min
Response: 190915062
Conc: 49.47 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: -0.003 min
Response: 136700981
Conc: 45.52 ng/ml



#4 Heptachlor


R.T.: 3.946 min
Delta R.T.: -0.004 min
Response: 183543080
Conc: 48.63 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: -0.002 min
Response: 135821193
Conc: 45.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.225 min
Delta R.T.: -0.004 min
Response: 181849298
Conc: 49.68 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 67536140
Conc: 46.72 ng/ml



#6 beta-BHC


R.T.: 3.907 min
Delta R.T.: -0.003 min
Response: 80451576
Conc: 48.87 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.002 min
Response: 148920431
Conc: 47.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.136 min
Delta R.T.: -0.003 min
Response: 193718877
Conc: 50.41 ng/ml




#8 Heptachlor epoxide

R.T.: 5.682 min
Delta R.T.: -0.002 min
Response: 124077570
Conc: 44.93 ng/ml



#8 Heptachlor epoxide


R.T.: 4.728 min
Delta R.T.: -0.004 min
Response: 164884054
Conc: 49.35 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.001 min
Response: 110188617
Conc: 44.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.098 min
Delta R.T.: -0.004 min
Response: 149118956
Conc: 48.84 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: -0.003 min
Response: 116687921
Conc: 43.86 ng/ml



#10 gamma-Chlordane


R.T.: 4.978 min
Delta R.T.: -0.004 min
Response: 167891925
Conc: 49.94 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: -0.002 min
Response: 117257847
Conc: 44.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.042 min
Delta R.T.: -0.004 min
Response: 164430550
Conc: 49.44 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: -0.002 min
Response: 107267828
Conc: 45.28 ng/ml



#12 4,4'-DDE


R.T.: 5.231 min
Delta R.T.: -0.004 min
Response: 163854982
Conc: 50.86 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: -0.002 min
Response: 117139704
Conc: 44.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.363 min
Delta R.T.: -0.003 min
Response: 167054732
Conc: 50.01 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: -0.002 min
Response: 94484935
Conc: 41.50 ng/ml



#14 Endrin


R.T.: 5.638 min
Delta R.T.: -0.003 min
Response: 138912003
Conc: 48.02 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: -0.001 min
Response: 100981600
Conc: 42.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.933 min
Delta R.T.: -0.003 min
Response: 143168492
Conc: 50.53 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: 0.000 min
Response: 86379100
Conc: 45.00 ng/ml



#16 4,4'-DDD


R.T.: 5.786 min
Delta R.T.: -0.003 min
Response: 132129291
Conc: 53.06 ng/ml



#17 4,4'-DDT


R.T.: 7.022 min
Delta R.T.: 0.000 min
Response: 85746567
Conc: 41.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.037 min
Delta R.T.: -0.003 min
Response: 124490304
Conc: 46.41 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: -0.002 min
Response: 83355469
Conc: 44.39 ng/ml



#18 Endrin aldehyde


R.T.: 6.112 min
Delta R.T.: -0.003 min
Response: 115465870
Conc: 50.04 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.157 min
Delta R.T.: 0.000 min
Response: 93736130
Conc: 43.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.335 min
Delta R.T.: -0.003 min
Response: 135688233
Conc: 50.31 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 46808272
Conc: 41.06 ng/ml



#20 Methoxychlor


R.T.: 6.612 min
Delta R.T.: -0.003 min
Response: 66983426
Conc: 46.91 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: 0.000 min
Response: 107180914
Conc: 44.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.841 min
Delta R.T.: -0.003 min
Response: 157366310
Conc: 51.28 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 82200169
Conc: 41.48 ng/ml



#22 Mirex


R.T.: 7.021 min
Delta R.T.: -0.003 min
Response: 125979936
Conc: 48.29 ng/ml



#24 Chlordane-2


R.T.: 5.256 min
Delta R.T.: 0.024 min
Response: 135821193
Conc: 1185.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.364 min
Delta R.T.: 0.012 min
Response: 405057
Conc: 3.27 ng/ml




#25 Chlordane-3

R.T.: 5.938 min
Delta R.T.: -0.003 min
Response: 116687921
Conc: 298.96 ng/ml



#25 Chlordane-3


R.T.: 4.978 min
Delta R.T.: -0.004 min
Response: 167891925
Conc: 462.92 ng/ml



#26 Chlordane-4


R.T.: 6.018 min
Delta R.T.: -0.006 min
Response: 117257847
Conc: 245.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.042 min
Delta R.T.: -0.003 min
Response: 164430550
Conc: 470.05 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.933 min
Delta R.T.: -0.008 min
Response: 143168492
Conc: 1129.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 81144045
Conc: 42.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.913 min
Delta R.T.: -0.003 min
Response: 131191816
Conc: 48.07 ng/ml