

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112322\
 Data File : PL079397.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Nov 2022 19:41
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 23 23:59:53 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112322.M
 Quant Title : GC Extractables
 QLast Update : Wed Nov 23 23:51:44 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	2.564	54907778	66888490	24.275	24.933
2)	SA Decachlor...	8.765	7.629	48759255	59087452	25.618	26.064
Target Compounds							
2)	A alpha-BHC	3.778	3.051	80063323	105.0E6	22.534	24.250
3)	MA gamma-BHC...	4.111	3.371	76491658	95706956	23.034	24.536
4)	MA Heptachlor	4.681	3.698	78601040	94379310	23.597	24.785
5)	MB Aldrin	5.019	3.969	73580117	90850850	23.410	24.720
6)	B beta-BHC	4.326	3.672	35176455	37624457	25.008	25.532
7)	B delta-BHC	4.567	3.891	63744889	93286834	22.137	24.242
8)	B Heptachlo...	5.452	4.465	68500139	83031397	24.308	25.142
9)	A Endosulfan I	5.837	4.828	64048397	78971422	24.040	25.193
10)	B gamma-Chl...	5.708	4.713	68572760	82748881	23.729	24.847
11)	B alpha-Chl...	5.784	4.775	69669430	82246577	24.162	25.115
12)	B 4,4'-DDE	5.968	4.970	59119681	75179849	23.285	24.633
13)	MA Dieldrin	6.114	5.090	64382662	82266140	23.481	24.766
14)	MA Endrin	6.345	5.360	58165475	74570018	23.828	24.986
15)	B Endosulfa...	6.575	5.656	53932163	67686176	24.147	25.271
16)	A 4,4'-DDD	6.493	5.520	47384014	60529089	23.369	24.593
17)	MA 4,4'-DDT	6.802	5.767	54001383	64383493	23.586	24.516
18)	B Endrin al...	6.707	5.835	44881661	53048529	24.836	25.504
19)	B Endosulfa...	6.939	6.058	56600148	69885600	24.472	25.536
20)	A Methoxychlor	7.287	6.344	29955093	34296419	25.099	25.650
21)	B Endrin ke...	7.424	6.554	60731723	76302534	24.543	25.186
22)	Mirex	7.881	6.725	47717589	59387923	25.822	26.176



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112322\
Data File : PL079397.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Nov 2022 19:41
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 23 23:59:53 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112322.M
Quant Title : GC Extractables
QLast Update : Wed Nov 23 23:51:44 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 54907778
Conc: 24.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.564 min
Delta R.T.: 0.000 min
Response: 66888490
Conc: 24.93 ng/ml




#2 alpha-BHC

R.T.: 3.778 min
Delta R.T.: 0.000 min
Response: 80063323
Conc: 22.53 ng/ml



#2 alpha-BHC


R.T.: 3.051 min
Delta R.T.: 0.000 min
Response: 105047940
Conc: 24.25 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.111 min
Delta R.T.: 0.000 min
Response: 76491658
Conc: 23.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.371 min
Delta R.T.: 0.000 min
Response: 95706956
Conc: 24.54 ng/ml




#4 Heptachlor

R.T.: 4.681 min
Delta R.T.: 0.000 min
Response: 78601040
Conc: 23.60 ng/ml



#4 Heptachlor


R.T.: 3.698 min
Delta R.T.: 0.000 min
Response: 94379310
Conc: 24.79 ng/ml



#5 Aldrin


R.T.: 5.019 min
Delta R.T.: 0.000 min
Response: 73580117
Conc: 23.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 3.969 min
Delta R.T.: 0.000 min
Response: 90850850
Conc: 24.72 ng/ml




#6 beta-BHC

R.T.: 4.326 min
Delta R.T.: 0.000 min
Response: 35176455
Conc: 25.01 ng/ml



#6 beta-BHC


R.T.: 3.672 min
Delta R.T.: 0.000 min
Response: 37624457
Conc: 25.53 ng/ml



#7 delta-BHC


R.T.: 4.567 min
Delta R.T.: 0.000 min
Response: 63744889
Conc: 22.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 3.891 min
Delta R.T.: 0.000 min
Response: 93286834
Conc: 24.24 ng/ml




#8 Heptachlor epoxide

R.T.: 5.452 min
Delta R.T.: 0.000 min
Response: 68500139
Conc: 24.31 ng/ml



#8 Heptachlor epoxide


R.T.: 4.465 min
Delta R.T.: 0.000 min
Response: 83031397
Conc: 25.14 ng/ml



#9 Endosulfan I


R.T.: 5.837 min
Delta R.T.: 0.000 min
Response: 64048397
Conc: 24.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 4.828 min
Delta R.T.: 0.000 min
Response: 78971422
Conc: 25.19 ng/ml




#10 gamma-Chlordane

R.T.: 5.708 min
Delta R.T.: 0.000 min
Response: 68572760
Conc: 23.73 ng/ml



#10 gamma-Chlordane


R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 82748881
Conc: 24.85 ng/ml



#11 alpha-Chlordane


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 69669430
Conc: 24.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 82246577
Conc: 25.12 ng/ml




#12 4,4'-DDE

R.T.: 5.968 min
Delta R.T.: 0.000 min
Response: 59119681
Conc: 23.29 ng/ml



#12 4,4'-DDE


R.T.: 4.970 min
Delta R.T.: 0.000 min
Response: 75179849
Conc: 24.63 ng/ml



#13 Dieldrin


R.T.: 6.114 min
Delta R.T.: 0.000 min
Response: 64382662
Conc: 23.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.090 min
Delta R.T.: 0.000 min
Response: 82266140
Conc: 24.77 ng/ml




#14 Endrin

R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 58165475
Conc: 23.83 ng/ml



#14 Endrin


R.T.: 5.360 min
Delta R.T.: 0.000 min
Response: 74570018
Conc: 24.99 ng/ml



#15 Endosulfan II


R.T.: 6.575 min
Delta R.T.: 0.000 min
Response: 53932163
Conc: 24.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.656 min
Delta R.T.: 0.000 min
Response: 67686176
Conc: 25.27 ng/ml




#16 4,4'-DDD

R.T.: 6.493 min
Delta R.T.: 0.000 min
Response: 47384014
Conc: 23.37 ng/ml



#16 4,4'-DDD


R.T.: 5.520 min
Delta R.T.: 0.000 min
Response: 60529089
Conc: 24.59 ng/ml



#17 4,4'-DDT


R.T.: 6.802 min
Delta R.T.: 0.000 min
Response: 54001383
Conc: 23.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 5.767 min
Delta R.T.: 0.000 min
Response: 64383493
Conc: 24.52 ng/ml




#18 Endrin aldehyde

R.T.: 6.707 min
Delta R.T.: 0.000 min
Response: 44881661
Conc: 24.84 ng/ml



#18 Endrin aldehyde


R.T.: 5.835 min
Delta R.T.: 0.000 min
Response: 53048529
Conc: 25.50 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.939 min
Delta R.T.: 0.000 min
Response: 56600148
Conc: 24.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.058 min
Delta R.T.: 0.000 min
Response: 69885600
Conc: 25.54 ng/ml




#20 Methoxychlor

R.T.: 7.287 min
Delta R.T.: 0.000 min
Response: 29955093
Conc: 25.10 ng/ml



#20 Methoxychlor


R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 34296419
Conc: 25.65 ng/ml



#21 Endrin ketone


R.T.: 7.424 min
Delta R.T.: 0.000 min
Response: 60731723
Conc: 24.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.554 min
Delta R.T.: 0.000 min
Response: 76302534
Conc: 25.19 ng/ml




#22 Mirex

R.T.: 7.881 min
Delta R.T.: 0.000 min
Response: 47717589
Conc: 25.82 ng/ml



#22 Mirex


R.T.: 6.725 min
Delta R.T.: 0.000 min
Response: 59387923
Conc: 26.18 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.765 min
Delta R.T.: 0.000 min
Response: 48759255
Conc: 25.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.629 min
Delta R.T.: 0.000 min
Response: 59087452
Conc: 26.06 ng/ml