

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112524\
 Data File : PL093233.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Nov 2024 11:32
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 25 13:49:12 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112524.M
 Quant Title : GC Extractables
 QLast Update : Mon Nov 25 13:46:07 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.774	247.9E6	292.6E6	97.160	99.121
28)	SA Decachlor...	9.053	7.912	163.7E6	270.4E6	96.129	96.046
Target Compounds							
2)	A alpha-BHC	3.991	3.276	354.7E6	458.4E6	98.878	100.691
3)	MA gamma-BHC...	4.324	3.607	332.7E6	440.0E6	98.486	100.480
4)	MA Heptachlor	4.912	3.945	286.5E6	416.0E6	96.479	99.138
5)	MB Aldrin	5.254	4.225	286.5E6	417.7E6	97.267	99.986
6)	B beta-BHC	4.522	3.906	138.4E6	176.2E6	95.399	98.041
7)	B delta-BHC	4.769	4.135	315.6E6	441.2E6	97.668	99.420
8)	B Heptachlo...	5.680	4.727	254.4E6	372.1E6	95.920	98.908
9)	A Endosulfan I	6.066	5.097	227.6E6	341.4E6	96.313	98.766
10)	B gamma-Chl...	5.937	4.977	244.3E6	380.0E6	96.670	99.452
11)	B alpha-Chl...	6.016	5.041	243.0E6	372.0E6	96.540	99.033
12)	B 4,4'-DDE	6.189	5.230	222.1E6	367.0E6	96.960	98.886
13)	MA Dieldrin	6.341	5.362	242.4E6	382.7E6	96.827	99.551
14)	MA Endrin	6.571	5.637	201.5E6	328.5E6	97.479	99.448
15)	B Endosulfa...	6.791	5.932	203.4E6	318.0E6	96.158	97.784
16)	A 4,4'-DDD	6.707	5.785	173.3E6	293.8E6	96.720	99.721
17)	MA 4,4'-DDT	7.020	6.035	183.3E6	305.3E6	96.444	98.718
18)	B Endrin al...	6.921	6.111	164.9E6	254.5E6	95.035	97.099
19)	B Endosulfa...	7.156	6.334	188.1E6	298.0E6	95.092	97.442
20)	A Methoxychlor	7.497	6.610	96794611	148.6E6	94.729	96.637
21)	B Endrin ke...	7.641	6.839	212.3E6	334.8E6	95.732	97.483
22)	Mirex	8.114	7.019	163.6E6	258.7E6	94.396	96.295



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL112524\
Data File : PL093233.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Nov 2024 11:32
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 25 13:49:12 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL112524.M
Quant Title : GC Extractables
QLast Update : Mon Nov 25 13:46:07 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: 0.000 min
Response: 247895655
Conc: 97.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: 0.000 min
Response: 292582315
Conc: 99.12 ng/ml




#2 alpha-BHC

R.T.: 3.991 min
Delta R.T.: 0.000 min
Response: 354671280
Conc: 98.88 ng/ml



#2 alpha-BHC


R.T.: 3.276 min
Delta R.T.: 0.000 min
Response: 458427795
Conc: 100.69 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 332652863
Conc: 98.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.607 min
Delta R.T.: 0.000 min
Response: 439993613
Conc: 100.48 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: 0.000 min
Response: 286478890
Conc: 96.48 ng/ml



#4 Heptachlor


R.T.: 3.945 min
Delta R.T.: 0.000 min
Response: 415994522
Conc: 99.14 ng/ml



#5 Aldrin


R.T.: 5.254 min
Delta R.T.: 0.000 min
Response: 286493215
Conc: 97.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.225 min
Delta R.T.: 0.000 min
Response: 417666327
Conc: 99.99 ng/ml




#6 beta-BHC

R.T.: 4.522 min
Delta R.T.: 0.000 min
Response: 138421691
Conc: 95.40 ng/ml



#6 beta-BHC


R.T.: 3.906 min
Delta R.T.: 0.000 min
Response: 176194938
Conc: 98.04 ng/ml



#7 delta-BHC


R.T.: 4.769 min
Delta R.T.: 0.000 min
Response: 315586901
Conc: 97.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 4.135 min
Delta R.T.: 0.000 min
Response: 441219747
Conc: 99.42 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: 0.000 min
Response: 254364369
Conc: 95.92 ng/ml



#8 Heptachlor epoxide


R.T.: 4.727 min
Delta R.T.: 0.000 min
Response: 372142043
Conc: 98.91 ng/ml



#9 Endosulfan I


R.T.: 6.066 min
Delta R.T.: 0.000 min
Response: 227587824
Conc: 96.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 5.097 min
Delta R.T.: 0.000 min
Response: 341393252
Conc: 98.77 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: 0.000 min
Response: 244305364
Conc: 96.67 ng/ml



#10 gamma-Chlordane


R.T.: 4.977 min
Delta R.T.: 0.000 min
Response: 379967622
Conc: 99.45 ng/ml



#11 alpha-Chlordane


R.T.: 6.016 min
Delta R.T.: 0.000 min
Response: 243033064
Conc: 96.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 371986313
Conc: 99.03 ng/ml




#12 4,4'-DDE

R.T.: 6.189 min
Delta R.T.: 0.000 min
Response: 222121297
Conc: 96.96 ng/ml



#12 4,4'-DDE


R.T.: 5.230 min
Delta R.T.: 0.000 min
Response: 366979875
Conc: 98.89 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: 0.000 min
Response: 242423239
Conc: 96.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.362 min
Delta R.T.: 0.000 min
Response: 382729201
Conc: 99.55 ng/ml




#14 Endrin

R.T.: 6.571 min
Delta R.T.: 0.000 min
Response: 201507682
Conc: 97.48 ng/ml



#14 Endrin


R.T.: 5.637 min
Delta R.T.: 0.000 min
Response: 328547509
Conc: 99.45 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: 0.000 min
Response: 203352214
Conc: 96.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.932 min
Delta R.T.: 0.000 min
Response: 317952945
Conc: 97.78 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: 0.000 min
Response: 173315931
Conc: 96.72 ng/ml



#16 4,4'-DDD


R.T.: 5.785 min
Delta R.T.: 0.000 min
Response: 293830867
Conc: 99.72 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: 0.000 min
Response: 183279045
Conc: 96.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 6.035 min
Delta R.T.: 0.000 min
Response: 305324582
Conc: 98.72 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 164906359
Conc: 95.03 ng/ml



#18 Endrin aldehyde


R.T.: 6.111 min
Delta R.T.: 0.000 min
Response: 254546062
Conc: 97.10 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.156 min
Delta R.T.: 0.000 min
Response: 188135924
Conc: 95.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.334 min
Delta R.T.: 0.000 min
Response: 298044250
Conc: 97.44 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: 0.000 min
Response: 96794611
Conc: 94.73 ng/ml



#20 Methoxychlor


R.T.: 6.610 min
Delta R.T.: 0.000 min
Response: 148557429
Conc: 96.64 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: 0.000 min
Response: 212301111
Conc: 95.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.839 min
Delta R.T.: 0.000 min
Response: 334766203
Conc: 97.48 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: 0.000 min
Response: 163622770
Conc: 94.40 ng/ml



#22 Mirex


R.T.: 7.019 min
Delta R.T.: 0.000 min
Response: 258731933
Conc: 96.29 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: 0.000 min
Response: 163689393
Conc: 96.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.912 min
Delta R.T.: 0.000 min
Response: 270417478
Conc: 96.05 ng/ml